

VASCULAR FLORA OF SOUTH-CENTRAL COLORADO

A total of 20,585 collections were made during the 1998 and 1999 summer field seasons. Six collectors contributed to this total: Brian Elliott (11,776 collections), Dr. Ron Hartman (5,991 collections), B.E. Nelson (615 collections), and Charity Hall, Brian Jacobs, and Alex Morgan (2,203 collections). These collections represent 1392 taxa in 96 families. Many rare taxa, non-native taxa, and noxious weeds were documented as well. Results of the survey are summarized in Tables 1-3 below, followed by an annotated species list.

Table 1: A Numerical summary of the vascular flora of south-central Colorado.
Rare taxa indicates listing on the Colorado Natural Heritage Program's list of species of conservation concern (Colorado Natural Heritage Program, 1999). Noxious weeds are based on the Colorado Department of Agriculture's state-designated noxious weed list (<http://www.ag.state.co.us/DPI/rules/noxious.html>). Non-native refers to taxa introduced from outside North America, and is based on the Checklist of the Vascular Plants of Colorado (Hartman and Nelson, 2000).

Infaspecific taxa:	122
Species	1270
Genera	475
Families	96
Taxa: Fern Allies	21
Taxa: Gymnosperms	14
Taxa: Angiosperms	1357
Unique Taxa:	1392
Rare taxa	44
Noxious weeds	30
Non-native taxa	134 (9.6%)

Table 2: List of Colorado noxious weeds from the study area. This list is developed from the State of Colorado Noxious Weeds List, the Division of Plant Industry of the Colorado Department of Agriculture (<http://www.ag.state.co.us/DPI/rules/noxious.html>). The state list contains 69 taxa, of which 30 were documented by voucherized specimens in the floristic survey. Although *Tamarix chinensis* is not on the state list, two other species of *Tamarix* are, and some authors lump all three species into one. Thus, I have included *T. chinensis* here. An asterisk indicates a taxa belonging to the top ten worst weeds in Colorado based on the state noxious weed list.

TAXON (Family)	COMMON NAME	Number of collections
<i>Aegilops cylindrica</i> * (Poaceae)	goatgrass	15
<i>Arctium minus</i> (Asteraceae)	common burdock	2
<i>Bromus tectorum</i> (Poaceae)	cheatgrass	91
<i>Cardaria draba</i> * (Brassicaceae)	hoary cress	5
<i>Carduus nutans</i> * (Asteraceae)	musk thistle	9
<i>Carum carvi</i> (Apiaceae)	wild caraway	9
<i>Cenchrus longispinus</i> (Poaceae)	longspine sandbur	1
<i>Centaurea diffusa</i> * (Asteraceae)	diffuse knapweed	3
<i>Centaurea repens</i> * (Asteraceae)	Russian knapweed	1
<i>Chorispora tenella</i> (Brassicaceae)	blue mustard	11
<i>Chrysanthemum leucanthemum</i> (Asteraceae)	oxeye daisy	5
<i>Cichorium intybus</i> (Asteraceae)	chicory	2
<i>Cirsium arvense</i> * (Asteraceae)	Canada thistle	20
<i>Cirsium vulgare</i> (Asteraceae)	bull thistle	3
<i>Conium maculatum</i> (Apiaceae)	poison hemlock	8
<i>Convolvulus arvensis</i> * (Convolvulaceae)	field bindweed	56
<i>Cynoglossum officinale</i> (Boraginaceae)	houndstongue	35
<i>Descurainia sophia</i> (Brassicaceae)	flixweed	51
<i>Dipsacus fullonum</i> (Dipsacaceae)	common teasel	1
<i>Erodium cicutarium</i> (Geraniaceae)	redstem filaree	45
<i>Euphorbia esula</i> * (Euphorbiaceae)	leafy spurge	7
<i>Hyoscyamus niger</i> (Solanaceae)	black henbane	6
<i>Kochia scoparia</i> (Chenopodiaceae)	kochia	11
<i>Linaria dalmatica</i> (Scrophulariaceae)	Dalmation toadflax	2
<i>Linaria vulgaris</i> * (Scrophulariaceae)	yellow toadflax	2
<i>Onopordum acanthium</i> (Asteraceae)	Scotch thistle	6
<i>Tamarix chinensis</i> (Tamaricaceae)	saltcedar	10
<i>Tribulus terrestris</i> (Zygophyllaceae)	puncturevine	4
<i>Verbascum thapsus</i> (Scrophulariaceae)	common mullein	22

Table 3: List of rare taxa. A list of sensitive species based on the Colorado Natural Heritage Program (Colorado Natural Heritage Program, 1999) documented by vouchered collections made during the course of this study is given in below. Taxa are ranked based on their global (G) and state (S) status. Global ranks are based on worldwide occurrence, with a number from 1-5 indicating conservation status. A 1 indicates the highest conservation concern with a 5 the lowest. State ranks are based on statewide occurrence, and a numeral (1-3) indicates the level of conservation concern: 1= endangered, 2= threatened, and 3= vulnerable. The federal status is indicated by S= sensitive or C= candidate for listing. A ?= uncertainty about the conservation ranking, while a Q indicates uncertainty regarding the taxonomic status. Both rank and federal status (as well as their definitions) come from the Colorado Rare Plant Field Guide (Spackman et. al., 1997) and the Conservation Status Handbook (Colorado Natural Heritage Program, 1999). Abbreviations are F&W for Fish and Wildlife Service, FS for Forest Service, and BLM for Bureau of Land Management.

TAXON (Family)	Number of collections	RANK		
		CoNHP	Agency	F&W FS/BLM
<i>Abronia carletonii</i> (Nyctaginaceae)	1	G4/S1		
<i>Arabis crandallii</i> (Brassicaceae)	1	G4/S2		BLM
<i>Arabis oxylobula</i> (Brassicaceae)	1	G3/S3		
<i>Asclepias uncialis</i> (Asclepiadaceae)	2	G1G2/S1S2	S	FS/BLM
<i>Astragalus brandegeei</i> (Fabaceae)	7	G5/S1S2	C	BLM
<i>Astragalus cerussatus</i> (Fabaceae)	2	G2/S2		
<i>Carex oreocharis</i> (Cyperaceae)	3	G3/S1		
<i>Carex peckii</i> (Cyperaceae)	1	G4G5/S1		
<i>Castilleja lineata</i> (Scrophulariaceae)	4	G4?/S1		
<i>Chionophila jamesii</i> (Scrophulariaceae)	9	G4?/S3S4		
<i>Cryptantha cinerea</i> var. <i>pustulosa</i> (Boraginaceae)	2	G5T?/S1		
<i>Delphinium alpestre</i> (Ranunculaceae)	11	G3/S2		
<i>Draba crassa</i> (Brassicaceae)	3	G3/S3		
<i>Draba fladnizensis</i> var. <i>pattersonii</i> (Brassicaceae)	9	G4/S2S3		
<i>Draba grayana</i> (Brassicaceae)	2	G2/S2		
<i>Draba oligosperma</i> var. <i>oligosperma</i> (Brassicaceae)	1	G5/S2		
<i>Draba porsildii</i> var. <i>porsildii</i> (Brassicaceae)	2	G3G4/S1		
<i>Draba smithii</i> (Brassicaceae)	4	G2/S2	S	FS
<i>Draba streptobrachia</i> (Brassicaceae)	3	G3/S3		
<i>Eustoma grandiflorum</i> (Gentianaceae)	1	G5/S3		
<i>Forsellesia planitierum</i> (Crossosomataceae)	1	G4/S1		
<i>Funastrum crispum</i> (Asclepiadaceae)	1	G4G5/S1		
<i>Gymnocarpium dryopteris</i> (Dennstaedtiaceae)	1	G5/S2S3		
<i>Herrickia horrida</i> (Asteraceae)	2	G3/S1		C
<i>Heuchera hallii</i> (Saxifragaceae)	3	G3/S3		
<i>Hymenoxys × helenioides</i> (Asteraceae)	1	G3?Q/S1		
<i>Lesquerella calcicola</i> (Brassicaceae)	9	G2S2		

TAXON (Family)	Number of collections	CoNHP	RANK	
			F&W	Agency FS/BLM
<i>Mentzelia densa</i> (Loasaceae)	2	G2/S2		BLM
<i>Minuartia stricta</i> (Caryophyllaceae)	1	G5/S1		
<i>Mirabilis rotundifolia</i> (Nyctaginaceae)	1	G1G2/S1S2		
<i>Nama dichotomum</i> (Hydrophyllaceae)	2	G4/S1		
<i>Neoparrya lithophila</i> (Apiaceae)	13	G2/S2	S	FS/BLM
<i>Oenothera harringtonii</i> (Onagraceae)	5	G2/S2		
<i>Oonopsis foliosa</i> var. <i>foliosa</i> (Asteraceae)	3	G3/G4T2		
<i>Oonopsis foliosa</i> var. <i>monocephala</i> (Asteraceae)	2	G3/G4T2		
<i>Oonopsis pueblensis</i> (Asteraceae)	1	G1/G2 S1/S2		
<i>Oxytropis parryi</i> (Fabaceae)	1	G5/S1		
<i>Papaver radicatum</i> ssp. <i>kluanense</i> (Papaveraceae)	1	G4/S2		
<i>Penstemon degeneri</i> (Scrophulariaceae)	4	G2/S2	S	FS/BLM
<i>Pyrola picta</i> (Ericaceae)	1	G4G5/S2		
<i>Saxifraga cespitosa</i> var. <i>monticola</i> (Saxifragaceae)	7	G5T5/S1		
<i>Selaginella weatherbiana</i> (Selaginellaceae)	2	G3G4/S3S4		
<i>Stellaria irrigua</i> (Caryophyllaceae)	8	G4?/S2		
<i>Woodsia neomexicana</i> (Dryopteridaceae)	3	G4?/S2		

The Annotated Checklist:

The following annotated checklist is based upon collections made during the course of this floristic survey. While no checklist is complete, this survey represents the most complete done to date in the study area. It is likely that additional taxa could be added to the list based on historical collections.

The checklist is organized by major plant group with the fern allies first followed by the gymnosperms and the angiosperms last. Within each major group the taxa are arranged alphabetically by family. Genera and species are arranged alphabetically within each family. See table 7 for a list of abbreviations used in the checklist.

Table 7: List of abbreviations used in the annotated checklist.

Each entry is organized as follows:

Taxon Authority (# of collections) COUNTY; elevation range in feet;
SUBREGION; habitat type.

! denotes a species of conservation concern.

* denotes a noxious weed.

County abbreviations:

AL Alamosa
CF Chaffee
CT Costilla
CU Custer
FN Fremont
HF Huerfano
LA Las Animas
PE Pueblo
SH Saguache

Geomorphic Subregions:

BMP Bonanza Monarch Pass
CLR Culebra Range
EFH Eastern Foothills
HPD High Piedmont
SCR Sangre de Cristo Range
WMT Wet Mountains

Habitat Type:

amd alpine meadow
asp aspen woodland
bcp bristlecone pine woodland
dsc desert scrub shrubland
dst disturbed
gwd greasewood shrubland
lpp lodgepole pine woodland
mcw mixed conifer woodland

mtg montane grassland
mw1 marsh wetland
oks oak shrubland
pjw pinyon-juniper woodland
ppw ponderosa pine woodland
rwl riparian wetland
sgb sagebrush
sgp shortgrass prairie

An Annotated Checklist of the Vascular Plants of South-Central Colorado

FERN ALLIES

Equisetaceae

- Equisetum arvense* L. (59) AL, CF, CT, CU, FN, HF, LA, PE, SH; 5870-11,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, bcp, mcw, mtg, mwl, oks, pjw, ppw, rwl.
- Equisetum hyemale* L. var. *affine* (Engelm.) A. A. Eat. (4) CF, CU, LA, SH; 8600-9300'; CLR, SCR; asp, mcw, rwl.
- Equisetum laevigatum* A. Br. (36) AL, CT, CU, FN, HF, LA, PE, SH; 6000-10,000'; CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, mwl, oks, pjw, ppw, rwl.
- Equisetum pratense* Ehrh. (1) PE; 8000'; WMT; mcw.

Polypodiaceae

- Argyrochosma fendleri* (Kunze) Windham (17) CU, FN, PE, SH; 5800-10,000'; BMP, HPD, SCR, SLV, WMT; mtg, pjw, ppw, rwl.
- Athyrium filix-femina* (L.) Roth (4) FN, PE; 7500-8500'; WMT; mcw, ppw, rwl.
- Cheilanthes feei* T. Moore (6) FN, LA, PE, SH; 6600-9400'; CLR, SCR, SLV; mtg, pjw, ppw, rwl.
- Cheilanthes fendleri* Hook. (7) FN, PE, SH; 6200-8400'; SLV, WMT; oks, pjw, rwl.
- Cryptogramma acrostichoides* R. Br. (9) CF, CU, HF, LA, PE, SH; 8700-12,683'; BMP, CLR, SCR, WMT; amd, bcp, dst, mcw.
- Cystopteris reevesiana* Lellinger (30) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7200-12,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, mcw, ppw, rwl.
- Dryopteris filix-mas* (L.) Schott (3) CU, FN; 7500-8800'; WMT; dst, mcw.
- !*Gymnocarpium dryopteris* (L.) Newm. (1) CU; 9000'; WMT; mcw.
- Pellaea truncata* Goodd. (1) FN; 6300-8400'; WMT; pjw.
- Polypodium saximontanum* Windham (1) PE; 8600'; WMT; mcw, rwl.
- Pteridium aquilinum* (L.) Kuhn var. *latiusculum* (Desv.) Underw. ex Heller (2) PE; 8500-8700'; WMT; ppw.
- !*Woodsia neomexicana* Windham (3) PE, SH; 7800-9300'; SLV, WMT; mcw.
- Woodsia oregana* D. C. Eat. var. *cathcartiana* (Robins.) C.V. Morton (19) CT, CU, FN, HF, LA, PE, SH; 7000-13,971'; BMP, CLR, HPD, SCR, SLV, WMT; amd, mcw, mtg, pjw, ppw.

Selaginellaceae

- Selaginella densa* Rydb. (14) CF, CT, FN, HF, LA, PE, SH; 7200-11,700'; BMP, CLR, EFH, SCR, SLV, WMT; amd, mtg, pjw, ppw.
- Selaginella mutica* D. C. Eat. ex Underw. var. *mutica* (7) FN, HF; 6300-9600'; HPD, SCR, WMT; pjw.
- Selaginella underwoodii* Hieron. (4) FN, LA, PE; 5960-8400'; CLR, WMT; pjw, ppw.
- !*Selaginella weatherbiana* R. Tryon (2) HF, PE; 10,300-11,400'; CLR, WMT; amd.

GYMNOSPERMS

Cupressaceae

Juniperus communis L. var. *depressa* Pursh (75) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-13,971'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, bcp, lpp, mcw, mtg, oks, ppw, rwl, sgp.

Juniperus monosperma (Engelm.) Sarg. (42) CU, FN, HF, LA, PE; 4900-7900'; EFH, HPD, SCR, WMT; oks, pjw, sgp.

Juniperus scopulorum Sarg. (93) AL, CF, CT, FN, HF, LA, PE, SH; 4900-10,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; mcw, oks, pjw, ppw, sgb, sgp.

Pinaceae

Abies concolor (Gord. & Glend.) Lindl. ex Hildebr. var. *concolor* (59) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7000-10,700'; BMP, CLR, EFH, SCR, SLV, WMT; asp, bcp, lpp, mcw, oks, ppw, rwl, sgb.

Abies lasiocarpa (Hook.) Nutt. var. *arizonica* (Merriam) Lemmon (14) CT, CU, FN, HF, LA, PE, SH; 8400-12,800'; CLR, SCR, WMT; asp, bcp, mcw, rwl.

Abies lasiocarpa (Hook.) Nutt. var. *lasiocarpa* (9) AL, CT, CU, HF, LA, PE, SH; 7200-11,800'; CLR, SCR, WMT; asp, mcw.

Picea engelmannii Parry ex Engelm. (37) AL, CF, CT, CU, HF, LA, PE, SH; 8350-12,400'; BMP, CLR, SCR, SLV, WMT; asp, bcp, lpp, mcw, ppw, rwl.

Picea pungens Engelm. (21) CU, FN, HF, LA, PE, SH; 8000-12,800'; BMP, CLR, SCR, WMT; asp, bcp, mcw, ppw, rwl.

Pinus aristata Engelm. (33) AL, CF, CT, CU, FN, HF, LA, PE, SH; 9300-12,200'; BMP, CLR, SCR, WMT; asp, bcp, lpp, mcw.

Pinus contorta Dougl. ex Loud. var. *latifolia* Engelm. ex Wats. (10) CF, CU, HF, SH; 8830-11,600'; BMP, CLR, SCR; asp, lpp, mcw, ppw.

Pinus edulis Engelm. (115) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-10,600'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; lpp, mcw, oks, pjw, ppw, sgb, sgp.

Pinus flexilis James (32) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8300-11,800'; BMP, CLR, SCR, SLV, WMT; asp, bcp, mcw, rwl.

Pinus ponderosa P. & C. Lawson (75) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-10,000'; BMP, CLR, EFH, HPD, SCR, WMT; asp, bcp, mcw, oks, pjw, ppw, sgb.

Pseudotsuga menziesii (Mirb.) Franco var. *glaucia* (Beissn.) Franco (70) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6300-11,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, bcp, lpp, mcw, oks, pjw, ppw, rwl, sgb.

ANGIOSPERMS

Aceraceae

- Acer glabrum* Torr. var. *glabrum* (55) AL, CF, CU, FN, HF, LA, PE; 7000-11,600'; BMP, CLR, EFH, SCR, SCR, SLV; asp, dst, mcw, mwl, oks, pjw, ppw, rwl.
Acer negundo L. var. *interius* (Britt.) Sarg. (7) HF, LA, PE; 5870-7600'; CLR, EFN, WMT; dst, pjw, rwl, sgp.
Acer negundo L. var. *violaceum* (Kirchn.) Jacq. (9) CT, HF, LA, PE; 5850-10,000'; CLR, EFH; dst, mcw, oks, pjw, rwl, sgp.
Acer saccharinum L. (1) PE; 5800'; EFH; dst.

Adoxaceae

- Adoxa moschatellina* L. (2) CU, LA; 11,750-12,400'; CLR, WMT; amd.

Agavaceae

- Yucca baccata* Torr. var. *baccata* (2) HF, LA; 6500-7000'; EFH; pjw.
Yucca glauca Nutt. var. *glauca* (46) CF, CU, FN, HF, LA, PE, SH; 4900-10,400'; dst, gwd, mcw, oks, pjw, ppw, sgp.

Alismataceae

- Alisma gramineum* Lej. (1) PE; 6800'; mwl.
Alisma triviale Pursh (1) LA; 8600-8700'; EFH; mwl.

Amaranthaceae

- Amaranthus albus* L. (1) FN; 8000-8800'; SCR; rwl.
Amaranthus blitoides Wats. (4) LA, SH; 6600-9000'; EFH, SLV; dst, rwl, sgp.
**Amaranthus retroflexus* L. (7) AL, LA, PE, CU, FN; 5100-8030'; EFH, HPD, SLV; dst, pjw, rwl.

Anacardiaceae

- Rhus trilobata* Nutt. var. *pilosissima* Engelm. (7) CU, FN, LA, PE; 4800-8500'; EFH; dst, pjw, sgp.
Rhus trilobata Nutt. var. *trilobata* (85) CF, CU, FN, LA, PE, HF, SH; 4800-10,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, mwl, pjw, ppw, rwl, sgp.
Toxicodendron rydbergii (Small ex Rydb.) Greene (10) CU, FN, LA, PE; 5450-8000'; EFH, HPD, WMT; dst, mcw, oks, pjw, ppw, rwl.

Apiaceae

- Angelica grayi* (Coulter. & Rose) Coulter. & Rose (23) AL, CT, CU, FN, HF, LA, SH; 8800-13,970'; BMP, CLR, SCR, WMT; amd, asp, mcw, mwl.
**Berula erecta* (Huds.) Cov. var. *incisa* (Torr.) Cronq. (1) HF; 6450'; EFH; mwl.
**Carum carvi* L. (9) CU, CT, FN, LA; 6800-8900'; CLR, HPD, SCR; dst, mwl, oks, pjw, ppw, rwl.

- Cicuta maculata* L. var. *angustifolia* Hook. (6) CT, LA, PE, SH; 5450-8000'; EFH, SLV; dst, mwl, rwl.
- Conioselinum scopulorum* (Gray) Coulter & Rose (9) CT, CU, FN, HF, PE; 8000-11,800'; CLR, SCR, WMT; asp, mcw, mwl, oks.
- **Conium maculatum* L. (8) CT, CU, FN, HF, PE; 8000-11,800'; CLR, EFH, HPD; asp, mwl, oks, rwl.
- Cymopterus acaulis* (Pursh) Raf. var. *acaulis* (25) FN, HF, LA, PE; 4800-7900'; EFH, HPD; pjw, sgp.
- Cymopterus alpinus* Gray (15) AL, CF, CT, LA, SH; 8600-14,042'; BMP, CLR, SCR; amd, bcp, mcw, mtg.
- Cymopterus anisatus* Gray (2) FN, SH; 7400-8000'; SLV, WMT; oks, ppw.
- Cymopterus bakeri* (Coulter & Rose) Jones (35) AL, CT, CU, HF, LA, PE, SH; 10,300-14,064'; BMP, CLR, SCR, WMT; amd, mcw.
- Cymopterus lemmontii* (Coulter & Rose) Dorn (119) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7250-13,971'; BMP, CLR, EFH, HPD, SCR, WMT; amd, asp, bcp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- Cymopterus longilobus* (Rydb.) W. A. Weber (8) CU, HF, LA; 8760-13,200'; CLR, SCR, WMT; amd, asp, mcw.
- Cymopterus montanus* T. & G. (13) FN, HF, LA, PE; 4700-7410'; EFH, HPD; gwd, oks, pjw, sgp.
- Cymopterus nova* T. & G. (1) HF; 8400-8800'; WMT; ppw.
- Harbouria trachyleura* (Gray) Coulter & Rose (6) FN, LA; 6000-7180'; EFH, WMT; oks, pjw.
- Heracleum sphondylium* L. var. *lanatum* (Michx.) Dorn (32) CF, CT, CU, FN, HF, LA, PE, SH; 6600-11,000'; BMP, EFH, SCR, WMT; amd, asp, dst, mcw, mtg, mwl, oks, ppw, rwl.
- Ligusticum porteri* Coulter & Rose var. *porteri* (20) AL, CU, HF, LA, PE; 6600-12,683'; CLR, EFH, SCR, WMT; amd, asp, dst, mcw, mtg, mwl, oks, ppw, rwl.
- **Neoparrya lithophila* Math. (13) CF, FN, SH; 7600-9800'; SCR, SLV; dsc, mtg, pjw, ppw.
- Osmorrhiza chilensis* H. & A. (5) CU, FN, PE; 7800-9400'; SCR, WMT; mcw, ppw, rwl.
- Osmorrhiza depauperata* Phil. (38) CF, CT, CU, HF, LA, PE, SH; 8200-11,600'; BMP, CLR, SCR, WMT; asp, bcp, mcw, mtg, pjw, ppw, rwl.
- Osmorrhiza longistylis* (Torr.) DC. (2) LA; 7600-8600'; EFH; oks, pjw.
- Oxypolis fendleri* (Gray) Heller (56) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7200-12,800'; BMP, CLR, HPD, SCR, WMT; amd, asp, bcp, mcw, mtg, mwl, rwl.
- Podistera eastwoodiae* (Coulter & Rose) Math. & Const. (5) CT, CU, HF, PE; 9200-13,400'; CLR, WMT; amd, mtg.
- Sanicula marilandica* L. (5) HF, PE; 6600-9300'; SCR, WMT; mcw, oks, ppw, rwl.

Apocynaceae

- Apocynum androsaemifolium* L. (12) CU, FN, HF, LA, PE, SH; 6800-10,000'; BMP, EFH, SCR, WMT; asp, dst, mcw, oks, ppw, rwl.
- Apocynum cannabinum* L. (4) FN, LA, SH; 5870-8700'; EFH, HPD, SLV, WMT; mcw, pjw, rwl.

Apocynum floribundum Greene (5) CU, HF, PE, SH; 4900-9670'; CLR, EFH, SLV, WMT; asp, dst, oks, pjw, ppw, rwl.

Araliaceae

Aralia nudicaulis L. (10) CU, FN, PE; 6600-9600'; SCR, WMT; mcw, mwl, ppw, rwl.

Asclepiadaceae

Asclepias arenaria Torr. (2) HF, LA; 5800-6000'; EFH; dst, oks, pjw.

Asclepias asperula (Dcne.) Woods. var. *asperula* (19) CU, FN, HF, LA, PE; 4900-8400'; EFH; dst, pjw, sgp.

Asclepias engelmanniana Woods. (2) PE; 5450-5800'; EFH; dst, sgp.

Asclepias latifolia (Torr.) Raf. (1) LA; 6000'; EFH; pjw, sgp.

Asclepias pumila (Gray) Vail (4) FN, HF, PE; 5450-6000'; EFH, dst, pjw, sgp.

Asclepias speciosa Torr. (21) CT, CU, FN, HF, LA, PE, SH; 4900-9300'; CLR, EFH, HPD, SLV, WMT; dst, mwl, pjw, rwl, sgp.

Asclepias subverticillata (Gray) Vail (16) FN, HF, LA, PE; 5300-6700'; EFH; dst, mwl, oks, pjw, sgp.

Asclepias tuberosa L. var. *interior* (Woods.) Shinners (2) PE. 7200-8400'; WMT; dst.

!*Asclepias uncialis* Greene (2) HF; 7050-7900'; HPD; pjw, sgp.

Asclepias viridiflora Raf. (3) FN, PE; 5400-8400'; EFH, WMT; pjw, rwl, sgp.

!*Sarcostemma crispum* Benth. (1) LA, 6700'; EFH; dst.

Asteraceae

Achillea millefolium L. var. *lanulosa* (Nutt.) Piper (100) AL, CF, CT, CU, FN, HF, LA, PE, SH; 5700-13,200'; CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, bcp, mcw, mtg, mwl, oks, pjw, ppw, sgp, rwl.

Agoseris aurantiaca (Hook.) Greene var. *aurantiaca* (9) CT, CU, HF, LA, SH; 7600-12,800'; BMP, EFH, SCR, WMT; amd, asp, mcw.

Agoseris aurantiaca (Hook.) Greene var. *purpurea* (A. Gray) Cronq. (7) AL, CU, HF; 9050-12,800'; SCR, WMT; amd, mcw.

Agoseris glauca (Pursh) Raf. var. *dasycephala* (T. & G.) Jeps. (31) CF, CT, FN, HF, LA, SH; 6520-13,971'; BMP, CLR, EFH, HPD, SCR, WMT; amd, asp, bcp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb.

Agoseris glauca (Pursh) Raf. var. *glauca* (3) CT, CU, FN; 6000-8800'; BMP, CLR, SCR; dst, pjw, rwl, sgb.

Agoseris glauca (Pursh) Raf. var. *laciniata* (D. C. Eat.) Smiley (15) CF, CT, FN, HF, PE, SH, 5800-12,200'; EFH, SLV, WMT; amd, asp, bcp, mcw, oks, pjw, ppw, rwl, sgp.

Ambrosia acanthicarpa Hook. (4) AL, CF, CT, FN; 6800-7800'; SCR, SLV; dst, pjw.

Ambrosia artemisiifolia L. (2) FN, PE; 6000-7350'; EFH, HPD; pjw, sgp.

Ambrosia confertifolia DC. (6) CU, HF, LA; 6000-7620'; EFH, HPD; dst, oks, rwl, sgp.

Ambrosia psilostachya DC. (2) FN, LA; 5650-10,000'; CLR, EFH; dst, mtg, sgp.

- Ambrosia tomentosa* Nutt. (4) HF; 6000-8500'; EFH, HPD; mtg, mwl, sgp.
- **Ambrosia trifida* L. var. *trifida* (7) FN, HF, LA, PE; 5650-7200'; EFH; dst, mwl, rwl, sgp.
- Anaphalis margaritacea* (L.) Benth. & Hook. (3) CT, CU; 8600-9700'; CLR, WMT; asp, dst, mcw.
- Antennaria anaphalooides* Rydb. (11) CF, CU, HF, PE; 10,000-13,200'; BMP, CLR, SCR, WMT; amd, mcw, mtg, rwl.
- Antennaria howellii* Greene ssp. *howellii* (4) CU, LA, PE; 7360-9600'; CLR, SCR, WMT; mcw, oks, ppw, rwl.
- Antennaria marginata* Greene (15) CF, CU, HF, LA, PE, SH; 7350-12,683'; BMP, CLR, HPD, SCR, WMT; amd, asp, mcw, ppw, rwl.
- Antennaria media* Greene (7) CT, CU, FN, HF, PE; 10,600-13,517'; CLR, SCR, WMT; amd, mtg.
- Antennaria microphylla* Rydb. (29) AL, CT, CU, FN, HF, LA, SH; 7100-13,971'; BMP, CLR, SCR, SLV, WMT; amd, asp, bcp, mcw, mtg, oks, ppw, sgb.
- Antennaria neglecta* Greene (11) CF, CU, FN, LA, PE; 7400-12,800'; CLR, SCR, WMT; amd, dst, mcw, oks, pjw, ppw.
- Antennaria parvifolia* Nutt. (80) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-12,200'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, dst, mcw, mtg, oks, pjw, ppw, sgb, rwl.
- Antennaria rosea* Greene (37) AL, CF, CU, FN, HF, LA, PE, SH; 5800-12,579'; BMP, EFH, HPD, SCR, WMT; amd, asp, bcp, dst, mcw, pjw, ppw, rwl, sgb.
- Antennaria rosulata* Rydb. (2) SH; 8800-9000'; SLV; mcw, mtg, sgb.
- Antennaria umbrinella* Rydb. (9) CF, CT, CU, HF, SH; 7200-13,000'; BMP, CLR, HPD, SCR, WMT; amd, mcw, pjw.
- **Arctium minus* Bernh. (2) LA; 7200-8500'; CLR, EFH; dst, oks, rwl.
- Arnica cordifolia* Hook. (57) CF, CT, CU, FN, HF, LA, PE, SH; 7500-12,800'; BMP, CLR, SCR, WMT; amd, asp, lpp, mcw, mtg, ppw, rwl.
- Arnica mollis* Hook. (3) CU, HF; 10,600-12,800'; SCR; amd, mcw.
- Arnica parryi* Gray var. *parryi* (1) SH; 11,000'; SCR; mcw.
- Arnica rydbergii* Greene (1) SH; 11,600-12,574'; BMP; amd.
- Artemisia campestris* L. var. *borealis* (Pall.) Peck (1) CU; 11,000-12,620'; SCR; amd.
- Artemisia campestris* L. var. *caudata* (Michx.) Palmer & Steyermark. (1) SH; 8200; SLV; sgb.
- Artemisia campestris* L. var. *pacifica* (Nutt.) M. E. Peck (15) AL, CF, CT, FN, HF, LA, SH; 7200-13,400'; BMP, CLR, EFH, SCR, SLV, WMT; amd, oks, pjw, ppw, sgb.
- Artemisia campestris* L. var. *purshii* (Hook.) Cronquist. (9) CU, HF, SH; 10,500-14,064'; CLR, SCR; amd, mcw.
- Artemisia campestris* L. var. *scoouleriana* (Bess.) Cronquist. (3) CU, HF; 7900-10,200'; CLR, HPD, WMT; dst, mcw, mtg, ppw.
- Artemisia carruthii* A. W. Wood. Ex. Carruth. (5) CU, SH; 8200-9800'; BMP, HPD, SLV, WMT; dst, mtg.
- Artemisia dracunculus* L. (9) CT, CU, LA, SH; 6800-9400'; BMP, CLR, EFH, SLV; dst, oks, pjw.

- Artemisia franserioides* Greene (7) AL, CF, CT, CU, LA, SH; 8400-10,800'; CLR, SCR, WMT; asp, dst, mcw.
- Artemisia frigida* Willd. (19) AL, CF, CT, FN, HF, LA, SH; 6500-9800'; BMP, CLR, EFH, HPD, SCR, SLV; dst, mcw, mtg, oks, pjw, ppw, sgb, sgp.
- Artemisia ludoviciana* Nutt. var. *albula* (Woot.) Shinners (1) HF; 6800-7200'; EFH; pjw.
- Artemisia ludoviciana* Nutt. var. *incompta* (Nutt.) Cronq. (6) CF, CT, CU, SH; 7700-9600'; SCR, SLV, WMT; dst.
- Artemisia ludoviciana* Nutt. var. *ludoviciana* (21) AL, CF, CT, CU, FN, HF, LA, SH; 6500-13,800'; CLR, EFH, HPD, SCR; amd, dst, mcw, oks.
- Artemisia michauxiana* Bess. (1) CU; 12,000'; SCR; amd.
- Artemisia norvegica* Fries var. *saxatilis* (Bess.) Jeps. (4) CF, SH; 11,000-12,000'; BMP; amd, bcp.
- Artemisia parryi* A. Gray (4) CU, HF, LA, SH; 11,000-12,574'; BMP, CLR, SCR, WMT; amd, bcp, mcw, mtg.
- Artemisia scopulorum* Gray (23) AL, CT, CU, HF, LA, PE, SH; 11,000-14,064'; BMP, CLR, SCR, WMT; amd.
- Artemisia tridentata* Nutt. var. *vaseyana* (Rydb.) Boivin (7) CF, CT; 7800-9300'; CLR, SCR, SLV; dst, pjw, ppw, sgb.
- Aster ascendens* Lindl. (8) FN, LA, PE, SH; 5300-8800'; CLR, EFH, SCR, SLV, WMT; dst, rwl.
- Aster falcatus* Lindl. var. *commutatus* (T. & G.) A. G. Jones (2) CT, LA; 6500-7900'; EFH, SLV; dst, oks.
- Aster falcatus* Lindl. var. *falcatus* (1) CU; 8400-8800'; WMT; mcw, mtg.
- Aster foliaceus* Lindl. ex DC. var. *canbyi* Gray (2) CU, FN; 7800-11,000'; SCR; mcw.
- Aster foliaceus* Lindl. ex DC. var. *parryi* (D. C. Eat.) Gray (1) LA; 7250'; EFH; ppw, rwl.
- Aster laevis* L. var. *geyeri* A. Gray (4) CU, FN, HF; 7800-9400'; CLR, SCR, WMT; dst, mcw.
- Aster occidentalis* (Nutt.) T. & G. var. *occidentalis* (2) SH; 8000-9000'; SLV; dst, oks.
- Baccharis salicina* T. & G. (1) FN; 5100'; EFH; pjw.
- Bahia dissecta* (Gray) Britt. (12) CU, FN, HF, LA, SH; 8000-10,380'; BMP, CLR, SCR, SLV, WMT; dst, mcw, ppw.
- Bidens tenuisecta* Gray (1) LA; 5900'; EFH; sgp.
- Brickellia brachiphylla* (A. Gray) A. Gray (1) LA; 5900'; EFH; sgp.
- Brickellia californica* (T. & G.) Gray (3) FN, HF, PE; 6800-9000'; SCR, WMT; mcw, pjw.
- Brickellia eupatorioides* (L.) Shinners var. *chlorepis* (Woot. & Standl.) B. L. Turner (3) LA, SH; 6000-9300'; EFH, SLV; sgp.
- Brickellia grandiflora* (Hook.) Nutt. var. *grandiflora* (13) CF, CT, CU, FN, LA, SH; 6800-11,300'; BMP, CLR, EFH, SCR, SLV, WMT; asp, dst, mcw, pjw, rwl.
- **Carduus nutans* L. (9) CT, CU, HF, LA, PE; 4900-8800'; CLR, EFH, SLV, WMT; dst.

- **Centaurea diffusa* Lam. (3) FN, LA; 6600-7350'; EFH, SCR; pjw, rwl, sgp.
- **Centaurea repens* L. (1) CT; 7900'; SLV; dst.
- Chaenactis alpina* (Gray) Jones var. *alpina* (5) CT, LA, SH; 11,200-12,800'; SCR; amd, bcp.
- Chaenactis douglasii* (Hook.) H. & A. var. *montana* Jones (25) CF, CT, FN, HF, SH; 6300-10,800'; BMP, EFH, SCR, SLV; asp, mcw, oks, pjw, sgb.
- Chaetopappa ericoides* (Torr.) Nesom (54) CT, CU, FN, HF, LA, PE, SH; 4800-9400'; EFH, HPD, SLV, WMT; dst, gwd, oks, pjw, ppw, sgp.
- **Chrysanthemum leucanthemum* L. (5) CU, HF; 7400-8900'; CLR, WMT; asp, dst, mcw, oks, ppw.
- Chrysothamnus greenei* (Gray) Greene (9) AL, CF, CT, FN, SH; 6700-9300'; SCR, SLV; dst, pjw, sgb, sgp.
- Chrysothamnus nauseosus* (Pall. ex Pursh) Britt. var. *glabrata* (A. Nels.) Neesom & G. I. Baird (5) CF, FN, SH; 5650-9600'; EFH, HPD, SCR; dst, oks, pjw, sgp.
- Chrysothamnus nauseosus* (Pall. ex Pursh) Britt. var. *leiospermus* (Gray) Hall (6) CF, FN, SH; 7000-9400'; SCR, SLV; dst, pjw, rwl.
- Chrysothamnus nauseosus* (Pall. ex Pursh) Britt. var. *nauseosus* (1) CF; 7200-7800'; SCR; pjw.
- Chrysothamnus nauseosus* (Pall. ex Pursh) Britt. var. *oreophilus* (A. Nels.) Hall (2) AL, SH; 8030-9600'; SCR, SLV; pjw.
- Chrysothamnus parryi* (Gray) Greene var. *howardii* (Parry ex Gray) T. Kitt. (10) CF, FN, SH; 6700-9800'; BMP, SCR, SLV; mtg, pjw.
- Chrysothamnus parryi* (Gray) Greene var. *parryi* (2) FN, SH; 8150-9000'; BMP; mcw, oks.
- Chrysothamnus viscidiflorus* (Hook.) Nutt. var. *lanceolatus* (Nutt.) Greene (4) SH; 8200-9400'; BMP, SLV; dst, oks.
- Chrysothamnus viscidiflorus* (Hook.) Nutt. var. *viscidiflorus* (3) CF, CU, FN; 7200-9100'; SCR; mtg.
- **Cichorium intybus* L. (2) CU, FN; 5300-8800'; EFH, WMT; dst.
- **Cirsium arvense* (L.) Scop. (20) CT, CU, FN, HF, LA, PE, SH; 4900-10,000'; CLR, EFH, HPD, SCR, SLV, WMT; dst, mcw, mtg, mwl, pjw, ppw, rwl.
- Cirsium canescens* Nutt. (17) CU, HF, PE; 5540-10,000'; EFH, HPD, SCR, WMT; asp, dst, mcw, mtg, pjw, ppw, rwl.
- Cirsium ochrocentrum* Gray (1) HF; 6000'; EFH; dst.
- Cirsium pallidum* Woot. & Standl. (8) CT, LA, HF; 8400-11,400'; CLR; mcw, mtg.
- Cirsium parryi* (Gray) Petr. ssp. *parryi* (10) CT, CU, FN, LA, SH; 7800-11,000'; SCR, SLV, WMT; asp, mcw, pjw, ppw, rwl.
- Cirsium scopulorum* (Greene) Cockrell ex. Daniels (18) AL, CT, CU, FN, HF, LA, SH; 7800-11,000'; CLR, SCR, WMT; amd, mcw.
- Cirsium undulatum* (Nutt.) Spreng. var. *tracyi* (Rydb.) S. L. Welsh (1) CU; 8400-9400'; HPD; mcw.
- Cirsium undulatum* (Nutt.) Spreng. var. *undulatum* (42) FN, HF, LA, PE, SH; 4900-8800'; CLR, EFH, HPD, SCR, SLV; dst, oks, pjw, ppw, rwl, sgp.
- **Cirsium vulgare* (Savi) Tenore (3) FN, LA; 7000-7400'; EFH, SCR; oks, pjw, ppw, rwl.

- Conyza canadensis* (L.) Cronq. var. *canadensis* (10) CT, FN, LA, PE; 5650-7950'; EFH, SLV; dst, gwd, ppw, rwl, sgp.
- Cosmos parviflorus* (Jacq.) Pers. (2) LA; 6600-7250'; EFH; ppw, mtg, rwl.
- Crepis occidentalis* Nutt. var. *costata* Gray (1) HF; 6800'; EFH; pjw.
- Crepis runcinata* (James) T. & G. var. *runcinata* (8) CT, HF, LA, PE, SH; 8000-12,100'; CLR, EFH, SLV, WMT; amd, mcw, mwl, ppw, rwl.
- Dugaldia hoopesii* (Gray) Rydb. (18) CT, HF, LA, PE, SH; 8000-12,800'; CLR, SCR, WMT; asp, mcw, mtg.
- Dyssodia papposa* (Vent.) Hitchc. (4) CF, HF, LA, SH; 6000-8500'; EFH, SCR, SLV; dst, pjw.
- Ericameria discoidea* (Nutt.) Nesom var. *discoidea* (6) CF, FN, SH; 10,400-12,200'; BMP, SCR; amd, dst, lpp, mcw.
- Erigeron acris* L. var. *debilis* Gray (1) CF; 11,000-11,300'; SCR; dst.
- Erigeron bellidiastrum* Nutt. var. *bellidiastrum* (2) CU, PE; 5450-8500'; EFH, HPD; pjw, sgp.
- Erigeron canus* Gray (35) CF, CT, FN, HF, LA, PE, SH; 4800-9400'; EFH, HPD, SCR, SLV, WMT; dst, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- Erigeron colomexicanus* A. Nels. (40) CU, FN, HF, LA, PE; 5200-8900'; EFH, HPD, WMT; dst, gwd, mcw, oks, pjw, ppw, rwl, sgp.
- Erigeron compositus* Pursh var. *discoideus* Gray (10) AL, CF, CT, HF, SH; 8400-12,200'; BMP, HPD, SCR, SLV; amd, asp, mcw, rwl.
- Erigeron coulteri* Porter (17) CT, CU, HF, LA, SH; 9300-12,800'; CLR, SCR; amd, asp, mcw, rwl.
- Erigeron divergens* T. & G. var. *divergens* (48) AL, CT, CU, FN, HF, LA, PE, SH; 4900-8900'; CLR, EFH, HPD, SLV, WMT; dst, oks, pjw, ppw, sgb, sgp.
- Erigeron eatonii* Gray var. *eatonii* (1) SH; 9000'; SLV; bcp, mcw.
- Erigeron elatior* (Gray) Greene (3) CS, SH; 11,000-11,800'; SCR; bcp, mcw.
- Erigeron engelmannii* A. Nels. var. *engelmannii* (1) SH; 8700-8900'; SLV; dsc.
- Erigeron eximius* Greene (13) CF, CT, FN, HF, SH; 8150-11,400'; BMP, CLR, SCR, WMT; bcp, mcw, ppw.
- Erigeron flagellaris* Gray (132) AL, CF, CU, FN, HF, LA, PE, SH; 5500-11,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, lpp, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- Erigeron formosissimus* Greene var. *formosissimus* (23) CF, CT, CU, HF, LA, PE, SH; 6700-13,626'; BMP, CLR, EFH, SCR, WMT; amd, asp, dst, mcw.
- Erigeron formosissimus* Greene var. *viscidus* (Rydb.) Cronq. (2) LA; 10,000-10,200'; CLR; mcw, mtg.
- Erigeron glabellus* Nutt. var. *glabellus* (1) CU; 8100'; HPD; mtg, mwl.
- Erigeron grandiflorus* Hook. (3) CT, CU, FN; 10,600-13,517'; CLR, SCR; amd, mcw.
- Erigeron leiomerus* Gray (7) AL, CT, CU, FN, HF, SH; 10,100-13,200'; SCR; amd, mcw.
- Erigeron melanocephalus* (A. Nels.) A. Nels. (13) AL, CT, CU, HF, SH; 10,900-13,971'; BMP, CLR, SCR; amd, bcp, mcw.
- Erigeron peregrinus* (Banks ex Pursh) Greene ssp. *callianthemus* (Greene) Cronq. (10) CT, CU, FN, SH; 8200-12,800'; BMP, CLR, SCR; amd, asp, lpp, mcw.

- Erigeron pinnatisectus* (Gray) A. Nels. (28) AL, CF, CT, CU, HF, SH; 8700-14,064'; BMP, CLR, SCR, WMT; amd, bcp, mcw.
- Erigeron pumilus* Nutt. var. *concinus* (H. & A.) Dorn (1) PE; 5800-5850'; EFH; pjw, sgp.
- Erigeron pumilus* Nutt. var. *pumilus* (42) CT, CU, FN, PE, SH; 4900-9200'; EFH, HPD, SCR, SLV; mcw, oks, pjw, ppw, sgb, sgp.
- Erigeron simplex* Greene (24) AL, CF, CT, CU, HF, LA, PE, SH; 8800-14,064'; BMP, CLR, SCR, WMT; amd, bcp, mcw.
- Erigeron speciosus* (Lindl.) DC. (3) CT, LA; 8400-10,380'; CLR, SCR; asp, dst, mcw.
- Erigeron subtrinervis* Rydb. ex Porter & Britt. var. *subtrinervis* (33) AL, CF, CT, CU, FN, HF; 7600-12,200'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, dst, mcw, oks, pjw, ppw, sgb.
- Erigeron ursinus* D. C. Eat. (1) SH; 11,600-12,574'; BMP; amd.
- Erigeron vagus* Payson (6) CT, LA; 11,900-13,517'; CLR, SCR; amd.
- Erigeron vetensis* Rydb. (51) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-12,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, gwd, mcw, oks, pjw, ppw, rwl, sgb, sgp.
- Eupatorium herbaceum* (Gray) Greene (1) SH; 7650-8500'; SLV; dsc.
- Gaillardia aristata* Pursh (19) CU, FN, HF, LA; 7000-10,300'; CLR, EFH, HPD, SCR, WMT; asp, dst, oks, mcw, mtg, pjw, ppw, rwl.
- Gaillardia pinnatifida* Torr. (38) FN, HF, PE; 4900-8400'; EFH, HPD, WMT; dst, oks, pjw, sgp.
- Gnaphalium wrightii* Gray (1) HF; 7200-7800'; EFH; pjw.
- Grindelia inornata* Greene (9) AL, CT, CU, FN, HF, LA, PE; 6000-8030'; EFH, HPD, SLV; dst, oks, pjw.
- Grindelia nuda* Wood var. *aphanactis* (Rydb.) Nesom (3) CU, FN, LA; 5650-6450'; EFH; dst, gwd, oks, sgp.
- Grindelia revoluta* Steyermark. (7) CT, HF, LA, PE, SH; 5660-10,000'; CLR, EFH, SCR; dst, mtg, mwl, sgp.
- Grindelia squarrosa* (Pursh) Dunal var. *quasiperennis* Lunell (6) CF, LA; 6400-8500'; CLR, EFH, SCR; dst, oks, pjw.
- Grindelia squarrosa* (Pursh) Dunal var. *squarrosa* (1) LA; 8800'; CLR; ppw.
- Grindelia subalpina* Greene (3) LA; 6700-8500'; CLR, EFH; dst, ppw, rwl.
- Gutierrezia sarothrae* (Pursh) Britt. & Rusby (19) AL, CF, CT, FN, HF, LA, SH; 5100-9800'; BMP, EFH, HPD, SCR, SLV; dsc, dst, oks, pjw, sgp.
- Haplopappus pygmaeus* (T. & G.) Gray (29) AL, CF, CT, HF, LA, SH; 8800-14,064'; BMP, CLR, SCR, WMT; amd.
- Haplopappus spinulosus* (Pursh) DC. var. *spinulosus* (1) CT; 8300'; SLV; mwl, pjw.
- Helianthella parryi* Gray (12) CT, HF, LA, SH; 8400-12,800'; CLR, SLV; amd, asp, mcw, mtg.
- Helianthella quinquenervis* (Hook.) Gray (9) CU, FN, HF, LA, SH; 8600-12,700'; BMP, EFH, SCR; asp, mcw.
- Helianthus annuus* L. (11) FN, LA, PE; 5100-8500'; CLR, EFH, HPD; dst, gwd, oks, pjw, sgp.

- Helianthus nuttallii* T. & G. ssp. *nuttallii* (2) CT, LA; 7200-7900'; EFH, SLV; dst.
- Helianthus petiolaris* Nutt. var. *petiolaris* (26) AL, CT, CU, FN, HF, LA, PE, SH; 4900-9300'; CLR, EFH, HPD, SCR, SLV; dst, gwd, oks, pjw, rwl, sgp.
- Helianthus pumilus* Nutt. (17) CU, FN; 6300-13,200'; HPD, SCR, WMT; amd, mcw, oks, pjw, ppw.
- Heliopsis helianthoides* (L.) Sweet var. *scabra* (Dunal) Fernald. (5) HF, LA; 7080-9300'; CLR, EFH, WMT; oks, ppw, rwl.
- !*Herrickia horrida* Woot. & Standl. (4) LA; 6900-10,380'; CLR, EFH; mcw.
- Heterotheca canescens* (DC.) Shinners (1) LA; 6500'; EFH; oks.
- Heterotheca fulcrata* (Greene) Shinners var. *amplifolia* (Rydb.) Semple (7) CU, FN, PE, SH; 7050-12,574'; BMP, HPD, SCR, WMT; amd, dst, mcw.
- Heterotheca pumila* (Greene) Semple (5) CF, CU, LA, PE, SH; 7200-12,620'; BMP, EFH, SCR, WMT; amd, lpp, mcw.
- Heterotheca villosa* (Pursh) Shinners var. *foliosa* (Nutt.) Harms (2) CU, PE; 4900-9200'; EFH, SCR; dst, ppw.
- Heterotheca villosa* (Pursh) Shinners var. *hispida* (Hook.) Harms (15) CU, FN, LA, PE, SH; 5400-10,000'; EFH, HPD, SCR, SLV, WMT; mcw, pjw, ppw, sgp.
- Heterotheca villosa* (Pursh) Shinners var. *minor* (Hook.) Semple (6) FN, HF, SH; 6200-10,000'; BMP, HPD, SCR, WMT; dst, pjw, ppw.
- Heterotheca villosa* (Pursh) Shinners var. *nana* (Gray) Semple (24) AL, CF, CT, CU, FN, HF, LA, PE, SH; 5450-11,750'; EFH, HPD, SCR, SLV, WMT; amd, dsc, dst, gwd, mcw, pjw, sgb, sgp.
- Heterotheca villosa* (Pursh) Shinners var. *villosa* (11) FN, HF, LA, PE, SH; 5200-9600'; CLR, EFH, SCR, SLV; asp, dst, mcw, oks, pjw, sgp.
- Hieracium albiflorum* Hook. (5) FN, PE; 6600-9600'; SCR, WMT; mcw, ppw.
- Hieracium fendleri* Schultz-Bip. var. *fendleri* (2) HF, LA; 7600-9800'; EFH, HPD; ppw.
- Hieracium gracile* Hook. var. *gracile* (5) CU, HF, SH; 7200-12,000'; HPD, SCR; amd, mcw.
- Hymenopappus filifolius* Hook. var. *cineratus* (Rydb.) I. M. Johnst. (57) CF, CT, CU, FN, HF, LA, PE, SH; 5200-9500'; EFH, HPD, SCR, SLV, WMT; asp, dst, gwd, oks, pjw, ppw, rwl, sgb, sgp.
- Hymenopappus filifolius* Hook. var. *parvulus* (Greene) Turner (1) FN; 5100'; EFH; pjw.
- Hymenopappus flavescens* Gray. var. *flavescens* (4) AL, HF, LA, PE; 4800-8030'; EFH, SLV; oks, pjw.
- Hymenopappus newberryi* (Gray) I. M. Johnst. (2) CU; 8350-8800'; WMT; dst, mcw.
- Hymenopappus polycephalus* Osterh. (30) CT, CU, FN, HF, LA, PE, SH; 4900-8900'; EFH, HPD, SLV, WMT; dst, oks, pjw, ppw, rwl, sgb, sgp.
- Hymenopappus tenuifolius* Pursh (2) LA; 6000; EFH; dst, pjw, sgp.
- Hymenoxys acaulis* (Pursh) Parker var. *acaulis* (33) CT, FN, HF, LA, PE, SH; 4800-9400'; BMP, EFH, HPD, SCR, SLV; dst, oks, pjw, ppw, sgb, sgp.
- Hymenoxys acaulis* (Pursh) Parker var. *arizonica* (Greene) Parker (31) AL, CF, CU, FN, HF, LA, PE; 5100-9680'; BMP, EFH, HPD, SCR, WMT; mcw, oks, pjw, ppw, sgp.

- Hymenoxys acaulis* (Pursh) Parker var. *caespitosa* (A. Nels.) Parker (26) AL, CF, CT, CU, HF, SH; 7900-14,064'; BMP, CLR, SCR, SLV; amd, asp, mcw, mtg, pjw, ppw, rwl, sgb.
- Hymenoxys brandegeei* (Porter ex Gray) Parker (29) AL, CT, CU, FN, LA, PE, SH; 8800-14,064'; CLR, SCR, WMT; amd, mcw, mtg.
- Hymenoxys grandiflora* (T. & G. ex Gray) Parker (4) CU, SH; 11,200-13,971'; BMP, SCR; amd, bcp, mcw.
- !*Hymenoxys × helenioides* (Rydb.) Ckll. (1) CU; 8600; SCR; rwl.
- Hymenoxys richardsonii* (Hook.) Ckll. var. *floribunda* (Gray) Parker (57) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-11,800'; BMP, CLR, EFH, HPD, SCR, SLV; asp, dsc, dst, mcw, oks, pjw, ppw, rwl, sgb.
- Iva axillaris* Pursh var. *axillaris* (2) CU, HF; 6150-7620'; EFH, HPD; dst, sgp.
- Iva xanthifolia* Nutt. (3) CT, LA; 6600-7900'; EFH, SLV; dst, ppw.
- Lactuca canadensis* L. var. *longifolia* (Michx.) Farw. (2) FN, HF; 7600-9400'; SCR, WMT; mcw, ppw.
- Lactuca oblongifolia* Nutt. (9) CU, FN, LA, PE, SH; 5450-9800'; BMP, EFH, HPD, SCR, SLV; dst, mcw, rwl.
- **Lactuca serriola* L. (17) CT, FN, HF, LA, PE; 5450-9000'; EFH, HPD, SCR, SLV, WMT; dst, gwd, oks, sgp.
- Liatris punctata* Hook. var. *punctata* (5) FN, LA; 5100-7350'; EFH, HPD; oks, pjw, sgp.
- Lygodesmia juncea* (Pursh) D. Don ex Hook. (7) FN, HF, LA, PE; 5450-7700'; EFH, HPD; dst, pjw, ppw, rwl, sgp.
- Machaeranthera bigelovii* (Gray) Greene var. *bigelovii* (29) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7000-11800'; BMP, CLR, HPD, SCR, SLV, WMT; asp, dst, mcw, pjw, ppw, rwl, sgb.
- Machaeranthera canescens* (Pursh) Gray var. *glabra* Gray (1) SH; 7700-8200'; SLV; dst.
- Machaeranthera pinnatifida* (Hook.) Shinners var. *pinnatifida* (14) CF, FN, HF, LA, PE, SH; 5450-8700'; EFH, SCR, SLV, WMT; dst, gwd, oks, pjw, sgp.
- Machaeranthera tanacetifolia* (H.B.K.) Nees (4) LA, PE; 4700-8100'; EFH, SCR, SLV; pjw, sgb, sgp.
- **Matricaria matricarioides* (Less.) Porter (2) CT, HF; 8700-8800'; CLR, SCR; sgb.
- **Matricaria perforata* Merat (1) PE; 11,800'; WMT; dst.
- Melampodium leucanthum* T. & G. (35) FN, HF, LA, PE; 4800-8400'; EFH, HPD, WMT; pjw, sgp.
- Microseris nutans* (Hook.) Schultz-Bip. (2) AL, HF; 7200-8030'; EFH, SLV; pjw, sgp.
- Nothocalais cuspidata* (Pursh) Greene (15) CU, HF, LA, PE; 4800-7400'; EFH, WMT; dst, pjw, ppw, sgp.
- **Onopordum acanthium* L. (6) HF, LA; 6500-7200'; EFH, HPD; dst, pjw, sgp.
- !*Oonopsis foliosa* (Gray) Greene var. *foliosa* (3) HF; 6000-7400'; EFH; gwd, pjw, sgp.
- !*Oonopsis foliosa* (Gray) Greene var. *monocephala* (A. Nels.) Kartesz & Gandhi (2) LA; 6000-6050'; EFH; gwd, pjw, sgp.
- !*Oonopsis pueblosensis* Brown & Evans (1) FN; EFH, pjw.

- Pectis angustifolia* Torr. var. *angustifolia* (1) LA; 6800'; EFH; pjw.
- Pericome caudata* Gray (3) FN, HF, SH; 6800-8700'; SCR, SLV, WMT; pjw.
- Picradeniopsis oppositifolia* (Nutt.) Rydb. ex Britt. (12) FN, HF, LA, PE; 5300-7600'; EFH; dst, gwd, oks, pjw, sgp.
- Ratibida columnifera* (Nutt.) Woot. & Standl. (20) CT, HF, LA, PE; 5450-11,400'; CLR, EFH, SCR; dst, gwd, oks, mcw, pjw, ppw, sgp, rwl.
- Ratibida tagetes* (James) Barnh. (1) LA; 6500'; EFH; dst.
- Rudbeckia hirta* L. var. *pulcherrima* Farwell (12) CU, HF, LA, PE; 8000-9350'; CLR, SCR, WMT; asp, dst, ppw, rwl.
- Rudbeckia laciniata* L. var. *ampla* (A. Nels.) Cronq. (12) CT, CU, FN, HF, LA, PE; 6600-9400'; CLR, EFH, SCR, WMT; asp, dst, mcw, rwl.
- Schkuhria multiflora* H. & A. (4) AL, FN, SH; 6700-9000'; SCR, SLV; dsc, dst, pjw.
- **Scorzonera laciniata* L. (44) CU, FN, HF, LA, PE; 4800-7700'; EFH, WMT; dst, gwd, oks, pjw, ppw, sgp.
- Senecio amplexens* Gray var. *amplectens* (5) CF, CU; 9200-12,620'; BMP, SCR; amd, bcp, mcw.
- Senecio amplexens* Gray var. *holmii* (Greene) Harrington (21) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8800-13,626'; BMP, CLR, SCR, WMT; amd, mcw.
- Senecio atratus* Greene (40) AL, CF, CT, CU, HF, LA, PE, SH; 8800-13,792'; BMP, CLR, SCR, WMT; amd, asp, bcp, lpp, mcw.
- Senecio bigelovii* Gray var. *hallii* Gray (14) CF, CT, CU, HF, SH; 7600-12,800'; BMP, CLR, EFH, SCR, WMT; amd, bcp, mcw.
- Senecio crassulus* Gray (8) CT, CU, LA, SH; 9200-12,800'; BMP, CLR, SCR, WMT; amd, asp, mcw, mtg.
- Senecio dimorphophyllus* Greene var. *dimorphophyllus* (14) AL, CT, CU, FN, HF, LA, SH; 10,300-12,800'; BMP, CLR, SCR; amd, bcp, lpp, mcw.
- Senecio eremophilus* Richards. var. *eremophilus* (1) LA; 10,000'; CLR; mtg.
- Senecio eremophilus* Richards. var. *kingii* (Rydb.) Greenm. (12) CF, CT, FN, HF, LA, SH; 7600-11,300'; BMP, CLR, EFH, SCR, SLV; dst, lpp, mcw, oks, sgb.
- Senecio fendleri* Gray (41) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6300-11,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, bcp, dst, mcw, oks, pjw, ppw, rwl.
- Senecio flaccidus* Less. var. *douglasii* (DC.) Turner & T. M. Barkl. (3) FN; 5800-7000'; HPD, EFH; pjw.
- Senecio fremontii* T. & G. var. *blitoides* (Greene) Cronq. (6) AL, CT, FN, HF; 11,000-13,400'; CLR, SCR; amd.
- Senecio integerrimus* Nutt. var. *exaltatus* (Nutt.) Cronq. (4) HF, PE, SH; 4900-9600'; EFH, SCR, SLV, WMT; dst, mcw, mtg, ppw, sgb.
- Senecio integerrimus* Nutt. var. *integerrimus* (2) CT, LA; 10,000-11,400'; BMP, CLR; mcw, mtg.
- Senecio neomexicanus* Gray var. *mutabilis* (Greene) A. Nels. (29) CU, FN, HF, LA, PE, SH; 4900-11,200'; EFH, HPD, SCR, SLV, WMT; bcp, dst, lpp, mcw, mtg, pjw, ppw, rwl, sgp.
- Senecio pseudoaureus* Rydb. var. *pseudoaureus* (3) HF, SH; 8400-9600'; BMP, HPD, SLV; asp, mw1, ppw, rwl.

- Senecio pudicus* Greene (4) CF, SH; 8600-11,000'; SCR, SLV; dst, mcw.
- Senecio serra* Hook. var. *admirabilis* (Greene) A. Nels. (1) FN; 7800-9400'; SCR; mcw.
- Senecio soldanella* Gray (2) CT, LA; 12,800-13,400'; CLR; amd.
- Senecio spartioides* T. & G. var. *fremontii* (T. & G.) Greenm. ex Williams (2) PE, FN; 5450-6200'; EFH, WMT; dst, pjw, sgp.
- Senecio spartioides* T. & G. var. *multicapitatus* (Greenm. ex Rydb.) Welsh (3) AL, SH; 7500-8500'; SLV; dsc, dst.
- Senecio spartioides* T. & G. var. *spartioides* (6) FN, SH; 6800-9300'; SCR, SLV; dsc, dst.
- Senecio streptanthifolius* Greene var. *oodes* (Rydb.) Bain (3) CU, SH; 8720-10,000'; SLV, WMT; asp, mcw.
- Senecio streptanthifolius* Greene var. *rubricaulis* (Greene) Bain (1) HF; 7000'; EFH; pjw.
- Senecio streptanthifolius* Greene var. *streptanthifolius* (9) CF, CT, FN, HF, LA, SH; 5420-11,400'; BMP, CLR, EFH, SCR; lpp, mcw, pjw, ppw, rwl, sgp.
- Senecio taraxacoides* (Gray) Greene (17) AL, CT, HF, LA, SH; 11,900-14,042'; CLR, SCR; amd.
- Senecio triangularis* Hook. (18) CF, CT, CU, FN, HF, LA, PE, SH; 8600-12,200'; BMP, CLR, SCR, WMT; asp, dst, mcw, rwl.
- Senecio tridenticulatus* Rydb. (29) CF, CT, CU, FN, HF, LA, PE, SH; 4800-9100'; CLR, EFH, HPD, SCR, SLV, WMT; asp, oks, pjw, ppw, rwl, sgb, sgp.
- Senecio werneriiifolius* (Gray) Gray var. *alpinus* (Gray) Dorn (4) CU, FN, SH; 11,000-14,064'; SCR; amd, mcw.
- Senecio werneriiifolius* (Gray) Gray var. *werneriiifolius* (15) AL, CF, CU, FN, LA, SH; 8200-13,000'; BMP, CLR, WMT; amd, asp, dst, mcw, mtg, rwl.
- Senecio wootonii* Greene (16) CF, CT, CU, FN, HF, LA, PE, SH; 6000-11,3000'; BMP, CLR, EFH, SCR, WMT; asp, dst, lpp, mcw, pjw, ppw, rwl, sgp.
- Solidago canadensis* L. var. *gilvocanescens* Rydb. (5) CT, CU, FN, HF; 6800-8800'; EFH, SCR, SLV, WMT; dst, pjw, rwl.
- Solidago canadensis* L. var. *scabra* T. & G. (1) PE; 6400'; EFH; dst.
- Solidago missouriensis* Nutt. var. *missouriensis* (17) CT, CU, FN, HF, LA, PE; 7600-11,000'; CLR, HPD, SCR, SLV, WMT; asp, dst, mcw, mtg, oks, ppw.
- Solidago missouriensis* Nutt. var. *tenuissima* (Woot. & Standl.) C. J. Taylor (5) CU, FN, HF; 7000-10,000'; CLR, SCR, WMT; bcp, mcw.
- Solidago nana* Nutt. (13) CF, CU, FN, LA, PE, SH; 8150-13,971'; BMP, CLR, HPD, SCR, WMT; amd, bcp, mcw, mtg.
- Solidago nemoralis* Ait. var. *longipetiolata* (Mack. & Bush) Palmer & Stey (1) CU; 8800'; WMT; dst.
- Solidago parryi* (Gray) Greene (16) CF, CT, CU, HF, LA, PE, SH; 8700-11,600'; BMP, CLR, SCR, WMT; asp, bcp, dst, mcw, mtg.
- Solidago rigida* L. var. *rigida* (1) CU; 8400-8800'; WMT; mcw, mtg.
- Solidago simplex* Kunth (34) AL, CF, CT, CU, FN, LA, PE, SH; 7600-12,100'; BMP, CLR, EFH, SCR; amd, asp, dst, mcw, ppw, rwl.
- Solidago speciosa* Nutt. var. *pallida* Porter (1) SH; 9000-9600'; SCR.

- Solidago velutina* DC. (9) FN, HF, LA, SH; 6000-10,400'; CLR, EFH, HPD, SCR; mcw, oks, pjw, rwl.
- **Sonchus asper* (L.) Hill (5) FN, HF, LA, SH; 5500-7100'; EFH, HPD; pjw, sgp, rwl.
- **Sonchus uliginosus* M.-Bieb. (3) CT, LA, SH; 6000-8000'; EFH, SLV; dst, mwl, rwl.
- Stephanomeria pauciflora* (Torr.) A. Nels. var. *pauciflora* (14) CF, CT, FN, HF, SH; 5800-9300'; BMP, EFH, SLV, WMT; dst, pjw, sgb, sgp.
- Taraxacum ceratophorum* (Ledeb.) DC. (7) CT, CU, SH; 8800-13,400'; BMP, CLR, SCR; amd, sgb.
- Taraxacum eriophorum* Rydb. (1) CU; 10,600-13,200'; SCR; amd.
- **Taraxacum laevigatum* (Willd.) DC. (20) CU, FN, HF, LA, PE, SH; 5850-11,750'; BMP, EFH, HPD, SCR, WMT; amd, asp, dst, mcw, oks, pjw, ppw, rwl, sgb.
- **Taraxacum officinale* Weber (52) CT, CU, FN, HF, LA, PE, SH; 5800-12,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, bcp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb, sgp.
- Tetradymia canescens* DC. (7) CF, CU, FN, SH; 7200-9100'; HPD, SCR, SLV; dst, mcw, mtg, pjw.
- Thelesperma filifolium* (Hook.) Gray var. *intermedium* (Rydb.) Shinners (26) AL, CU, FN, HF, LA, SH; 5500-9100'; CLR, EFH, HPD, SLV, WMT; dst, gwd, mtg, oks, pjw, ppw, rwl, sgp.
- Thelesperma megapotamicum* (Spreng.) Kuntze (2) AL, LA; 6400-8030'; EFH, SLV; pjw.
- Thelesperma subnudum* Gray var. *subnudum* (8) FN, HF, LA, PE; 5000-7400'; HPD, EFH; pjw, sgp.
- Townsendia eximia* Gray (18) HF, LA; 6400-13,626'; CLR, EFH; amd, asp, mcw, mtg, oks, pjw, ppw, rwl.
- Townsendia exscapa* (Richards.) Porter (8) FN, HF, PE; 5450-8800'; EFH, HPD; oks, pjw, rwl, sgp.
- Townsendia fendleri* Gray (25) CF, FN, HF, PE; 4900-9000'; BMP, EFH, HPD, SCR, WMT; oks, pjw, ppw, rwl, sgp.
- Townsendia grandiflora* Nutt. (10) CU, FN, HF, PE; 5100-7300'; EFH, WMT; dst, oks, pjw, sgp.
- Townsendia hookeri* Beaman (4) CT, HF; 7100-8400'; HPD, SLV, WMT; pjw, sgp.
- Townsendia incana* Nutt. (1) HF; 7050-7270'; HPD; ppw, sgb.
- Townsendia nuttallii* Dorn (1) SH; 8500-8600'; SLV.
- **Tragopogon dubius* Scop. (137) AL, CF, CT, FN, HF, LA, PE, SH; 4900-10,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dst, gwd, mcw, oks, pjw, ppw, rwl, sgp.
- **Tragopogon porrifolius* L. (3) HF, LA; 6000-7000'; EFH; dst, pjw, sgp.
- **Tragopogon pratensis* L. (6) CU, HF; 7400-10,200'; BMP, WMT; dst, oks, mcw, mtg.
- Verbesina encelioides* (Cav.) Benth. & Hook. ex Gray var. *exauriculata* Robins. & Greenm. (12) AL, FN, LA, PE, SH; 5100-9000'; EFH, HPD, SLV; dst, pjw, ppw, sgp.

- Viguiera multiflora* (Nutt.) Blake var. *multiflora* (17) CF, CT, CU, FN, HF, LA, PE, SH; 6000-10,800'; BMP, CLR, HPD, SCR, WMT; dst, mcw, mtg, oks, rwl.
- Viguiera multiflora* (Nutt.) S. F. Blake var. *nevadensis* (A. Nels.) S. F. Blake (1) SH; 9000-9600'; SCR.
- Xanthium strumarium* L. var. *canadense* (Mill.) T. & G. (4) LA; 5900-6600'; EFH; rwl, sgp.
- Zinnia grandiflora* Nutt. (11) FN, HF, LA, PE; 4900-7200'; EFH; dst, gwd, pjw, sgp.

Berberidaceae

- Mahonia repens* (Lindl.) G. Don (34) CF, CT, CU, FN, HF, PE, SH; 5960-11,600'; BMP, CLR, SCR, SLV, WMT; asp, bcp, lpp, mcw, oks, pjw, ppw, rwl.

Betulaceae

- Alnus incana* (L.) Moench var. *occidentalis* (Dippel) C. L. Hitchc. (26) CF, CT, CU, FN, HF, PE, SH; 6000-11,000'; BMP, CLR, EFH, SCR, SLV, WMT; asp, bcp, lpp, mcw, mwl, oks, pjw, ppw, rwl, sgb.
- Betula occidentalis* Hook. (17) CU, FN, HF, LA, SH; 6000-9400'; HPD, SCR, SLV, WMT; mcw, mwl, oks, pjw, ppw, rwl.

Boraginaceae

- Cryptantha cinerea* (Greene) Cronq. var. *jamesii* Cronq. (11) FN, HF, PE; 4800-8500'; EFH, WMT; dst, pjw, sgp.
- !*Cryptantha cinerea* (Greene) Cronq. var. *pustulosa* (Rydb.) Higgins (2) SH; 8080-8400'; SLV; pjw.
- Cryptantha crassisepala* (T. & G.) Greene var. *elachantha* I. M. Johnst. (13) CT, FN, HF, LA, PE, SH; 4800-8300'; EFH, HPD, SLV; pjw, sgb, sgp.
- Cryptantha fendleri* (Gray) Greene (17) AL, CF, CT, CU, HF, SH; 7200-9300'; BMP, SLV, WMT; dsc, dst, pjw, ppw, sgb, sgp.
- Cryptantha kelseyan* Greene (2) HF; 6150-7700'; EFH; pjw, sgp.
- Cryptantha minima* Rydb. (10) FN, HF, LA, PE; 4900-7410'; EFH, HPD; dst, oks, pjw, sgp.
- Cryptantha thyrsiflora* (Greene) Pays. (58) CF, CU, FN, HF, LA, PE, SH; 4900-9800'; BMP, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, pjw, ppw, rwl, sgp.
- Cryptantha virgata* (Porter) Pays. (1) SH; 8600'; SLV; rwl.
- **Cynoglossum officinale* L. (35) CU, FN, HF, LA, PE; 5870-10,100'; CLR, EFH, HPD, SCR, WMT; asp, dst, mcw, mtg, mwl, oks, pjw, ppw, rwl.
- Eritrichum nanum* (Vill.) Schrad. ex Gaudin var. *elongatum* (Rydb.) Cronq. (15) AL, CT, CU, HF, LA, SH; 9400-14,064'; BMP, CLR, SCR; amd, asp, bcp, mcw.
- Hackelia besseyi* (Rydb.) J. L. Gentry (6) AL, CT, HF, LA, SH; 7600-11,800'; EFH, SCR, SLV; bcp, dst, mcw.
- Hackelia floribunda* (Lehm.) I. M. Johnst. (7) CT, CU, LA, SH; 7250-9800'; BMP, EFH, SCR, SLV, WMT; dst, mcw, ppw, rwl, sgb.
- Lappula marginata* (M. Bieb.) Guerke (5) HF, PE; 5000-7410'; EFH, HPD; dst, pjw, sgp.

- Lappula redowskii* (Hornem.) Greene (115) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4800-10,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dst, gwd, mcw, mtg, oks, pjw, ppw, rwl, sgb, sgp.
- Lappula texana* (Scheele) Britt. (8) CT, FN, LA, PE, SH; 4700-9300'; EFH, SLV; dst, gwd, sgb, sgp.
- **Lithospermum arvense* L. (1) LA; 6200'; EFH; pjw, sgp.
- Lithospermum incisum* Lehm. (82) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-9720'; BMP, EFH, HPD, SCR, SLV, WMT; dst, gwd, oks, pjw, ppw, rwl, sgb, sgp.
- Lithospermum multiflorum* Torr. ex Gray (45) CF, CT, CU, FN, HF, LA, PE, SH; 6600-10,400'; BMP, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- Mertensia alpina* (Torr.) G. Don (3) AL, HF, SH; 12,800-13,971'; CLR, SCR; amd, bcp.
- Mertensia ciliata* (James ex Torr.) G. Don var. *ciliata* (37) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8080-13,971'; BMP, CLR, HPD, SCR, SLV, WMT; amd, asp, bcp, lpp, mcw, mtg, rwl.
- Mertensia franciscana* Heller (21) CT, CU, HF, LA, PE; 7080-12,683'; CLR, EFH, WMT; amd, asp, mcw, mwl, ppw, rwl.
- Mertensia fusiformis* Greene (1) CU; 9360'; WMT; mcw, rwl.
- Mertensia lanceolata* (Pursh) DC. (30) CF, CU, FN, HF, LA, SH; 6200-12,579'; BMP, CLR, EFH, SLV, WMT; amd, asp, gwd, mcw, oks, pjw, ppw, rwl, sgb.
- Mertensia oblongifolia* (Nutt.) G. Don (18) AL, CU, FN, HF, LA, PE, SH; 6300-13,000'; BMP, CLR, EFH, SCR, WMT; amd, mcw, mtg, pjw, ppw, sgb.
- Mertensia viridis* (A. Nels.) A. Nels. (42) CF, CT, CU, HF, LA, PE, SH; 4900-14,064'; BMP, CLR, EFH, HPD, SCR, WMT; amd, bcp, lpp, mcw, mtg, pjw, ppw.
- Onosmodium molle* Michx. var. *occidentale* (Mack.) I. M. Johnst. (1) PE; 6500'; WMT; dst.
- Plagiobothrys scouleri* (H. & A.) I. M. Johnst. var. *hispidulus* (Greene) Dorn (2) LA; 8600-8700'; EFH; mwl.

Brassicaceae

- **Alyssum alyssoides* (L.) L. (10) CU, FN, LA; 6780-9000'; EFH, HPD, SCR, WMT; dst, oks, pjw.
- **Alyssum desertorum* Stapf (1) HF; 7000'; EFH; pjw.
- **Alyssum parviflorum* M.-Bieb. var. *micranthum* (C. A. Mey.) Dorn (34) FN, HF, LA, PE; 4900-7900'; CLR, EFH, WMT; dst, mcw, oks, pjw, ppw, rwl, sgp.
- !*Arabis crandallii* Robins. (1) CF; 8200'; BMP; pjw.
- Arabis divaricarpa* A. Nels. (30) AL, CF, CU, FN, HF, LA, PE, SH; 5800-11,200'; BMP, CLR, HPD, SCR, SLV, WMT; bcp, mcw, mtg, oks, ppw, rwl.
- Arabis drummondii* Gray (60) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7360-12,800'; BMP, CLR, HPD, SCR, SLV, WMT; amd, asp, lpp, mcw, mtg, oks, ppw, rwl.
- Arabis fendleri* (Wats.) Greene var. *fendleri* (6) AL, CU, FN, HF, SH; 5200-9720'; EFH, HPD, SCR, WMT; pjw, ppw.

- Arabis fendleri* (Wats.) Greene var. *spatifolia* (Rydb.) Roll. (72) AL, CF, CU, FN, HF, LA, PE, SH; 5200-10,900'; BMP, HPD, SCR, SLV, WMT; asp, lpp, mcw, oks, pjw, ppw, sgb.
- Arabis glabra* (L.) Bernh. var. *glabra* (6) CU, HF, LA, PE; 7700-9300'; CLR, EFH, WMT; mcw, pjw.
- Arabis hirsuta* (L.) Scop. var. *pycnocarpa* (M. Hopk.) Roll. (7) CT, CU, FN, HF, SH; 6700-9400'; SCR, SLV, WMT; mcw, pjw.
- Arabis holboellii* Hornem. var. *pinetorum* (Tidest.) Roll. (3) CF, CU, HF; 7050-11,300'; HPD, SCR; dst, mcw, pjw.
- Arabis holboellii* Hornem. var. *secunda* (Howell) Jeps. (2) CU, HF; 8262-9350'; CLR, HPD; asp, mtg.
- Arabis lignifera* A. Nels. (4) CU, HF, SH; 7050-8080'; HPD, SLV; mtg, pjw.
- !*Arabis oxylobula* Greene (1) SH; 8700-8900'; SLV; mtg.
- Arabis pendulina* Greene var. *pendulina* (2) SH; 8200-9000'; SLV; mtg, sgb.
- **Barbarea vulgaris* R. Br. (11) CU, FN, LA, PE, SH; 5960-9600'; BMP, CLR, EFH, HPD, WMT; bcp, mcw, mwl, oks, pjw, rwl.
- **Berteroa incana* (L.) DC. (1) CU; 9100-9700'; SCR; rwl.
- **Brassica juncea* (L.) Czern. (3) FN; 6800-7600'; SCR; pjw, rwl.
- **Brassica napus* L. (1) SH; 7700-8200'; SLV; dst.
- **Camelina microcarpa* Andrz. ex DC. (63) CT, CU, FN, HF, LA, PE, SH; 4900-9000'; EFH, HPD, SCR, SLV, WMT; asp, dst, lpp, mtg, mwl, pjw, ppw, rwl, sgp.
- **Capsella bursa-pastoris* (L.) Medic. (20) CF, CT, CU, HF, LA, PE, SH; 5850-10,400'; BMP, CLR, EFH, HPD, SCR, WMT; asp, bcp, dst, lpp, mcw, mtg, pjw, ppw, rwl.
- Cardamine breweri* Wats. var. *breweri* (1) CT; 8600'; SCR; rwl.
- Cardamine cordifolia* Gray var. *cordifolia* (37) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8050-12,800; BMP, CLR, SCR, SLV, WMT; amd, asp, lpp, mcw, mtg, mwl, pjw, ppw, rwl.
- **Cardaria chalepensis* (L.) Hand.-Mazz. (6) FN, HF, LA; 5800-6800'; EFH; dst, mwl, oks, pjw, rwl.
- **Cardaria draba* (L.) Desv. (5) CT, HF, PE; 5000-8050'; EFH, SLV; dst, pjw, rwl, sgb, sgp.
- **Cardaria pubescens* (C. A. Mey.) Jarmol. (1) SH; 8000'; SLV; dst, mwl.
- **Chorispora tenella* (Pall.) DC. (11) FN, HF, LA, PE; 4800-7300'; EFH; dst, pjw, sgp.
- **Conringia orientalis* (L.) Dumort. (13) LA, PE; 5300-6350'; EFH; dst, gwd, pjw, sgp.
- Descurainia californica* (Gray) O. E. Schulz (2) FN, SH; 7800-9400'; SCR, SLV; mcw, oks.
- Descurainia incana* (Bernh. ex Fisch. & Mey.) Dorn var. *incana* (15) AL, CF, CT, CU, FN, LA, SH; 6700-10,000'; BMP, CLR, SCR, SLV, WMT; dst, lpp, mcw, mtg, pjw, ppw.
- Descurainia incana* (Bernh. ex Fisch. & Mey.) Dorn var. *macroisperma* (O. E. Schulz) Dorn (2) LA; 7600-10,200'; CLR, EFH; mcw.

- Descurainia incana* (Bernh. ex Fisch. & Mey.) Dorn var. *viscosa* (Rydb.) Dorn (4) AL, CT, FN, SH; 8150-11,800'; CLR, SCR; asp, dst, mcw.
- Descurainia pinnata* (Walt.) Britt. var. *brachycarpa* (Richards.) Fern. (2) LA, PE; 5000-6350'; EFH; pjw, sgp.
- Descurainia pinnata* (Walt.) Britt. var. *nelsonii* (Rydb.) Peck (4) AL, FN, LA, SH; 6800-9400'; EFH, SCR, SLV; mcw, ppw, rwl.
- Descurainia pinnata* (Walt.) Britt. var. *osmiarum* (Ckll.) Shinners (23) CT, FN, HF, LA, PE, SH; 4900-9000'; EFH, HPD, SLV; dst, pjw, ppw, sgb, sgp.
- **Descurainia sophia* (L.) Webb ex Prantl (52) CF, CT, CU, FN, HF, LA, PE, SH; 4800-9300'; BMP, EFH, HPD, SLV, WMT; bcp, dst, gwd, oks, pjw, ppw, rwl, sgb, sgp.
- Draba albertina* Greene (2) SH; 9800-10,700'; BMP; asp, mcw, rwl.
- Draba aurea* Vahl ex Hornem. (57) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8150-14,064'; BMP, CLR, SCR, WMT; amd, dst, lpp, mcw, mtg.
- Draba cana* Rydb. (6) CF, HF, SH; 10,300-13,971'; BMP, CLR; amd, bcp, mcw.
- !*Draba crassa* Rydb. (3) PE, SH; 11,800-13,971'; BMP, WMT; amd, bcp, mcw.
- Draba crassifolia* Grah. (12) CT, CU, HF, SH; 11,000-13,517'; BMP, CLR, SCR, WMT; amd, mcw.
- !*Draba fladnizensis* Wulf. var. *pattersonii* (O. E. Schulz) Roll. (11) CT, CU, LA, SH; 11,200-14,064'; BMP, CLR, SCR; amd, mcw.
- !*Draba grayana* (Rydb.) C. L. Hitchc. (2) CT, SH; 12,800-13,400'; CLR, SCR; amd.
- Draba helleriana* Greene var. *helleriana* (5) CU, HF; 10,000-13,000'; CLR, WMT; amd, asp.
- !*Draba oligosperma* Hook. var. *oligosperma* (1) SH; 11,400-13,971'; BMP; amd, bcp.
- !*Draba porsildii* Mulligan var. *porsildii* (2) CT, HF; 12,000-14,064'; SCR; amd.
- !*Draba smithii* Gilg ex O. E. Schulz (4) AL, CU; 8300-10,500'; SCR; asp, mcw.
- !*Draba streptobrachia* Price (3) CF, CT, SH; 11,500-13,517'; CLR, BMP; amd.
- Draba streptocarpa* Gray (24) CT, CU, HF, LA, PE; 7350-13,626'; CLR, EFH, SCR, WMT; amd, mcw, mtg, pjw, ppw, rwl.
- Erysimum asperum* (Nutt.) DC. (1) HF; 9125-9300'; SCR; asp, ppw.
- Erysimum capitatum* (Dougl. ex Hook.) Greene var. *argillosum* (Greene) R.J. Davis (62) AL, CF, CU, FN, HF, LA, PE, SH; 4800-14,064'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, bcp, dst, mcw, mtg, oks, pjw, rwl, sgp.
- Erysimum capitatum* (Dougl. ex Hook.) Greene var. *capitatum* (73) CF, CT, CU, FN, HF, LA, SH; 4800-13,200'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, dst, lpp, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- **Erysimum repandum* L. (5) LA, PE; 5200-6800'; EFH; dst, pjw, sgp.
- Halimolobos virgata* (Nutt.) O. E. Schulz (1) SH; 8800-9000'; SLV; oks.
- Lepidium alyssoides* Gray var. *alyssoides* (6) AL, FN, PE, SH; 5020-11,800'; EFH, HPD, SCR, SLV; dst, mcw, pjw, sgp.
- **Lepidium campestre* (L.) R. Br. (1) HF; 7400-7450'; CLR; mtg.
- Lepidium densiflorum* Schrad. var. *densiflorum* (25) CF, CT, CU, FN, HF, LA, PE, SH; 4800-10,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; bcp, dst, mcw, oks, pjw, ppw, sgp.

- Lepidium densiflorum* Schrad. var. *macrocarpum* Mulligan (12) CF, CT, FN, HF, LA, SH; 5800-11,300'; HPD, SCR, SLV, WMT; dst, mcw, mtg, pjw, ppw, rwl.
- Lepidium densiflorum* Schrad. var. *ramosum* (A. Nels.) Thell. (1) SH; 8600-9400'; SLV; mtg.
- Lepidium montanum* Nutt. var. *alyssoides* (Gray) Jones (6) FN, SH; 5600-9800'; BMP, EFH, SLV; asp, dst, ppw.
- **Lepidium ramosissimum* A. Nels. var. *bourgeaunum* (Thellung) Roll. (3) HF, SH; 8800-9600'; SCR, SLV; mcw, oks.
- Lepidium virginicum* L. var. *medium* (Greene) C. L. Hitchc. (1) FN; 7100'; HPD; pjw, rwl.
- Lepidium virginicum* L. var. *pubescens* (Greene) C. L. Hitchc. (4) CF, CU, FN; 7100-8900'; HPD, SLV; mcw, ppw, rwl.
- Lesquerella alpina* (Nutt.) Wats. var. *alpina* (2) HF, PE; 6600-6700'; EFH, HPD; pjw, sgp.
- !*Lesquerella calicola* Roll. (9) FN, HF, PE; 5100-7400'; EFH; pjw, sgp.
- Lesquerella fendleri* (Gray) Wats. (2) FN; 5100-5420'; EFH; pjw, sgp.
- Lesquerella montana* (Gray) Wats. (69) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4800-9600'; BMP, EFH, HPD, SCR, SLV, WMT; bcp, dst, mcw, oks, pjw, ppw, rwl, sgp.
- Pennelia micrantha* (Gray) Nieuwl. (1) HF; 9800-10,200'; CLR; mcw, mtg.
- Physaria floribunda* Rydb. var. *floribunda* (1) AL; 12,300'; SCR; amd.
- Rorippa curvipes* Greene var. *alpina* (Wats.) Stuckey (1) CT; 11,400'; CLR; mcw.
- Rorippa nasturtium-aquaticum* (L.) Hayek (6) FN, LA, PE, SH; 4800-8200'; EFH, HPD, SLV, WMT; rwl.
- Rorippa palustris* (L.) Bess. var. *fernaldiana* (Butters & Abbe) Stuckey (1) CU; 8040'; HPD; rwl.
- Rorippa palustris* (L.) Bess. var. *hispida* (Desv.) Rydb. (1) LA; 8000'; EFH; rwl.
- Rorippa palustris* (L.) Bess. var. *palustris* (1) CU; 8400-8700'; WMT; mwl.
- Rorippa sinuata* (Nutt.) Hitchc. (1) CT; 8300'; SLV; mwl.
- Rorippa teres* (Michx.) Stuckey (1) CU; 11,000-12,620'; SCR; amd.
- **Sisymbrium altissimum* L. (48) CF, CT, CU, FN, HF, PE, SH; 5000-8800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dst, gwd, pjw, ppw, rwl, sgb, sgp.
- **Sisymbrium loeselii* L. (1) CT; 7800-8000'; SLV; rwl, sgb.
- Stanleya pinnata* (Pursh) Britt. var. *integrifolia* (James) Roll. (14) FN, HF, PE; 5100-7400'; EFH; dst, pjw, sgp.
- Thelypodium integrifolium* (Nutt.) Endl. ex. Walp. var. *gracilipes* Robbins. (1) LA; 8500'; CLR; oks, rwl.
- Thelypodium wrightii* Gray ssp. *oklahomensis* Al-Shehbaz (6) FN, HF, LA; 6300-7200'; EFH; dst, pjw, rwl.
- **Thlaspi arvense* L. (26) CT, CU, FN, HF, LA, PE, SH; 4900-10,400'; BMP, CLR, EFH, HPD, SCR, SLV; bcp, dst, mcw, oks, ppw, rwl, sgb.
- Thlaspi montanum* L. var. *montanum* (62) AL, CF, CT, CU, FN, HF, LA, PE, SH; 5800-13,800'; BMP, CLR, HPD, SCR, WMT; amd, bcp, lpp, mcw, mtg, ppw.

Cactaceae

- Coryphantha vivipara* (Nutt.) Britt. & Rose var. *vivipara* (7) FN, HF, LA, PE; 4900-8500'; EFH, HPD; gwd, oks, pjw, sgp.
- Echinocereus coccineus* Engelm. var. *coccineus* (29) AL, CU, HF, LA, PE; 4900-9725'; EFH, HPD, SLV, WMT; oks, pjw, ppw, sgp.
- Echinocereus triglochidiatus* Engelm. var. *triglochidiatus* (16) AL, CF, CT, FN, LA, SH; 5200-8500'; EFH, HPD, SLV; pjw, sgp, sgb.
- Echinocereus viridiflorus* Engelm. var. *viridiflorus* (36) AL, CU, FN, HF, LA, PE, SH; 4800-9100'; EFH, HPD, SLV, WMT; oks, pjw, ppw, sgp.
- Opuntia erinacea* Engelm. & Bigel. ex Engelm. var. *utahensis* (Engelm.) Benson (1) PE; 4900-5000'; EFH; pjw.
- Opuntia erinaceae* Engelm. & Bigel. ex Engelm. var. *erinaceae* (3) PE; 5300-6060'; EFH; sgp.
- Opuntia imbricata* (Haw.) DC. var. *imbricata* (12) FN, HF, LA, PE; 5200-7700'; EFH; gwd, pjw, sgp.
- Opuntia macrorhiza* Engelm. var. *macrorhiza* (11) FN, HF, LA, PE; 4900-7380'; EFH, HPD, WMT; pjw, sgp.
- Opuntia phaeacantha* Engelm. var. *camanchica* (Engelm. & Bigel.) L. Benson (5) FN, LA, PE; 5100-6400'; EFH; gwd, pjw.
- Opuntia phaeacantha* Engelm. var. *major* Engelm. (1) HF; 6800'; EFH; pjw.
- Opuntia phaeacantha* Engelm. var. *phaeacantha* (1) PE; 5450'; EFH; sgp.
- Opuntia phaeacantha* Engelm. var. *major* Engelm. (4) HF, LA; 6000-6560'; EFH; gwd, oks, pjw, sgp.
- Opuntia polyacantha* Haw. var. *juniperina* (Britt. & Rose) L. Benson (5) HF, LA, SH; 6200-9000'; EFH, SLV; oks, pjw, sgp.
- Opuntia polyacantha* Haw. var. *polyacantha* (69) CF, CT, CU, FN, HF, LA, PE, SH; 4900-9670'; BMP, HPD, SCR, SLV, WMT; oks, pjw, ppw, sgb, sgp.
- Opuntia polyacantha* Haw. var. *rufispina* (Engelm. & Bigel. ex Engelm.) Benson (2) FN; 5420-6800'; EFH, HPD; pjw, sgp.
- Pediocactus simpsonii* (Engelm.) Britt. & Rose var. *simpsonii* (16) AL, CT, CU, FN, HF, SH; 6300-9200'; BMP, CLR, EFH, HPD, SLV; oks, pjw, ppw, sgp.

Campanulaceae

- Campanula parryi* Gray var. *parryi* (7) CT, SH; 7900-11,900'; BMP, CLR, SCR, SLV; dst, mcw, ppw, rwl.
- Campanula rotundifolia* L. (62) CF, CT, CU, FN, HF, LA, PE, SH; 6600-12,800'; BMP, CLR, EFH, HPD, SCR, WMT; amd, asp, bcp, dst, mcw, mtg, ppw, rwl.
- Campanula uniflora* L. (5) AL, CT, CU, SH; 10,600-13,600'; CLR, SCR; amd.

Cannabaceae

- Humulus lupulus* L. var. *neomexicanus* Nels. & Ckll. (8) CF, CU, HF, LA; 6000-8800'; BMP, EFH, HPD, WMT; dst, mcw, mwl, oks, pjw, rwl.

Cappar(id)aceae

- Cleome serrulata* Pursh (26) CF, CT, CU, FN, HF, LA, PE, SH; 4900-9300'; BMP, EFH, SCR, SLV, WMT; dst, pjw, ppw, rwl, sgp.

Polanisia dodecandra (L.) DC. var. *trachysperma* (T. & G.) Iltis (4) FN, LA; 6600-7600'; EFH, SCR; pjw, rwl.

Caprifoliaceae

Linnaea borealis L. var. *longiflora* Torr. (10) CF, CU, HF, PE, SH; 8600-11,600'; BMP, CLR, SCR, SLV, WMT; asp, lpp, mcw, ppw, rwl.

Lonicera involucrata (Richards.) Banks ex Spreng. var. *involucrata* (38) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8500-12,200'; BMP, CLR, SCR, WMT; amd, asp, bcp, lpp, mcw, mtg, mwl, rwl, sgb.

Sambucus canadensis L. var. *canadensis* (1) LA; 6000'; EFH; mwl, rwl.

Sambucus cerulea Raf. var. *cerulea* (4) CT, HF, LA; 6780-11,400'; CLR, EFH; mcw, pjw, rwl.

Sambucus racemosa L. var. *microbotrys* (Rydb.) Kearn. & Peeb. (44) AL, CF, CU, FN, HF, LA, PE, SH; 5870-12,200'; BMP, CLR, EFH, HPD, SCR, WMT; asp, bcp, dst, lpp, mcw, pjw, ppw, rwl.

Symphoricarpos occidentalis Hook. (5) LA, PE; 5450-8800'; EFH, WMT; dst, mwl, ppw, rwl.

Symphoricarpos oreophilus Gray var. *oreophilus* (29) CF, CU, FN, HF, LA, PE, SH; 5960-10,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, mcw, oks, pjw, ppw, rwl, sgb.

Symphoricarpos oreophilus Gray var. *utahensis* (Rydb.) A. Nels. (4) FN, SH; 6800-9000'; HPD, SLV; pjw, rwl.

Symphoricarpos rotundifolius A. Gray var. *rotundifolius* (31) AL, CF, CU, FN, HF, LA, SH; 5800-10,300'; BMP, EFH, HPD, SCR, SLV, WMT; asp, oks, pjw, ppw, rwl.

Viburnum edule (Michx.) Raf. (1) PE; 8600'; WMT; mcw, rwl.

Caryophyllaceae

Arenaria congesta Nutt. var. *congesta* (2) CF; 10,400-11,600'; BMP; bcp, lpp, mcw;

Arenaria fendleri Gray var. *fendleri* (96) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7200-14,064'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, dst, lpp, mcw, mtg, oks, pjw, ppw, rwl, sgb.

Arenaria hookeri Nutt. var. *hookeri* (1) HF; 7300'; WMT; pjw.

Arenaria hookeri Nutt. var. *pinetorum* (A. Nels.) Maguire (3) PE; 4800-5200'; EFH; pjw, sgp.

Arenaria lanuginosa (Michx.) Rohrb. ssp. *saxosa* (Gray) Maguire (21) CF, CT, FN, HF, LA, PE, SH; 7600-12,683'; BMP, CLR, EFH, SCR, WMT; amd, asp, lpp, mcw, mtg, ppw.

Cerastium arvense L. (42) CF, CT, CU, FN, HF, LA, PE, SH; 6800-13,517'; BMP, CLR, SCR, WMT; amd, asp, bcp, lpp, mcw, mtg, ppw, rwl.

Cerastium beeringianum Cham. & Schlecht. var. *capillare* Fern. & Wieg. (16) AL, CT, CU, HF, LA, PE, SH; 11,200-14,064'; BMP, CLR, SCR, WMT; amd.

**Cerastium fontanum* Baumg. ssp. *vulgare* (Hartm.) Greuter & Burdet (12) CT, CU, LA, PE, SH; 7800-13,971'; BMP, CLR, SCR, WMT; mcw, mwl, ppw, rwl.

**Dianthus armeria* L. ssp. *armeria* (1) PE; 8800'; WMT; dst.

- Minuartia obtusiloba* (Rydb.) House (42) AL, CF, CT, HF, LA, PE, SH; 10,500-14,064'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg.
- Minuartia rubella* (Wahlenb.) Hiern (17) CF, CT, CU; 11,200-13,517'; BMP, CLR, SCR, WMT; amd, mtg.
- !*Minuartia stricta* (Sw.) Hiern (1) HF; 12,000'; SCR; amd.
- Moehringia lateriflora* (L.) Fenzl (1) CU; 9050-9670'; WMT; asp, rwl.
- Paronychia jamesii* T. & G. (2) PE; 4800-5300'; EFH; pjw, sgp.
- Paronychia pulvinata* Gray (5) CT, CU, HF, SH; 8500-13,971'; BMP, CLR, SLV; amd, bcp, mcw, mtg.
- Paronychia sessiliflora* Nutt. (7) CU, FN, HF, PE, SH; 4800-8500'; EFH, HPD, SLV; pjw, sgp.
- Sagina saginoides* (L.) Karst. (4) HF, SH; 9800-11,900'; CLR, WMT; mcw, mtg.
- **Saponaria officinalis* L. (1) PE; 7800-8000'; WMT; dst.
- Silene acaulis* (L.) Jacq. var. *subacaulescens* (F. N. Wms.) Fern. & St John (34) AL, CF, CT, CU, FN, HF, LA, PE, SH; 11,000-14,064'; BMP, CLR, SCR, WMT; amd.
- Silene antirrhina* L. (4) CU, LA, PE; 4900-8700'; CLR, EFH, WMT; ppw, rwl.
- Silene drummondii* Hook. var. *drummondii* (8) CF, CT, CU, HF, LA; 7250-12,800'; BMP, CLR, EFH, HPD, WMT; amd, bcp, lpp, mcw, mtg.
- Silene drummondii* Hook. var. *striata* (Rydb.) Bocq. (14) AL, CT, CU, FN, HF, LA, SH; 8600-12,800'; BMP, CLR, SCR; amd.
- Silene hitchguirei* Bocq. (3) CT, CU, SH; 11,200-14,064'; BMP, CLR, SCR; amd.
- **Silene latifolia* Poir. ssp. *alba* (Mill.) Greuter & Burdet (5) HF, PE; 7200-9350'; CLR, WMT; asp, oks, mtg, rwl.
- **Silene noctiflora* L. (1) LA; 8600'; EFH.
- Silene scouleri* Hook. ssp. *hallii* (Wats.) C. L. Hitchc. (4) CU, FN, HF; 8400-11,800'; CLR, SCR; bcp, mcw.
- **Silene vulgaris* (Moench) Garcke (1) FN; 8150-8400'; SCR; mtg, oks.
- **Stellaria irrigua* Bunge (9) AL, CT, CU, HF, LA, PE; 11,800-14,064'; CLR, SCR, WMT; amd.
- Stellaria longifolia* Muhl. ex Willd. (3) CF, HF, SH; 8600-9800'; BMP, SCR, WMT; asp, ppw.
- Stellaria longipes* Goldie var. *longipes* (22) AL, CF, CT, HF, LA, SH; 8200-14,064'; BMP, CLR, HPD, SCR, WMT; amd, mcw, mtg, rwl, sgb.
- Stellaria monantha* Hult. (3) CT, LA; 10,200-11,400'; CLR; mcw.
- Stellaria umbellata* Turcz. ex Karel. & Kir. (24) AL, CT, CU, HF, LA, SH; 9000-14,064'; BMP, CLR, SCR; amd, mcw, rwl.
- **Vaccaria hispanica* (Mill.) Rauschert (1) PE; 5660'; EFH; sgp.

Celastraceae

- Paxistima myrsinoides* (Pursh) Raf. (6) CU, HF, LA; 8700-10,980'; CLR, SCR; asp, mcw, mtg, rwl.

Chenopodiaceae

- Atriplex argentea* Nutt. ssp. *expansa* (Wats.) H. M. Hall & Clem. (1) LA; 6100'; EFH, dst.
- Atriplex argentea* Nutt. var. *caput-medusae* (Eastw.) Fosb. (1) SH; 7650-8500'; SLV.

- Atriplex canescens* (Pursh) Nutt. var. *canescens* (57) AL, CT, FN, HF, LA, PE, SH; 5100-9300'; EFH, HPD, SLV; dst, gwd, pjw, sgb, sgp.
- Atriplex confertifolia* (Torr. & Frem.) Wats. (3) FN, PE; 4700-5300'; EFH; gwd, sgp.
- **Atriplex heterosperma* Bunge (1) LA; 6000'; EFH; mw1, rwl.
- **Chenopodium album* L. var. *album* (1) LA; 6100'; EFH; gwd.
- Chenopodium atrovirens* Rydb. (6) CT, HF, SH; 7700-10,600'; SCR, SLV; asp, dst, mcw.
- Chenopodium berlandieri* Moq. var. *berlandieri* (12) CT, CU, FN, HF, LA, PE; 5450-8500'; CLR, EFH, HPD, SLV; dst, mtg, mw1, pjw, ppw, rwl, sgp.
- Chenopodium berlandieri* Moq. var. *zschackei* (Murr) Murr ex Aschers. (5) CU, LA, PE; 5800-8800'; CLR, WMT; dst.
- Chenopodium botrys* L. (1) PE; 7800-8000'; WMT; dst.
- **Chenopodium foliosum* (Moench) Asch. (6) CT, CU, SH; 8800-10,000'; BMP, CLR, HPD, SCR; mcw, mtg.
- Chenopodium fremontii* Wats. (10) CU, FN, HF, LA, SH; 6800-10,400'; BMP, CLR, HPD, SCR, SLV, WMT; mcw, mtg, ppw.
- **Chenopodium graveolens* Willd. (4) CF, SH; 7600-9300'; BMP, SLV; dsc, pjw.
- Chenopodium incanum* (Wats.) Heller var. *incanum* (5) AL, CF, CT, FN, SH; 5600-8500'; BMP, EFH, SLV; dst, pjw.
- Chenopodium leptophyllum* (Moq.) Nutt. ex Wats. (14) AL, CT, FN, HF, LA, PE, SH; 5450-8800'; EFH, SLV, WMT; dst, oks, pjw, sgb, sgp.
- Chenopodium overi* Aellen (4) FN, PE, SH; 6700-10,400'; SCR, WMT; mcw, pjw, ppw.
- Chenopodium pratericola* Rydb. (8) AL, CF, CT, CU, HF, LA, SH; 6000-12,579'; EFH, HPD, SCR, SLV; amd, dst, oks, pjw, ppw.
- Chenopodium watsonii* A. Nels. (2) CT, SH; 8100-9000'; SLV; dsc, pjw.
- **Kochia scoparia* (L.) Schrad. (11) AL, CT, FN, LA, PE, SH; 5850-9000'; EFH, SCR, SLV; dst, gwd, oks, pjw.
- Krascheninnikovia lanata* (Pursh) Meeuse & Smit (29) CT, HF, LA, PE, SH; 4900-9000'; EFH, SCR, SLV, WMT; dst, oks, pjw, sgb, sgp.
- Monolepis nuttalliana* (Schult.) Greene (16) CF, CT, CU, FN, SH; 5300-10,000'; BMP, CLR, EFH, SCR, SLV, WMT; asp, gwd, mcw, mtg, pjw, ppw, rwl, sgb, sgp.
- **Salsola australis* R. Br. (13) AL, CF, CT, FN, HF, LA, SH; 5650-9000'; EFH, HPD, SCR, SLV; dst, oks, pjw, ppw, rwl, sgb, sgp.
- **Salsola collina* Pall. (5) AL, CT, FN, HF, SH; 6270-9300'; EFH, HPD, SCR, SLV; dst, rwl.
- Sarcobatus vermiculatus* (Hook.) Torr. var. *vermiculatus* (7) FN, HF, LA, SH; 5300-8200'; EFH, SLV; gwd, pjw, sgb, sgp.

Clusiaceae

- Hypericum formosum* H.B.K. var. *scouleri* (Hook.) Coulter. (1) CU; 8800'; WMT; mcw.

Commelinaceae

Tradescantia occidentalis (Britt.) Smyth var. *scopulorum* (Rose) E. S. Anderson & Woods. (8) CU, FN, HF; 5200-8400'; EFH, WMT; mcw, pjw, ppw, sgp.

Convolvulaceae

**Convolvulus arvensis* L. (56) CT, HF, LA, PE; 4900-11,000'; EFH, HPD, SLV, WMT; dsc, dst, gwd, mcw, oks, pjw, ppw, rwl, sgb, sgp.

Evolvulus nuttallianus Schult. (7) FN, HF, LA, PE; 5000-8400'; EFH; dst, pjw, sgp.

Ipomoea leptophylla Torr. (3) HF, LA, PE; 5450-6270'; EFH; dst, pjw, sgp.

Cornaceae

Cornus canadensis L. var. *canadensis* (7) CU, FN, PE; 7500-10,400'; WMT; mcw, rwl.

Cornus sericea L. ssp. *sericea* (3) FN, SH; 7800-9400'; SCR, SLV; mcw, pjw, rwl.

Crassulaceae

Sedum integrifolium (Raf.) A. Nels. ssp. *integrifolium* (43) AL, CF, CT, CU, HF, LA, PE, SH; 10,500-14,064'; BMP, CLR, SCR, WMT; amd, bcp, mcw, mtg.

Sedum lanceolatum Torr. var. *lanceolatum* (71) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6300-13,971'; BMP, CLR, HPD, SCR, WMT; amd, asp, bcp, dst, lpp, mcw, mtg, oks, pjw, ppw.

Sedum rhodanthum Gray (10) AL, CT, CU, FN, HF, SH; 10,600-12,800'; BMP, CLR, SCR; amd, bcp, mcw, mwl.

Crossosomataceae

Forsellesia planitierum Ensign. (1) PE; 5200-5300'; EFH; dst, sgp.

Cucurbitaceae

Cucurbita foetidissima H.B.K. (16) FN, HF, LA, PE; 5200-7180'; EFH; dst, gwd, pjw, sgp, rwl.

Echinocystis lobata (Michx.) T. & G. (1) 5850'; EFH; dst.

Cyperaceae

Carex albonigra Mack. (8) CF, CU, HF, LA, PE, SH; 11,500-14,064'; CLR, SCR, WMT; amd.

Carex aquatilis Wahlenb. var. *aquatilis* (6) CU, HF, LA, SH; 7200-11,200'; BMP, SCR, WMT; asp, dst, lpp, mcw, mwl, ppw.

Carex arapahoensis Cockey (1) CT, 13,000-13,517'; CLR; amd.

Carex atrata L. var. *chalciolepis* (Holm) Kukenth. (19) AL, CT, CU, HF, LA, SH; 11,000-13,971'; BMP, CLR, SCR, WMT; amd, mtg.

Carex atrata L. var. *erecta* Boott (5) AL, CF, CU, HF, SH; 11,600-13,000'; BMP, SCR, WMT; amd, mtg.

Carex aurea Nutt. (2) CU, LA; 7400-8000'; EFH, WMT; oks, ppw, rwl.

Carex bella Bailey (13) CT, CU, FN, HF, LA, PE, SH; 8200-12,579'; CLR, HPD, SCR, WMT; amd, bcp, mcw.

Carex brevior (Dewey) Mack. ex Lunell (2) HF, PE; 4900-7300'; EFH; dst, pjw.

- Carex canescens* L. var. *canescens* (1) SH; 9000'; BMP; rwl.
- Carex disperma* Dewey (4) CF, PE, SH; 8600-9600'; BMP, WMT; asp, mcw, rwl.
- Carex douglasii* Boott (7) CF, CU, FN, SH; 7220-9800'; HPD, SLV, WMT; asp, oks, pjw, ppw, rwl.
- Carex ebenea* Rydb. (11) AL, CF, CT, CU, LA, SH; 10,800-12,574'; BMP, CLR, SCR; amd, mcw.
- Carex egglestonii* Mack. (1) FN; 11,000-12,200'; SCR; amd, mcw.
- Carex elynoides* Holm (23) AL, CT, CU, FN, HF, LA, PE, SH; 8200-14,064'; BMP, CLR, SCR, SLV, WMT; amd, bcp, mcw.
- Carex filifolia* Nutt. (3) CU, PE, SH; 4800-11,750'; BMP, EFH, WMT; amd, mcw, pjw.
- Carex foenea* Willd. (30) CF, CT, CU, HF, LA, PE, SH; 7200-13,791'; BMP, CLR, HPD, SCR, WMT; amd, bcp, lpp, mcw, mtg, ppw, rwl.
- Carex haydeniana* Olney (9) CT, CU, HF, LA, SH; 7000-12,800'; BMP, CLR, SCR, WMT; amd, bcp, mcw, oks, ppw.
- Carex illota* Bailey (1) SH; 10,800-11,200'; BMP; lpp, mcw.
- Carex lanuginosa* Michx. (11) CF, CT, CU, HF, LA; 5870-8800'; CLR, EFH, HPD, WMT; mcw, mtg, mwl, oks, ppw.
- Carex microptera* Mack. var. *microptera* (22) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7350-11,800'; BMP, CLR, EFH, SCR, WMT; asp, mcw, mtg, mwl, ppw, rwl, sgb.
- Carex nardina* Fries var. *hepburnii* (Boott) Kukenth. (3) HF, LA, SH; 11,600-13,626'; BMP, CLR, WMT; amd.
- Carex nebrascensis* Dewey (20) CF, CT, CU, FN, LA, PE, SH; 5100-10,700'; BMP, CLR, EFH, HPD, SLV, WMT; mwl, oks, pjw, ppw, sgb.
- Carex nelsonii* Mack. (7) CF, CU, HF, PE, SH; 8000-12,574'; BMP, SCR, WMT; amd, asp, dst, lpp, mcw.
- Carex nigricans* C. A. Mey. (2) CT, HF; 12,000-13,400'; CLR, SCR; amd.
- Carex norvegica* Retz. var. *stevenii* (Holm) Dorn (10) CU, CF, LA, SH; 6200-12,000'; BMP, EFH, SCR; amd, lpp, mcw, mwl, pjw, rwl.
- Carex nova* Bailey var. *nova* (17) AL, CT, FN, HF, LA, SH; 8400-12,579'; BMP, CLR, SCR, WMT; amd, mcw, mtg, ppw, rwl.
- Carex nova* Bailey var. *pelocarpa* (F. J. Herm.) Dorn (1) CF; 11,500'; BMP; amd.
- Carex occidentalis* Bailey (23) AL, CF, CU, FN, HF, LA, PE; 5960-13,600'; CLR, EFH, SCR, SLV, WMT; amd, asp, dst, mcw, mtg, oks, pjw, ppw, rwl.
- !*Carex oreocharis* Holm (2) HF, LA; 7700-9500'; CLR, WMT; pjw.
- Carex pachystachya* Cham. ex Steud. (5) CF, CU, LA; 6600-11,000'; BMP, EFH, SCR, WMT; dst, mcw, pjw, rwl, sgp.
- !*Carex peckii* Howe (1) CU; 7350'; WMT; rwl.
- Carex pensylvanica* Lam. var. *digyna* Boeck. (41) CU, FN, HF, LA, PE, SH; 4900-9200'; BMP, EFH, SCR, WMT; asp, dst, oks, pjw, ppw, rwl, sgp.
- Carex phaeocephala* Piper (5) CT, CU, HF, LA; 5870-12,800'; CLR, EFH, SCR; amd, rwl.
- Carex pityophila* Mack. (14) CU, FN, HF, SH; 6700-9600'; EFH, HPD, SLV; mcw, mtg, oks, pjw, rwl, sgb.
- Carex praceptorum* Mack. (1) CU; 9000'; WMT; mcw.

- Carex praegracilis* W. Boott (17) CU, FN, HF, LA, PE, SH; 4900-10,400'; CLR, EFH, SCR, SLV, WMT; mcw, pjw, ppw, rwl, sgb.
- Carex pyrenaica* Wahlenb. (1) CT; 12,800'; SCR; amd.
- Carex rossii* Boott (5) CU, PE, SH; 8200-8700'; SLV, WMT; mcw, ppw.
- Carex scopulorum* Holm var. *scopulorum* (4) AL, CU, FN; 8200-12,800'; SCR; amd, mcw, mtg.
- Carex stenophylla* Wahlenb. (27) CT, CU, FN, HF, PE, SH; 6000-9800'; BMP, EFH, HPD, SCR, SLV, WMT; dst, oks, pjw, ppw, rwl, sgp.
- Carex stenoptila* F. J. Herm. (4) HF, LA, SH; 11,000-13,971; CLR, SCR, WMT; amd, bcp, mcw, mtg.
- Carex stipata* Muhl. ex Willd. var. *stipata* (2) CU, PE; 8400-8700'; WMT; mwl, rwl.
- Carex utriculata* Boott (13) CF, CT, CU, LA, SH; 8000-11,800'; BMP, CLR, SCR, SLV, WMT; mcw, mwl, rwl.
- Carex vallicola* Dewey var. *vallicola* (3) CU, FN, HF; 7800-10,158'; CLR, SCR; mcw, mtg, ppw.
- Carex vesicaria* L. var. *vesicaria* (1) SH; 9800'; BMP; asp, ppw.
- Carex vulpinoidea* Michx. (1) PE; 8000'; WMT; mcw.
- Cyperus fendlerianus* Boeckl. (1) HF; 7200-7800'; WMT; pjw.
- Eleocharis acicularis* (L.) R. & S. (2) LA, PE; 6800-8700'; EFH, WMT; mwl.
- Eleocharis palustris* (L.) R. & S. (22) CT, CU, FN, HF, LA, PE, SH; 5100-8600'; CLR, EFH, HPD, SCR, SLV, WMT; gwd, mwl, oks, pjw, ppw, rwl, sgb.
- Eriophorum polystachion* L. (1) CT; 11,800'; CLR; mwl.
- Kobresia bellardii* (All.) Degl. (5) CT, CU, HF; 10,300-13,517'; CLR, SCR, WMT; amd
- Scirpus acutus* Muhl. ex Bigel. (4) CU, FN, LA; 5100-8700'; EFH; WMT; mwl, rwl.
- Scirpus maritimus* L. var. *paludosus* (A. Nels.) Kukenth. (1) HF; 6000'; EFH; gwd, mwl.
- Scirpus microcarpus* J. & K. Presl (8) CU, HF, LA, PE; 6000-8800'; CLR, EFH, WMT; mcw, mwl, oks, rwl.
- Scirpus pallidus* (Britt.) Fern. (1) PE; 6400'; EFH; dst.
- Scirpus pungens* Vahl var. *polyphyllus* Boeck. (2) LA, FN; 6000-6400'; EFH; rwl.
- Scirpus validus* Vahl (8) FN, HF, LA, PE; 5870-7300'; EFH, HPD, WMT; mwl, pjw, rwl, sgp.

Dipsacaceae

**Dipsacus fullonum* L. (1) PE; 5850'; EFH; dst.

**Knautia arvensis* (L.) Coult. (3) CU, PE; 8400-8800'; WMT; dst, mcw.

Elaeagnaceae

Elaeagnus angustifolia L. (8) FN, HF, LA, PE; 5200-7950'; EFH, HPD, SLV; dst, pjw, ppw, rwl.

Shepherdia canadensis (L.) Nutt. (35) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8600-11,000'; BMP, CLR, HPD, SCR, SLV, WMT; asp, dst, lpp, mcw, oks, pjw, ppw.

Ericaceae

- Arctostaphylos uva-ursi* (L.) Spreng. var. *adenotricha* Fern. & Macbr. (40) CF, CT, CU, FN, HF, LA, PE, SH; 7400-11,000'; BMP, CLR, HPD, SCR, SLV, WMT; asp, lpp, mcw, mtg, oks, ppw, rwl.
- Arctostaphylos uva-ursi* (L.) Spreng. var. *uva-ursi* (2) HF, PE; 8400-8800'; CLR, WMT; ppw.
- Chimaphila umbellata* (L.) Barton var. *occidentalis* (Rydb.) Blake (7) CU, FN, HF, PE; 7600-11,000'; SCR, WMT; asp, mcw, ppw.
- Moneses uniflora* (L.) Gray var. *uniflora* (15) AL, CF, CT, CU, HF, PE, SH; 9000-11,600'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, rwl.
- Monotropa hypopithys* L. (3) HF, PE; 8000-9300'; CLR, WMT; mcw.
- Orthilia secunda* (L.) House (17) CF, CT, CU, FN, LA, PE, SH; 7800-11,600'; BMP, CLR, SCR, WMT; lpp, mcw.
- Pterospora andromedea* Nutt. (8) CU, FN, HF, LA; 7800-10,600'; CLR, SCR; mcw.
- Pyrola asarifolia* Michx. var. *asarifolia* (5) CU, HF, LA, PE; 8500-10,900'; CLR, SCR, WMT; mcw.
- Pyrola chlorantha* Sw. var. *chlorantha* (10) AL, CF, CU, FN, HF, LA, PE; 10,000-13,200'; BMP, CLR, SCR, WMT; amd, asp, lpp, mcw, mtg.
- Pyrola minor* L. (4) LA, SH; 9000-11,000'; BMP, CLR, SCR, WMT; asp, mcw, rwl.
- !*Pyrola picta* Sm. var. *picta* (1) FN; 9400-11,000'; SCR; asp, mcw.
- Vaccinium cespitosum* Michx. (1) CF; 10,400-10,600'; BMP; rwl.
- Vaccinium myrtillus* L. var. *oreophilum* (Rydb.) Dorn (36) CF, CT, CU, FN, HF, LA, PE, SH; 7600-12,700'; BMP, CLR, HPD, SCR, WMT; amd, asp, lpp, mcw, mtg, rwl.
- Vaccinium scoparium* Leib. ex Cov. (6) CU, HF, LA; 8600-12,683'; CLR, SCR, WMT; amd, mcw.

Euphorbiaceae

- Chamaesyce revoluta* (Engelm.) Small (1) CF; 7200-7800'; SCR; pjw.
- Croton texensis* (Klotzsch) Muell.-Arg. (4) FN, PE; 5300-5650'; EFH; dst, pjw, sgp.
- Euphorbia brachycera* Engelm. (21) CF, CT, CU, FN, HF, LA, PE, SH; 5450-9500'; BMP, EFH, HPD, SCR, SLV; pjw, ppw, sgp.
- Euphorbia dentata* Michx. (10) FN, LA, PE; 5650-7600'; EFH, SCR; dst, oks, ppw, sgp, rwl.
- **Euphorbia esula* L. var. *uralensis* (Fisch. ex Link) Dorn (7) CU, HF, PE; 5690-9200'; EFH, WMT; bcp, dst, mcw, oks, rwl.
- Euphorbia fendleri* T. & G. (31) CF, FN, HF, LA, PE; 4800-9000'; EFH, HPD, SCR; oks, pjw, sgp.
- Euphorbia glyptosperma* Engelm. (7) CF, FN, HF, LA, PE; 6000-7800'; BMP, EFH, SCR; dst, gwd, pjw.
- Euphorbia marginata* Pursh (9) HF, LA; 5800-8800'; EFH; gwd, dst, oks, pjw.
- Euphorbia revoluta* Engelm. (1) FN; 8000-8800'; SCR.
- Euphorbia serpens* H.B.K. (1) LA; 6500'; EFH; dst.

**Euphorbia serpyllifolia* Pers. var. *serpyllifolia* (14) CT, FN, LA, SH; 5600-9600'; EFH, SCR, SLV; dst, mcw, rwl, sgp.

Euphorbia spathulata Lam. (1) FN; 5800-5900'; EFH.

Euphorbia stictospora Engelm. (1) PE; 5850'; EFH; dst.

Tragia ramosa Torr. (29) FN, HF, LA, PE; 4900-7400'; EFH; dst, oks, pjw, ppw, sgp.

Fabaceae

Amorpha canescens Pursh (1) LA; 6400; EFH; pjw.

Astragalus adsurgens Pall. var. *robustior* Hook. (37) AL, CF, CT, FN, HF, LA, SH; 6250-9700'; CLR, EFH, HPD, SCR, SLV; asp, dst, mcw, oks, pjw, ppw, sgb, sgp.

Astragalus agrestis Dougl. ex G. Don (14) CT, CU, HF, LA, SH; 6800-9300'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; mtg, pjw, ppw, sgb, rwl.

Astragalus alpinus L. var. *alpinus* (18) AL, CF, CU, HF, SH; 8300-11,000'; BMP, CLR, SLV; mcw, mtg, pjw, ppw, rwl.

Astragalus bisulcatus (Hook.) Gray var. *bisulcatus* (16) FN, HF, LA, PE; 4700-7700'; EFH; sgp.

Astragalus bisulcatus (Hook.) Gray var. *haydenianus* (Gray) Barneby (1) FN; 5800-5900'; EFH; sgp.

!*Astragalus brandegeei* Porter (7) HF, SH; 7050-8850'; BMP, HPD, SLV; pjw, sgp.

Astragalus canadensis L. var. *canadensis* (2) HF, PE; 7600-9300'; WMT; mcw, oks.

Astragalus ceramicus Sheld. var. *filifolius* (Gray) F. J. Herm. (2) FN, PE; 4900-5800'; EFH; dst, pjw.

!*Astragalus cerussatus* Sheld. (2) FN, SH; 8000-8800'; SCR, SLV.

**Astragalus cicer* L. (3) LA, SH; 6400-9800'; BMP, EFH; dst, pjw, ppw.

Astragalus crassicarpus Nutt. var. *crassicarpus* (1) HF; 8500'; HPD; sgp.

Astragalus crassicarpus Nutt. var. *paysonii* (Kelso) Barneby (9) CU, FN, HF, SH; 6000-9500'; EFH, HPD, SLV; mcw, mtg, oks, ppw, sgb, sgp.

Astragalus drummondii Dougl. ex Hook. (60) CF, CT, CU, FN, HF, LA, PE, SH; 4900-9725'; BMP, EFH, HPD, SCR, SLV, WMT; dst, gwd, oks, pjw, ppw, sgb, sgp.

Astragalus flexuosus (Hook.) Dougl. ex G. Don var. *flexuosus* (52) CF, CT, CU, FN, HF, LA, PE, SH; 5800-9000'; BMP, EFH, HPD, SCR, SLV, WMT; dst, oks, pjw, ppw, sgb, sgp.

Astragalus gracilis Nutt. (11) CU, FN, HF, LA, PE; 5200-9200'; EFH, SCR; pjw, ppw, sgp.

Astragalus hallii Gray var. *hallii* (11) AL, CT, CU, LA, SH; 8400-10,000'; BMP, CLR, SCR, SLV; dst, mcw, ppw, rwl.

Astragalus lonchocarpus Torr. (10) FN, HF, PE; 5300-7900'; EFH, HPD, WMT; pjw, sgp.

Astragalus lotiflorus Hook. (6) FN, HF, PE; 4800-6900'; EFH; oks, pjw, sgp.

Astragalus miser Dougl. var. *miser* (1) PE; 4900-5000'; EFH; dst.

Astragalus miser Dougl. var. *oblongifolius* (Rydb.) Cronq. (21) CF, CT, CU, FN, HF, SH; 8150-10,800'; CLR, SCR, SLV, WMT; asp, mcw, mtg, ppw.

- Astragalus missouriensis* Nutt. var. *missouriensis* (45) FN, HF, LA, PE; 4800-8800'; HPD, EFH; dst, gwd, oks, pjw, ppw, sgp.
- Astragalus parryi* Gray (13) AL, CF, CU, FN; 7400-11,300'; CLR, HPD, SCR, SLV, WMT; asp, dst, lpp, mcw, pjw, ppw.
- Astragalus puniceus* Osterh. var. *puniceus* (5) CT, LA, FN; 5900-8800'; EFH, SCR; dst, oks, pjw, sgb, sgp.
- Astragalus racemosus* Pursh var. *racemosus* (9) FN, LA, PE; 5100-6900'; EFH; gwd, pjw, sgp.
- Astragalus robbinsii* (Oakes) Gray var. *minor* (Hook.) Barneby (4) SH; 9800-11,200'; BMP; bcp, lpp, mtg, sgb.
- Astragalus scopulorum* Porter (10) CF, CT, FN, LA, SH; 7800-9600'; BMP, CLR, SCR, SLV; bcp, pjw, ppw, rwl, sgb.
- Astragalus shortianus* Nutt. (18) CF, CU, HF, LA, PE, SH; 4900-9860'; BMP, EFH, SCR, SLV, WMT; asp, pjw, ppw.
- Astragalus sparsiflorus* Gray var. *sparsiflorus* (2) CU; 8800-10,000'; SCR, SLV, WMT; asp, mcw.
- Astragalus tenellus* Pursh (7) CU, LA, PE, SH; 5800-9600'; BMP, EFH, SCR; mcw, oks, pjw, ppw, rwl, sgb.
- Caesalpinia drepanocarpa* (Gray) Fisher (1) FN; 5850'; EFH; pjw.
- **Caragana arborescens* Lam. (1) PE; 5850'; EFH; dst.
- **Coronilla varia* L. (3) LA, PE; 5800-7700'; EFH; dst, pjw.
- Dalea candida* Michx. var. *oligophylla* (Torr.) Shinners (25) CU, FN, HF, LA, PE; 4900-7700'; EFH, HPD; dst, oks, pjw, rwl, sgp.
- Dalea jamesii* (Torr.) T. & G. (7) FN, HF, PE; 4900-7900'; EFH, HPD; pjw, sgp.
- Dalea leporina* (Ait.) Bullock (1) CT; 7700'; SLV, rwl.
- Dalea purpurea* Vent. var. *purpurea* (9) HF, LA, PE; 5300-8000'; EFH; dst, sgp, rwl.
- Gleditsia triacanthos* L. (1) PE; 5450'; EFH; rwl.
- Glycyrrhiza lepidota* Nutt. ex Pursh var. *lepidota* (11) CT, FN, HF, LA, PE, SH; 5450-8500'; CLR, EFH, SLV; dst, mcw, mwl, pjw, ppw, rwl.
- Hedysarum boreale* Nutt. var. *boreale* (15) FN, HF, LA, PE; 5420-7400'; EFH; pjw, sgp.
- Lathyrus eucosmus* Butters & St. John (10) HF, LA, PE; 5300-8400'; CLR, EFH; oks, pjw, ppw, rwl.
- Lathyrus lanszwertii* Kellogg var. *leucanthus* (Rydb.) Dorn (20) CT, CU, FN, HF, PE; 7400-10,000'; CLR, SCR, WMT; asp, mcw, mtg, oks, ppw.
- **Lathyrus latifolius* L. (3) LA, PE; 5870-6000'; EFH; dst, rwl.
- Lupinus argenteus* Pursh var. *argenteus* (29) CT, CU, HF, LA, SH; 6780-11,000'; CLR, EFH, HPD, SCR, SLV, WMT; bcp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- Lupinus argenteus* Pursh var. *argophyllus* (Gray) Wats. (11) CT, CU, HF, SH; 8000-9400'; HPD, SCR, SLV; mtg, rwl, sgb.
- Lupinus argenteus* Pursh var. *fulvomaculatus* (Pays.) Barneby (26) CF, CT, CU, FN, PE, SH; 8000-11,600'; BMP, SCR, SLV, WMT; asp, dst, lpp, mcw, mtg, ppw, rwl, sgb.

- Lupinus argenteus* Pursh var. *rubricaulis* (Greene) Welsh (3) CF, PE; 7800-8900'; BMP, WMT; dst, ppw.
- Lupinus kingii* Wats. (6) HF, LA, SH; 6600-10,000'; BMP, EFH, SLV; pjw, ppw.
- Lupinus plattensis* Wats. (14) CU, FN, HF, LA, PE; 4900-9000'; CLR, EFH, HPD, WMT; dst, oks, pjw, ppw, rwl, sgp.
- Lupinus pusillus* Pursh var. *pusillus* (25) AL, CT; 4900-8850'; BMP, EFH, SLV; gwd, pjw, sgb, sgp.
- **Medicago lupulina* L. (33) CT, CU, FN, LA, PE; 5960-9725'; CLR, EFH, HPD, SCR, WMT; asp, dst, mcw, mtg, oks, pjw, ppw, rwl.
- **Medicago sativa* L. (34) CT, CU, FN, HF, LA, PE, SH; 5000-8200'; CLR, EFH, HPD, SLV, WMT; dst, gwd, oks, pjw, ppw, rwl, sgp.
- **Melilotus albus* Medic. (21) CT, CU, FN, HF, LA, PE; 5450-9400'; EFH, HPD, SCR, SLV, WMT; dst, gwd, mcw, mtg, oks, pjw, rwl.
- **Melilotus officinalis* (L.) Pall. (101) CF, CT, CU, FN, HF, LA, PE, SH; 4900-10,000'; BMP, CLR, HPD, EFH, SCR, SLV, WMT; asp, dst, mtg, oks, pjw, ppw, rwl, sgb, sgp.
- Onobrychis viciifolia* Scop. (2) CU, LA; 7200-8100'; EFH, HPD; dst, mtg.
- Oxytropis deflexa* (Pall.) DC. var. *sericea* T. & G. (3) FN, SH; 8000-8800'; SCR, SLV; pjw, ppw, rwl.
- Oxytropis lambertii* Pursh var. *lambertii* (65) AL, CF, CT, CU, FN, HF, LA, PE, SH; 5200-10,150'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, mtg, oks, pjw, rwl, sgb, sgp.
- !*Oxytropis parryi* Gray (1) SH; 9400-9800'; BMP; mtg.
- Oxytropis sericea* Nutt. var. *sericea* (56) CT, CU, FN, HF, LA, PE, SH; 4800-10,300'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, mcw, mtg, pjw, sgb, sgp, rwl.
- Oxytropis viscida* Nutt. var. *viscida* (2) CU, SH, 8800-13,200'; SCR, SLV; amd, mtg.
- Psoralidium lanceolatum* (Pursh) Rydb. (9) HF, PE, SH; 4900-9100'; EFH, HPD, SLV; dst, pjw, ppw, sgp.
- Psoralidium tenuiflorum* (Pursh) Rydb. (27) FN, LA, PE; 4900-8400'; EFH; dst, oks, pjw, ppw, rwl, sgp.
- Robinia neomexicana* Gray var. *neomexicana* (15) HF; 5870-9300'; CLR, EFH; dst, mcw, oks, pjw, rwl.
- Robinia pseudoacacia* L. (1) FN; 7100-7200'; SCR; rwl.
- Sophora nuttalliana* Turner (12) FN, HF, LA, PE; 4800-6800'; EFH; dst, gwd, pjw, sgp.
- **Sphaerophysa salsula* (Pall.) DC. (1) SH; 8200'; SLV; sgp.
- Thermopsis montana* Nutt. var. *divaricarpa* (A. Nels.) Dorn (57) CF, CT, CU, FN, HF, LA, PE, SH; 6040-11,700'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, bcp, mcw, mtg, oks, ppw, rwl, sgb.
- Thermopsis montana* Nutt. var. *montana* (18) AL, CF, CT, CU, FN, PE, SH; 6000-11,400'; BMP, CLR, HPD, SCR, WMT; asp, dst, mcw, pjw, ppw, rwl.
- Thermopsis rhombifolia* (Nutt. ex Pursh) Nutt. ex Richards. var. *rhombifolia* (9) HF, LA, SH; 7000-9200'; BMP, EFH, HPD, SLV; oks, pjw, ppw, sgb.

- Trifolium attenuatum* Greene (28) CT, CU, HF, LA, SH; 9200-13,400'; CLR, SCR, WMT, amd, asp, bcp, mcw, mtg.
- Trifolium dasypodium* T. & G. (26) AL, CF, CT, CU, HF, PE, SH; 10,500-14,064'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg.
- **Trifolium hybridum* L. (6) CU, LA, SH; 7984-8800'; CLR, HPD, SLV; mtg, pjw, ppw, rwl, sgb.
- Trifolium longipes* Nutt. var. *reflexum* A. Nels. (3) CT, SH; 11,200-12,700'; BMP, CLR; mcw.
- Trifolium longipes* Nutt. var. *rusbyi* (Greene) Harrington (1) AL; 9800'; BMP; mcw.
- Trifolium nanum* Torr. (22) AL, CT, CU, HF, LA, PE, SH; 10,600-14,064'; BMP, CLR, SCR, WMT; amd.
- Trifolium parryi* Gray ssp. *salictorum* (Greene ex Rydb.) J. Gillett (12) AL, CT, CU, HF, LA, SH; 11,000-13,600'; BMP, CLR, SCR; amc, mcw.
- **Trifolium pratense* L. var. *pratense* (49) CF, CT, CU, FN, HF, LA, PE, SH; 5870-10,380'; CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- **Trifolium repens* L. (41) CF, CT, CU, FN, HF, LA, PE, SH; 6300-12,700'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp bcp, dst, lpp, mcw, oks, ppw, rwl, sgb, sgp.
- Vicia americana* Muhl. ex Willd. var. *americana* (29) CT, CU, FN, HF, LA, PE; 7200-11,400'; CLR, EFH, HPD, SCR, WMT; asp, mcw, mtg, oks, pjw, rwl, sgb.
- Vicia americana* Muhl. ex Willd. var. *minor* Hook. (38) AL, CU, FN, HF, LA, PE; 4700-11,400'; CLR, EFH, HPD, SCR, WMT; dst, gwd, mcw, oks, pjw, rwl, sgp.
- Vicia ludoviciana* Nutt. var. *ludoviciana* (2) FN, HF; 5900-6900'; EFH; oks, sgp.
- **Vicia villosa* Roth (3) LA, PE; 6040-7600'; EFH; dst, ppw.

Fagaceae

- Quercus gambelii* Nutt. (91) CF, CT, CU, FN, HF, LA, PE, SH; 4900-9725'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, oks, mcw, pjw, ppw, rwl, sgb, sgp.
- Quercus turbinella* Greene (3) HF, LA; 6100-7400'; EFH; oks, pjw, sgp.
- Quercus undulata* Torr. (15) CU, FN, LA; 5800-6500'; EFH, WMT; dst, oks, pjw, sgp.

Fumariaceae

- Corydalis aurea* Willd. var. *aurea* (21) AL, CF, CU, HF, LA, SH; 7900-11,400'; BMP, CLR, HPD, SCR, SLV, WMT; asp, bcp, dst, mtg, oks, pjw, ppw, rwl.
- Corydalis aurea* Willd. var. *occidentalis* Engelm. ex Gray (26) CF, CT, FN, HF, LA, PE, SH; 4800-10,000'; BMP, EFH, SLV, WMT; dst, mcw, oks, pjw, ppw, rwl, sgb, sgp.
- **Fumaria vaillantii* Loisel (5) LA, PE; 5450-6300'; EFH; pjw, rwl, sgp.

Gentianaceae

- !*Eustoma grandiflorum* (Raf.) Shinners (1) FN; 5100'; EFH; sgp.

- Frasera speciosa* Dougl. ex Griseb. (22) CF, CT, CU, FN, HF, LA, PE; 7250-12,620'; CLR, EFH, SCR, WMT; amd, asp, mcw, mtg, ppw.
- Gentiana algida* Pall. (3) CT, HF; 11,000-13,517'; CLR; amd.
- Gentiana parryi* Engelm. (1) HF; 10,600'; SCR; mcw.
- Gentiana prostrata* Haenke (2) HF, LA; 11,800-13,626'; CLR; amd.
- Gentianella amarella* (L.) Börner var. *acuta* (Michx.) Herder (13) AL, CT, CU, HF, PE, SH; 6600-12,800'; BMP, CLR, SCR, WMT; amd, mcw, pjw.
- Gentianella amarella* (L.) Börner var. *amarella* (4) CT; 11,400-12,300'; CLR; amd, mcw, mwl.
- Gentianopsis detonsa* (Rottb.) Ma var. *elegans* (A. Nels.) N. Holmgren (3) CT, SH; 8,000-11,800'; CLR, SLV; mwl.
- Swertia perennis* L. (5) AL, CT, FN, HF; 10,600-12,200'; CLR, SCR; amd, mcw, mwl.

Geraniaceae

- **Erodium cicutarium* (L.) L'Her. ex Ait. (44) AL, FN, HF, LA, PE, SH; 4800-9000'; CLR, EFH, HPD, SCR, SLV; dst, oks, pjw, ppw, rwl, sgp.
- Geranium atropurpureum* Heller var. *cowenii* (Rydb.) Dorn (14) CF, CU, FN, HF, LA, SH; 7600-9800'; BMP, CLR, SCR, SLV, WMT; mtg, ppw, sgb.
- Geranium caespitosum* James var. *caespitosum* (8) CT, CU, FN; 6800-11,400'; HPD, CLR, WMT; asp, mtg, ppw, pjw.
- Geranium caespitosum* James var. *fremontii* (Torr. ex Gray) Dorn (37) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6600-10,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; bcp, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- Geranium richardsonii* Fisch. & Trautv. (52) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8000-12,200'; BMP, CLR, HPD, SCR, SLV, WMT; asp, dst, lpp, mcw, mtg, rwl, sgb.
- Geranium viscosissimum* Fisch. & Mey. ex Mey. var. *nervosum* (Rydb.) C. L. Hitchc. (24) CU, FN, HF, LA, PE; 6400-10,380'; BMP, CLR, EFH, SCR, WMT; asp, dst, oks, pjw, ppw, rwl.

Grossulariaceae

- Ribes aureum* Pursh var. *aureum* (16) CF, CT, FN, HF, LA, PE, SH; 5100-8900'; BMP, CLR, EFH, HPD, SLV; dst, gwd, mwl, pjw, ppw, rwl.
- Ribes aureum* Pursh var. *villosum* DC. (2) HF; 6400-7700'; HPD; pjw, ppw.
- Ribes cereum* Dougl. var. *pedicellare* Brewer & Wats. (106) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4800-10,400'; BMP, CLR, EFH, SCR, SLV, WMT; asp, bcp, dst, mcw, mtg, oks, pjw, ppw.
- Ribes coloradense* Cov. (2) AL, HF; 9500-11,800'; CLR, SCR; mcw.
- Ribes inerme* Rydb. var. *inerme* (15) AL, CF, CT, FN, HF, LA, SH; 7080-11,800'; BMP, CLR, EFH, HPD, SCR, WMT; asp, bcp, mcw, mtg, oks, ppw.
- Ribes lacustre* (Pers.) Poir. (2) CT, LA; 11,000-11,400'; CLR, SLV; dst, mcw.
- Ribes leptanthum* Gray (34) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-10,400'; BMP, EFH, HPD, SCR, SLV, WMT; bcp, oks, pjw, rwl, sgb.
- Ribes montigenum* McClat. (30) CF, CT, CU, HF, LA, PE, SH; 5800-12,579'; BMP, CLR, EFH, SCR, WMT; amd, bcp, dst, mcw, mtg.

Ribes wolfii Rothr. (7) CF, CT, HF, LA; 9200-11,300'; CLR, SCR; asp, dst, mcw, mtg, rwl.

Halorag(id)aceae

Myriophyllum sibiricum Kom. (1) HF; 6450'; EFH; mw1.

Hydrangeaceae

Jamesia americana T. & G. var. *americana* (31) AL, CF, CU, FN, HF, LA, PE, SH; 6600-10,900'; CLR, EFH, SCR, SLV, WMT; bcp, dst, mcw, oks, pjw, ppw, rwl.
Philadelphus argenteus Rydb. (5) FN; 6000-7100'; HPD, WMT; pjw, rwl.

Hydrocharitaceae

Elodea longivaginata St. John (1) PE; 6800'; WMT; mw1.

Hydrophyllaceae

Ellisia nyctelea (L.) L. (12) HF, LA, PE; 5850-7400'; EFH; dst, oks, pjw, sgp.
Hydrophyllum fendleri (Gray) Heller var. *fendleri* (13) AL, CT, CU, HF, LA, PE, SH; 7000-12,683'; CLR, SCR, SLV, WMT; amd, asp, mcw, pjw, rwl.
!*Nama dichotomum* (R. & P.) Choisy (2) SH; 8200-9300'; SLV; mtg.
Phacelia bakeri (Brand) J. F. Macbr. (5) CT, HF, LA; 11,000-13,626'; CLR; amd.
Phacelia denticulata Osterh. (9) CF, CU, HF, SH; 7200-9800'; BMP, HPD, SCR, SLV; dst, pjw, ppw.
Phacelia hastata Dougl. ex Lehm. var. *hastata* (4) CF, SH; 11,000-12,574'; BMP; amd, bcp, lpp.
Phacelia heterophylla Pursh var. *heterophylla* (17) CU, HF, LA, PE, SH; 7000-11,000'; EFH, SCR, WMT; asp, dst, mcw, mtg, oks.
Phacelia neomexicana Thurb. ex Torr. var. *alba* (Rydb.) Brand (9) CF, CT, LA, SH; 8200-10,380'; BMP, CLR, SCR, SLV; mcw, pjw, ppw, rwl.
Phacelia sericea (Grah. ex Hook.) Gray var. *sericea* (21) AL, CT, CU, FN, LA, SH; 10,500-13,971'; BMP, CLR, SCR; amd, bcp, mcw.

Iridaceae

Iris missouriensis Nutt. (32) CF, CT, CU, HF, LA, PE, SH; 6200-12,700'; BMP, CLR, EFH, SLV, WMT; bcp, gwd, mcw, mtg, mw1, oks, pjw, ppw, rwl, sgb.
Sisyrinchium idahoense Bickn. var. *occidentale* (Bickn.) D. Henderson (1) HF; 10,500-10,890'; CLR; mtg, rwl.
Sisyrinchium montanum Greene (6) HF, LA, PE; 7400-10,720'; CLR, EFH, WMT; mtg, oks, ppw, rwl.

Juncaceae

Juncus balticus Willd. var. *montanus* Engelm. (36) AL, CF, CT, CU, FN, HF, LA, SH; 5100-11,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, gwd, mcw, oks, pjw, ppw, rwl, sgb, sgp.
Juncus bufonius L. (1) FN; 8000-8800'; SCR; rwl.
Juncus drummondii E. Mey. (13) AL, CT, CU, FN, HF, SH; 8200-12,620'; BMP, CLR, SCR; amd, bcp, lpp, mcw, mtg, mw1.

Juncus ensifolius Wikstr. var. *montanus* (Engelm.) C. L. Hitchc. (5) CF, FN, LA, PE, SH; 6300-9800'; BMP, EFH, SCR, WMT; dst, mcw, pjw, ppw, rwl.

Juncus interior Wieg. var. *interior* (1) HF; 8400-9300'; CLR.

Juncus interior Wieg. var. *neomexicanus* (Wieg.) F. J. Herm. (7) CT, CU, HF, LA, PE; 7200-8700'; EFH, SLV, WMT; mcw, mwl, pjw, ppw, rwl.

Juncus longistylis Torr. var. *longistylis* (4) CU, LA, PE; 6800-8500'; CLR, EFH, HPD; mwl, oks, rwl.

Juncus mertensianus Bong. (16) AL, CU, FN, HF, LA, PE, SH; 7400-12,200'; BMP, EFH, SCR, WMT; bcp, mcw, oks, rwl.

Juncus nodosus L. (2) CU, LA; 8400-10,600'; CLR, WMT; mcw, mwl.

Juncus parryi Engelm. (4) CT, HF; 7200-12,800'; CLR, HPD, SCR; amd, pjw.

Juncus tenuis Willd. var. *dudleyi* (Wieg.) F. J. Herm. (3) FN, HF, LA; 6000-8500'; CLR, EFH, WMT; mcw, mwl, oks, rwl.

Juncus torreyi Cov. (4) HF, LA; 6000-8500'; CLR, EFH; mwl, oks, rwl.

Luzula comosa E. Mey. (3) CF, CU; 7800-10,600'; BMP, HPD, WMT; mcw, rwl.

Luzula parviflora (Ehrh.) Desv. (35) AL, CF, CT, CU, HF, LA, SH; 9000-12,400'; BMP, CLR, SCR, WMT; amd, asp, bcp, lpp, mcw, mwl, rwl.

Luzula spicata (L.) DC. (25) AL, CF, CT, CU, HF, LA, SH; 9000-12,400'; BMP, CLR, SCR, WMT; amd, bcp, dst, lpp, mcw, mtg.

Juncaginaceae

Triglochin maritimum L. var. *elatum* (Nutt.) Gray (5) CU, FN, LA; 5100-8040'; EFH, HPD; mwl, pjw, rwl.

Lamiaceae

Clinopodium vulgare L. (1) LA; 7600-8600'; EFH.

Dracocephalum parviflorum Nutt. (22) AL, CT, CU, FN, HF, LA, PE, SH; 5450-10,000'; CLR, EFH, SCR, WMT; dst, mcw, mtg, oks, pjw, ppw, rwl.

Hedeoma drummondii Benth. (8) CT, LA, PE; 4800-8300'; EFH, SLV; oks, pjw, sgb, sgp.

Lycopus americanus Muhl. ex Barton (1) HF; 6450'; EFH; mwl, rwl.

**Marrubium vulgare* L. (46) FN, HF, LA, PE; 4900-8800'; CLR, EFH, HPD; dst, gwd, oks, pjw, sgp, rwl.

**Mentha arvensis* L. (6) CT, CU, HF, LA, PE, SH; 5450-8700'; CLR, EFH, SLV; mwl, ppw, rwl.

Mentha spicata L. (1) PE; 5850'; EFH; dst.

Monarda fistulosa L. var. *menthifolia* (Grah.) Fern. (4) CU, FN, LA, PE, SH; 7200-9400'; EFH, HPD, SCR; dst, mcw.

Monarda pectinata Nutt. (4) PE, SH; 5020-9200'; EFH, SCR, SLV; mcw, pjw, rwl, sgp.

**Nepeta cataria* L. (3) LA, PE; 5800-6000'; EFH; dst, mwl, rwl.

Prunella vulgaris L. var. *lanceolata* (Barton) Fern. (4) CT, LA, PE; 8000-8700'; CLR, EFH, SCR, WMT; mwl, rwl.

Salvia reflexa Hornem. (3) HF; 6500-6600'; EFH; oks, pjw, rwl.

Scutellaria brittonii Porter (21) CU, FN, HF, LA, PE; 5500-9000'; CLR, EFH, HPD, SCR, WMT; mcw, oks, pjw, ppw, rwl, sgp.

Scutellaria galericulata L. (1) SH; 8000'; SLV; mwl.

Stachys palustris L. var. *pilosa* (Nutt.) Fern. (7) CT, CU, LA, SH; 7250-8700';

CLR, EFH, HPD, SCR, SLV; mwl, oks, ppw, rwl.

Teucrium laciniatum Torr. (13) HF, LA, PE; 4900-6800'; EFH; dst, gwd, oks, pjw, sgp.

Lemnaceae

Lemna minor L. (7) CT, CU, HF, PE, SH; 6450-8750'; EFH, HPD, SLV, WMT; mwl.

Lemna turionifera Landolt (4) CT, CU, LA, PE; 5870-8600'; EFH, SCR, WMT; mwl.

Lentibulariaceae

Utricularia vulgaris L. (1) LA; 8600-8700'; EFH; mwl.

Liliaceae

Allium cernuum Roth (39) AL, CF, CT, CU, FN, HF, LA, SH; 6700-10,380'; BMP, CLR, EFH, SCR, SLV, WMT; dst, lpp, mcw, mtg, oks, pjw, ppw.

Allium geyeri Wats. var. *geyeri* (25) CT, CU, FN, LA, PE, SH; 5420-13,000'; CLR, EFH, SCR, WMT; amd, bcp, mcw, mtg, oks, ppw.

Allium textile Nels. & Macbr. (40) CU, FN, HF, LA, PE; 4700-8800'; CLR, EFH, HPD, SCR; dst, gwd, pjw, ppw, sgp.

**Asparagus officinalis* L. (9) CT, CU, FN, SH; 5100-8000'; EFH, HPD, SLV; gwd, pjw, rwl, sgb, sgp.

Calochortus gunnisonii Wats. var. *gunnisonii* (18) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6100-12,800'; CLR, EFH, SCR, SLV, WMT; amd, mcw, mtg, oks, pjw, ppw.

Disporum trachycarpum (Wats.) Benth. & Hook. (2) CU, PE; 6600-8700'; WMT; rwl.

Leucocrinum montanum Nutt. ex Gray (7) LA, PE; 4800-6500'; EFH; dst, pjw, sgp.

Lloydia serotina (L.) Rchb. var. *serotina* (16) AL, CT, CU, FN, HF, LA, PE, SH; 11,000-13,600'; BMP, CLR, SCR, WMT; amd, mtg.

Maianthemum racemosum (L.) Link var. *amplexicaule* (Nutt.) Dorn (26) CT, CU, FN, HF, LA, PE, SH; 7500-10,400'; BMP, CLR, WMT; amd, asp, bcp, mcw, ppw, rwl.

Maianthemum stellatum (L.) Link (52) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6250-10,400'; CLR, HPD, SCR, SLV, WMT; mcw, rwl.

Streptopus amplexifolius (L.) DC. (15) CT, CU, HF, LA, PE, SH; 8600-11,100'; CLR, SCR, WMT; mcw, rwl.

Veratrum californicum Durand var. *californicum* (1) CT; 11,800'; CLR; mwl.

Veratrum tenuipetalum Heller (8) CT, CU, HF, LA, SH; 8000-12,000'; BMP, CLR, SCR; amd, mcw, mwl, rwl.

Zigadenus elegans Pursh (33) AL, CT, CU, FN, HF, LA, PE, SH; 8040-13,400'; BMP, CLR, EFH, HPD, SCR, WMT; amd, asp, mcw, mtg, oks, rwl.

Zigadenus venenosus Wats. var. *gramineus* (Rydb.) Walsh ex Peck (12) CT, HF, LA, PE; 5300-7250'; CLR, EFH; dst, pjw, ppw, sgp.

Linaceae

- Linum australe* Heller var. *australe* (1) LA; 6700'; EFH; dst.
Linum lewisii Pursh var. *lewisii* (55) CF, CT, CU, FN, HF, LA, PE, SH; 4800-12,574'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, dst, mtg, oks, pjw, ppw, rwl, sgb, sgp.
Linum puberulum (Engelm.) Heller (18) CU, FN, HF, LA, PE; 5000-8800'; CLR, EFH, HPD, WMT; dst, pjw, ppw, sgp.

Loasaceae

- Mentzelia albicaulis* (Dougl. ex Hook.) Dougl. ex T. & G. (17) AL, CT, FN, HF, PE, SH; 4900-8300'; EFH, HPD, SLV; oks, pjw, sgb, sgp.
Mentzelia decapetala (Pursh ex Sims) Urban & Gilg ex Gilg (3) FN, LA, PE; 5020-5800'; EFH; dst, pjw, sgp.
!*Mentzelia densa* Greene (2) FN; 6800-7600'; SCR; pjw.
Mentzelia dispersa Wats. (1) SH; 8000'; SLV; pjw.
Mentzelia laciniata (Rydb.) J. Darl. (2) AL, CT; 7500-7700'; SLV; dst.
Mentzelia multiflora (Nutt.) Gray (6) FN, PE, SH; 5200-9000'; EFH, HPD, SLV; dst, pjw, sgp.
Mentzelia nuda (Pursh) T. & G. (1) HF; 6600'; EFH; pjw.
Mentzelia reverchonii (Urb. & Gilg) H. J. Thomps. & Zavor (10) FN, HF, LA, PE, SH; 4900-9000'; EFH; SLV; dst, oks, pjw, sgp.
Mentzelia rusbyi Woot. (2) LA, PE; 5300-8500'; CLR, EFH; dst.
Mentzelia speciosa Osterh. (18) AL, CF, CU, FN, LA, PE, SH; 6000-8700'; EFH, HPD, SCR, SLV; dst, oks, pjw, sgp.

Malvaceae

- Iliamna rivularis* (Dougl. ex Hook.) Greene (1) CF; 9300'; SCR; ppw.
**Malva neglecta* Wallr. (12) CU, HF, LA, PE; 4900-8800'; CLR, EFH, WMT; dst, mtg, oks, pjw, ppw.
Sidalcea candida Gray (9) CT, CU, HF, LA; 8000-11,000'; CLR, SCR; asp, mcw, mw1, rwl.
Sidalcea neomexicana Gray var. *neomexicana* (4) CT, CU, SH; 7900-8600'; HPD, SCR, SLV; dst, rwl.
Sphaeralcea coccinea (Nutt.) Rydb. (98) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4700-9400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT.

Moraceae

- **Morus alba* L. (1) LA; 6100'; EFH; rwl.

Nyctaginaceae

- !*Abronia carletonii* Coulter. & Fisher (1) CF; 7200-7800'; SCR; pjw.
Abronia fragrans Nutt. ex Hook. var. *fragrans* (13) FN, HF, PE; 4900-7900'; EFH, HPD, WMT; pjw, sgp.
Mirabilis hirsuta (Pursh) MacM. (3) CU, FN; 7350-9100'; HPD; dst, mtg, pjw;
Mirabilis linearis (Pursh) Heimerl (33) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-11,800'; BMP, CLR, EFH, SCR, SLV, WMT; dst, mcw, oks, pjw, rwl.

- Mirabilis multiflora* (Torr.) Gray var. *multiflora* (34) AL, CF, CT, FN, HF, LA, PE, SH; 4900-9300'; CLR, EFH, HPD, SCR, SLV, WMT; dst, gwd, pjw, sgb, sgp.
- Mirabilis nyctaginea* (Michx.) MacM. (6) FN, LA, PE; 4900-7080'; EFH; dst, rwl.
- Mirabilis oxybaphoides* (Gray) Gray (6) AL, FN, SH; 6800-11,800'; SCR, SLV; mcw, mtg.
- !*Mirabilis rotundifolia* (Greene) Standl. (1) PE; 5540'; EFH; sgp.
- Tripterocalyx micranthus* (Torr.) Hook. (20) AL, CT, FN, HF, PE; 4900-9000'; EFH, HPD, SLV; dst, pjw, sgb, sgp.

Oleaceae

- Fraxinus pennsylvanica* Marsh. (1) FN; 5100'; EFH; dst.
- Menodora scabra* Gray (3) FN, PE; 4900-5200'; EFH; sgp.

Onagraceae

- Calylophus lavandulifolius* (T. & G.) Raven (6) FN, LA, PE; 4800-5540'; EFH; pjw, sgp.
- Circaeа alpina* L. var. *alpina* (2) CU; 8800-12,000'; SCR, WMT; amd, mcw.
- Epilobium anagallidifolium* Lam. (2) SH; 9000-9800'; BMP, SCR; mcw.
- Epilobium angustifolium* L. var. *canescens* Wood (16) AL, CT, CU, FN, HF, LA, SH; 8000-11,800'; BMP, CLR, SCR, WMT; mcw, ppw.
- Epilobium brachycarpum* Presl (8) CU, HF, LA, PE, SH; 6600-9700'; CLR, EFH, SCR, WMT; dst, mcw, rwl.
- Epilobium ciliatum* Raf. var. *ciliatum* (7) CU, FN, HF, LA, SH; 6600-10,000'; BMP, CLR, EFH, SCR, WMT; mcw, oks, ppw, rwl.
- Epilobium clavatum* Trel. (7) CT, CU, HF, SH; 10,400-12,800'; BMP, CLR, SCR; amd, mcw, rwl.
- Epilobium hirsutum* Hausskn. (7) CT, CU, LA, SH; 7250-11,800'; BMP, CLR, EFH, WMT; mcw, mwl, ppw, rwl.
- Epilobium hornemannii* Rchb. ssp. *hornemannii* (1) CF; 9400'; BMP; rwl.
- Epilobium saximontanum* Hausskn. (10) AL, CT, CU, LA, SH; 8000-12,200'; CLR, HPD, SCR, SLV; mcw, pjw, rwl.
- Gaura coccinea* (Nutt.) Pursh (78) CF, CT, CU, HF, FN, LA, PE, SH; 4800-11,000'; BMP, CLR, EFH, HPD, SCR, SLV; dst, oks, pjw, ppw, rwl, sgb, sgp.
- Gaura parviflora* Dougl. ex Lehm. (25) FN, HF, LA, PE; 4900-7200'; HPD, EFH; dst, gwd, rwl, sgp.
- Gayophytum diffusum* T. & G. var. *strictipes* (Hook.) Dorn (7) CF, FN, HF, SH; 8150-11,300'; BMP, SCR, SLV; asp, dst, mcw, mtg.
- Gayophytum racemosum* T. & G. (1) HF; 8400-8800'; WMT; ppw.
- Gayophytum ramosissimum* T. & G. (11) CT, CU, FN, HF, PE, SH; 5800-9200'; EFH, HPD, SCR, SLV; mcw, pjw, ppw, rwl, sgb.
- Oenothera albicaulis* Pursh (47) CF, CT, CU, FN, HF, LA, PE, SH; 4800-9800'; CLR, BMP, EFH, HPD, SCR, SLV, WMT; dsc, dst, gwd, oks, pjw, ppw, rwl, sgb, sgp.
- Oenothera cespitosa* Nutt. var. *macroglossa* (Rydb.) Cronq. (42) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4700-12,800'; BMP, CLR, EFH, HPD, SCR, WMT; amd, asp, bcp, dsc, dst, gwd, pjw, ppw, rwl, sgb, sgp.

- Oenothera coronopifolia* T. & G. (60) AL, CF, CT, CU, FN, HF, LA, PE, SH;
4900-9725'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; mcw, mtg, oks, pjw,
ppw, rwl, sgb, sgp.
- Oenothera elata* Kunth ssp. *hirsutissima* (Gray ex Wats.) W. Dietr. (14) CT, CU,
HF, LA; 6000-10,400'; CLR, EFH, SCR, SLV; asp, dst, mcw, oks, pjw, pww,
rwl.
- Oenothera flava* (A. Nels.) Garrett (2) SH; 8700-9800'; BMP, SLV; mcw, rwl.
- ! *Oenothera harringtonii* W. L. Wagner (3) HF, PE; 5300-6400'; EFH; pjw, sgp.
- Oenothera pallida* Lindl. var. *runcinata* (Engelm.) Cronq. (1) AL; 8030'; SLV; pjw.
- Oenothera pallida* Lindl. var. *trichocalyx* (Nutt.) Dorn (2) AL, SH; 7500-7650';
SLV; dsc, dst.
- Oenothera villosa* Thunb. var. *strigosa* (Rydb.) Dorn (6) CU, LA, PE; 8000-8800';
CLR, WMT; dst, mcw, rwl.

Orchidaceae

- Calypso bulbosa* (L.) Oakes var. *americana* (R. Br.) Luer (8) CU, HF, PE; 8400-
10,900'; CLR, WMT; mcw, mtg.
- Coeloglossum viride* (L.) Hartm. var. *virescens* (Muhl. ex Willd.) Luer (3) CF, CU,
LA; 8150-11,000'; BMP, CLR, SLV, SCR; mcw, rwl.
- Corallorrhiza maculata* (Raf.) Raf. (35) CF, CT, CU, FN, HF, LA, PE, SH; 7200-
10,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, lpp, mcw, mtg, pjw,
ppw, rwl.
- Corallorrhiza striata* Lindl. (2) PE, 8000-8700'; WMT; mcw, pww.
- Corallorrhiza trifida* Chat. (2) CF, PE; 7360-8900'; BMP, WMT; oks, ppw.
- Corallorrhiza wisteriana* Conrad (4) CF, CU, FN, PE; 7500-10,400'; BMP, WMT;
lpp, mcw, rwl.
- Goodyera oblongifolia* Raf. (14) CU, FN, HF, PE; 7200-11,000'; CLR, HPD, SCR,
WMT; mcw, pjw.
- Listera cordata* (L.) R. Br. (3) CU, HF, SH; 10,900-11,600'; CLR, SCR; mcw, rwl.
- Piperia unalascensis* (Spreng.) Rydb. (2) LA; 8000-10,380'; CLR; mcw, rwl.
- Platanthera aquilonis* Sheviak (3) LA; 8000-10,200'; CLR; mcw, mwl, rwl.
- Platanthera hyperborea* (L.) Lindl. var. *hyperborea* (6) CT, CU, HF, LA; 8040-
10,000'; CLR, HPD, SCR; asp, mcw, rwl.
- Platanthera obtusata* (Banks ex Pursh) Lindl. (2) CF, SH; 10,400-11,200'; BMP;
lpp, mcw.
- Platanthera stricta* Lindl. (21) CT, CU, FN, HF, LA, PE, SH; 7200-12,200'; BMP,
CLR, HPD, SCR, WMT; asp, mcw, mwl, pjw, rwl.

Orobanchaceae

- Orobanche fasciculata* Nutt. (11) CF, CT, CU, HF, LA, SH; 6500-9800'; BMP,
EFH, HPD, SLV; bcp, pjw, pww, sgb.

Oxalidaceae

- Oxalis dillenii* Jacq. (1) HF; 7300'; WMT; pjw.
- Oxalis stricta* L. (1) LA; 7250'; EFH; ppw.
- Oxalis violacea* L. (3) HF, LA, PE; 6600-8400'; HPD, WMT; pjw, ppw, rwl.

Papaveraceae

- Argemone hispida* Gray (22) CF, CU, FN, HF, LA, PE; 4900-8900'; BMP, EFH, HPD; dst, gwd, oks, pjw, ppw, sgp.
Argemone polyanthemos (Fedde) G. Ownbey (4) HF, LA; 6200-6400'; EFH; dst, pjw, sgp.
!*Papaver lapponicum* (Tolm) Nordh. ssp. *occidentale* (Lundstr.) Knaben (1) CT; 13,000-13,517'; CLR; amd.

Plantaginaceae

- **Plantago lanceolata* L. (36) FN, HF, LA, PE; 4900-8800'; CLR, EFH; dst, mcw, mtg, mwl, oks, pjw, ppw, rwl, sgp.
**Plantago major* L. var. *major* (8) CT, FN, LA, SH; 6600-11,750'; CLR, EFH, SCR, SLV, WMT; amd, mcw, mtg, rwl, sgb.
Plantago major L. var. *pachyphylla* Pilg. (3) LA, FN, PE; 8150-8800'; EFH, SCR, WMT; dst, mcw.
Plantago patagonica Jacq. var. *patagonica* (19) FN, HF, LA, PE; 4900-7900'; EFH, HPD; dst, gwd, oks, pjw, rwl, sgp.

Poaceae

- **Aegilops cylindrica* Host (15) FN, HF, LA, PE; 4900-7700'; EFH; dst, oks, pjw, rwl, sgp.
**Agropyron cristatum* (L.) Gaertn. var. *cristatum* (24) AL, CT, CU, FN, HF, LA, PE, SH; 4900-9500'; CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, gwd, oks, pjw, ppw, rwl, sgb, sgp.
**Agropyron cristatum* (L.) Gaertn. var. *desertorum* (Fisch. ex Link) Dorn (16) CF, CT, CU, FN, HF, LA, PE, SH; 4700-8900'; CLR, EFH, HPD, SCR, SLV; dst, gwd, mtg, oks, pjw, ppw, rwl, sgb, sgp.
**Agrostis gigantea* Roth (5) CT, FN, LA, PE; 5450-10,000'; CLR, EFH, SCR, SLV; mtg, rwl.
Agrostis scabra Willd. var. *scabra* (17) AL, CF, CT, HF, LA, PE, SH; 8400-12,200'; BMP, CLR, EFH, SCR, SLV, WMT; amd, dst, mcw, mtg.
**Agrostis stolonifera* L. (9) FN, LA, PE, SH; 6700-9000'; CLR, EFH, SCR, SLV, WMT; dst, mcw, mtg, oks, rwl.
Agrostis thurberiana Hitchc. (1) LA; 11,800-12,400'; CLR; amd.
Alopecurus aequalis Sobol. var. *aequalis* (8) HF, LA, PE, SH; 5450-9800'; BMP, CLR, EFH, SLV; gwd, mcw, pjw, ppw, rwl.
Alopecurus borealis Trin. (1) HF; 11,000-11,200'; WMT; mtg.
Alopecurus pratensis L. (4) CU, HF, LA, SH; 8200-11,500'; CLR, SCR, SLV, WMT; mcw, mtg, ppw, rwl.
Andropogon gerardii Vitman (3) LA, PE; 5850-7200'; EFH; dst.
Andropogon hallii Hack. (1) LA; 6500'; EFH; oks.
Aristida purpurea Nutt. var. *fendleriana* (Steud.) Vasey (30) CF, CT, CU, FN, HF, LA, PE, SH; 4900-9400'; EFH, HPD, SLV; dst, pjw, sgb, sgp.
Aristida purpurea Nutt. var. *longiseta* (Steud.) Vasey (40) FN, HF, LA, PE; 4800-7600'; EFH, HPD, WMT; dst, oks, pjw, rwl, sgp.
Aristida purpurea Nutt. var. *purpurea* (1) SH; 8200'; SLV; pjw.

- Aristida purpurea* Nutt. var. *wrightii* (Nash) Allred (2) HF, PE; 5020-7200'; EFH; pjw, sgp.
- **Arrhenatherum elatius* (L.) J. & K. Presl var. *elatius* (3) HF, LA; 8800-8900'; CLR, WMT; asp, mcw, mtg, ppw.
- **Avena fatua* L. (1) LA; 6700'; EFH; dst.
- **Avena sativa* L. (3) AL, CT, SH; 7650-8500'; SLV; dst, pjw.
- Beckmannia syzigachne* (Steud.) Fern. (1) CU; 8040'; HPD; rwl.
- Blepharoneuron tricholepsis* (Torr.) Nash (8) HF, LA, PE, SH; 7250-10,380'; BMP, CLR, EFH, SLV, WMT; mcw, mtg, ppw.
- **Bothriochloa ischaemum* (L.) Keng var. *songarica* (Rubr. ex Fisch. & C. A. Mey.) Ce (1) HF; 6150'; EFH; sgp.
- Bothriochloa laguroides* (DC.) Herter ssp. *torreyana* (Steud.) Allred & Gould (6) FN, HF, LA; 5650-6500'; EFH; dst, gwd, oks, rwl, sgp.
- Bouteloua curtipendula* (Michx.) Torr. var. *curtipendula* (18) FN, HF, LA, PE; 5000-9100'; EFH, SCR, WMT; dst, oks, pjw, sgp.
- Bouteloua gracilis* (H.B.K.) Lag. var. *gracilis* (48) AL, CF, CT, CU, FN, HF, LA, PE, SH; 5100-10,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dsc, dst, mcw, oks, pjw, ppw, rwl, sgb, sgp.
- Bouteloua hirsuta* Lag. var. *hirsuta* (1) LA; 6800'; EFH; pjw.
- Bromus anomalus* Rupr. ex Fourn. (8) AL, CT, CU, LA, SH; 8400-12,800'; BMP, CLR, SCR; amd, dst, mcw, mtg, oks, rwl.
- Bromus carinatus* H. & A. (1) LA; 5870'; EFH; rwl.
- Bromus ciliatus* L. (17) AL, CT, CU, FN, HF, LA, SH; 6700-11,800'; BMP, CLR, EFH, HPD, SCR, WMT; amd, bcp, dst, mcw, ppw.
- **Bromus inermis* Leyss. var. *inermis* (84) CF, CT, CU, FN, HF, LA, PE, SH; 4900-10,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb, sgp.
- **Bromus japonicus* Thunb. ex J. A. Murray (24) CU, FN, HF, LA, PE; 4900-7200'; EFH, HPD, WMT; dst, gwd, mcw, mtg, oks, pjw, rwl, sgp.
- Bromus lanatus* (Shear) Rydb. (17) CT, CU, FN, HF, PE, SH; 6000-10,720'; CLR, HPD, SCR, SLV, WMT; asp, dsc, dst, mcw, pjw, rwl, sgb.
- Bromus pubescens* Muhl. ex Willd. (2) CF, FN; 8800-10,800'; SCR; dst.
- **Bromus tectorum* L. (91) AL, CF, CT, FN, HF, LA, PE, SH; 4800-10,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, bcp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb, sgp.
- Buchloe dactyloides* (Nutt.) Engelm. (1) PE; 4700'; EFH; sgp.
- Calamagrostis canadensis* (Michx.) Beauv. (7) AL, CT, CU, LA, SH; 8200-12,200'; CLR, SCR, SLV, WMT; amd, dst, mcw, pjw, rwl.
- Calamagrostis inexpansa* Gray (1) LA; 8600-8700'; EFH.
- Calamagrostis montanensis* (Scribn.) Scribn. ex Vasey (1) HF; 11,350-12,400'.
- Calamagrostis purpurascens* R. Br. var. *purpurascens* (9) AL, CF, CT, HF, SH; 9600-13,971'; BMP, CLR, SCR; asp, amd, bcp, mcw.
- Catabrosa aquatica* (L.) Beauv. var. *aquatica* (5) CU, SH; 8200-9200'; BMP, SLV, WMT; mwl, rwl.
- Cenchrus longispinus* (Hack.) Fern. (1) FN; 5100'; EFH; dst.

- **Dactylis glomerata* L. (57) CF, CT, CU, FN, HF, LA, PE, SH; 5200-11,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgp.
- Danthonia intermedia* Vasey (2) FN, HF; 10,600-12,200'; SCR; amd, mcw.
- Danthonia parryi* Scribn. (19) CF, CT, CU, HF, LA, PE, SH; 8000-13,200'; BMP, CLR, EFH, SCR, SLV, WMT; amd, bcp, dst, mcw, mtg, ppw.
- Danthonia spicata* (L.) Beauv. ex R. & S. (2) PE; 6600-8000'; WMT; rwl.
- Deschampsia cespitosa* (L.) Beauv. var. *cespitosa* (13) AL, CT, CU, FN, HF, LA, SH; 8600-13,600'; BMP, CLR, EFH, SCR, WMT; amd, asp, lpp, mcw, mtg, rwl.
- Dichanthelium oligosanthes* (Schult.) Gould var. *scribnerianum* (Nash) Gould (5) HF, PE; 4900-8000'; EFH, HPD, WMT; dst, sgp.
- Distichlis spicata* (L.) Greene var. *stricta* (Torr.) Scribn. (1) HF; 6250-6300'; EFH; sgp.
- **Echinochloa crusgalli* (L.) Beauv. var. *frumentacea* (Rydb.) W. F. Wight (5) LA; 5900-6600'; EFH; dst, mwl, rwl, sgp.
- Elymus canadensis* L. var. *canadensis* (18) FN, LA, PE; 4900-8800'; CLR, EFH, HPD, SCR, WMT; dst, gwd, oks, pjw, ppw, rwl, sgp.
- Elymus cinereus* Scribn. & Merr. (1) HF; 6400'; EFH; sgp.
- **Elymus elongatus* (Host) Runem. var. *ponticus* (Podp.) Dorn (8) 5100-8800'; EFH, WMT; dst, gwd, pjw, rwl, sgp.
- Elymus elymoides* (Raf.) Swezey var. *brevifolius* (J. G. Sm.) Dorn (138) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4800-11,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; bcp, dsc, dst, gwd, mcw, oks, pjw, ppw, sgb, sgp.
- Elymus elymoides* (Raf.) Swezey var. *elymoides* (8) AL, CF, CT, FN, HF, LA; 5300-9400'; EFH, HPD, SCR, SLV; dst, gwd, pjw, ppw, rwl, sgp.
- Elymus glaucus* Buckl. var. *glaucus* (1) FN; 7800-9400'; SCR; mcw.
- **Elymus hispidus* (Opiz) Melderis var. *hispidus* (9) CF, CT, CU, HF, LA, SH; 6500-11,400'; CLR, EFH, HPD, SCR, WMT; bcp, dst, mcw, pjw, ppw.
- **Elymus hispidus* (Opiz) Melderis var. *ruthenicus* (Griseb.) Dorn (6) FN, HF, LA, SH; 6400-9600'; EFH, HPD, SCR; dst, pjw, rwl, sgp.
- **Elymus junceus* Fisch. (6) AL, PE, SH; 4700-8960'; EFH, SLV; dst, pjw, sgp.
- Elymus lanceolatus* (Scribn. & Sm.) Gould var. *lanceolatus* (16) AL, CF, CT, HF, LA, PE, SH; 4900-11,800'; EFH, HPD, SCR, SLV; dst, mcw, oks, pjw, rwl, sgb, sgp.
- Elymus lanceolatus* (Scribn. & Sm.) Gould var. *riparius* (Scribn. & Sm.) Dorn (2) CT, SH; 8300-9600'; SCR, SLV; pjw.
- Elymus pseudorepens* (Scribn. & Sm.) Barkw. & Dewey (1) HF; 7400-7450'; CLR; mtg.
- **Elymus repens* (L.) Gould (10) CT, CU, FN, HF, LA, PE; 5870-8800'; EFH, SCR, WMT; dst, mcw, oks, pjw, rwl, sgp.
- Elymus saundersii* Vasey (1) LA; 7600-8600'; EFH.
- Elymus saxicolus* Scribn. & Sm. ex Scribn. (1) CT; 11,400'; CLR; mcw.
- Elymus scribneri* (Vasey) Jones (35) AL, CF, CT, CU, HF, LA, SH; 9800-14,064'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg, ppw.

- Elymus simplex* Scribn. & Williams ex Scribn. var. *simplex* (1) FN; 6700-7700'; SCR; pjw.
- Elymus smithii* (Rydb.) Gould (55) CU, FN, HF, LA, PE, SH; 4900-9000'; CLR, EFH, HPD, WMT; dst, gwd, oks, pjw, ppw, rpw, sgp.
- Elymus trachycaulus* (Link) Gould ex Shinners var. *andinus* (Scribn. & Sm.) Dorn (1) CT; 10,600-13,200'; SCR; amd.
- Elymus trachycaulus* (Link) Gould ex Shinners var. *trachycaulus* (21) CT, CU, HF, LA, PE, SH; 6600-12,800'; BMP, CLR, HPD, SCR, SLV, WMT; amd, asp, dst, mcw, mtg, rwl, sgb.
- Elymus triticoides* Buckl. var. *triticoides* (1) FN; 6000'; WMT; pjw, rwl.
- **Eragrostis barrelieri* Daveau (3) HF, PE; 5800-6150; EFH; dst, sgp.
- **Eragrostis pilosa* (L.) Beauv. var. *pilosa* (1) LA; 6700'; EFH; dst.
- Eragrostis spectabilis* (Pursh) Steud. (1) PE; 6400'; EFH; dst.
- Erioneuron pilosum* (Buckl.) Nash (15) FN, HF, LA; 4800-6600'; EFH; gwd, pjw, sgp.
- Festuca arizonica* Vasey (22) AL, HF, LA, SH; 6000-10,380'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; mtg, oks, pjw, ppw.
- **Festuca arundinacea* Schreb. (12) FN, LA, PE; 5200-10,158'; CLR, EFH; oks, pjw, rwl, sgp.
- Festuca brachyphylla* Schult. & Schult. ssp. *coloradensis* Frederiksen (22) CF, CT, CU, HF, LA, SH; 7200-14,064'; BMP, CLR, HPD, SCR, WMT; amd, dst, mcw, ppw.
- Festuca idahoensis* Elmer var. *idahoensis* (9) CU, FN, HF, SH; 5600-11,700'; BMP, EFH, HPD, SCR, SLV; amd, bcp, mtg, pjw.
- Festuca minutiflora* Rydb. (15) AL, CF, CT, CU, HF, PE, SH; 10,700-14,064'; BMP, CLR, SCR, WMT; amd, lpp, mcw, mtg.
- **Festuca pratensis* Huds. (1) LA; 8000'; CLR; mw1, rwl.
- Festuca rubra* L. var. *rubra* (5) CF, HF, LA, SH; 8700-11,700'; BMP, CLR, SCR, SLV; amd, mtg, pjw.
- Festuca saximontana* Rydb. var. *purpusiana* (St.-Yves) Frederiksen & Pavlick (6) CT, HF, SH; 9200-13,971'; BMP, CLR; amd, bcp, mcw.
- Festuca saximontana* Rydb. var. *saximontana* (5) CF, HF, SH; 8700-11,900'; BMP, SCR, SLV, WMT; amd, mtg.
- Festuca thurberi* Vasey (22) AL, CF, CT, CU, HF, LA, SH; 9400-13,971'; BMP, CLR, SCR; amd, asp, bcp, lpp, mcw.
- Glyceria borealis* (Nash) Batch. (1) LA; 8600-8700'; EFH; mw1.
- Glyceria elata* (Nash ex Rydb.) Jones (1) HF; 8800-9200'; EFH; mcw.
- Glyceria grandis* Wats. (2) CU, HF; 6000-8040'; EFH, HPD; mw1, rwl.
- Glyceria striata* (Lam.) Hitchc. (13) CF, CU, HF, LA, PE, SH; 6300-10,000'; BMP, CLR, EFH, SCR, SLV, WMT; bcp, mcw, oks, pjw, rwl, sgb.
- Helictotrichon mortonianum* (Scribn.) Henr. (4) CU, HF, SH; 10,600-13,200'; BMP, CLR, SCR; amd.
- Hilaria jamesii* (Torr.) Benth. (10) LA, PE; 4700-6800'; EFH; gwd, pjw, rwl, sgp.
- Hordeum brachyantherum* Nevski (1) SH; 9800'; BMP; mcw.
- Hordeum jubatum* L. (18) CT, CU, FN, HF, LA, PE; 4900-11,400'; CLR, EFH, HPD, SLV; dst, gwd, mcw, oks, pjw, rwl.

- Hordeum pusillum* Nutt. (11) HF, LA, PE, SH; 5300-9800'; BMP, EFH; dst, gwd, pjw, ppw, sgp.
- Koeleria macrantha* (Ledeb.) Schult. (56) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-11,600'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, mtg, oks, pjw, ppw, sgb.
- Leucopoa kingii* (Wats.) W. A. Weber (3) HF, LA; 7400-12,400'; CLR; bcp, mcw, mtg.
- Lycurus setosus* (Nutt.) C. Reeder (2) HF, LA; 6800-8700'; EFH, WMT; pjw.
- Melica porteri* Scribn. (1) HF; 9600-10,158'; CLR; mtg.
- Monroa squarrosa* (Nutt.) Torr. (8) CF, CT, FN, HF, LA, SH; 6000-9000'; EFH, SCR, SLV; dst, mtg, pjw, rwl.
- Muhlenbergia asperifolia* (Nees & Meyen ex Trin.) Parodi (1) LA; 5900'; EFH; sgp.
- Muhlenbergia cuspidata* (Torr. ex Hook.) Rydb. (4) FN, LA, PE; 6000-9000'; CLR, EFH, SCR; dst, sgp.
- Muhlenbergia filiculmis* Vasey (9) HF, PE, SH; 7700-9800'; BMP, CLR, SCR, SLV, WMT; mtg, pjw.
- Muhlenbergia montana* (Nutt.) Hitchc. (26) AL, CF, CU, FN, HF, LA, PE, SH; 6700-10,380'; BMP, CLR, EFH, SCR, SLV, WMT; dst, mcw, mtg, oks, pjw, ppw.
- Muhlenbergia pungens* Thurb. (2) AL, LA; 6000-8030'; EFH, SLV; pjw, sgp.
- Muhlenbergia racemosa* (Michx.) B.S.P. (2) LA, PE, 5900-9000'; EFH, WMT; mcw, sgp.
- Muhlenbergia torreyi* (Kunth) Hitchc. ex Bush (9) AL, FN, HF, LA, SH; 5100-9300'; EFH, SLV; dst, mtg, sgp.
- Muhlenbergia wrightii* Vasey ex Coult. (2) LA; 6700-7200'; EFH; dst.
- Oryzopsis asperifolia* Michx. (10) CU, FN, HF, PE; 7360-9200'; CLR, WMT; mcw, oks, ppw.
- Oryzopsis hymenoides* (R. & S.) Ricker ex Piper (114) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-9600'; BMP, EFH, HPD, SCR, SLV, WMT; dst, bcp, gwd, oks, pjw, ppw, rwl, sgb, sgp.
- Oryzopsis micrantha* (Trin. & Rupr.) Thurb. (42) AL, CF, CT, CU, FN, HF, LA, SH; 4900-10,000'; BMP, CLR, EFH, HPD, SLV, WMT; dst, oks, pjw, ppw, rwl, sgb, sgp.
- Panicum capillare* L. (9) FN, HF, LA, PE; 5650-6600'; EFH; dst, rwl, sgp.
- Panicum obtusum* Kunth (4) LA; 5850-6700'; EFH; dst, oks, sgp.
- Panicum virgatum* L. (3) HF, LA; 6000-6150'; EFH; mwl, rwl, sgp.
- Phalaris arundinacea* L. var. *arundinacea* (7) CT, CU, FN, HF, LA; 5870-8400'; EFH, HPD, SLV; mwl, rwl.
- Phleum alpinum* L. var. *alpinum* (36) CF, CT, CU, FN, HF, LA, SH; 8200-13,971'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg.
- Phleum pratense* L. var. *pratense* (34) CU, FN, HF, LA, PE, SH; 5300-11,000'; CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, lpp, mcw, mtg, oks, ppw, rwl.
- Phragmites australis* (Cav.) Trin. ex Steud. (2) LA; 5850-6000'; EFH; mwl, rwl, sgp.

- Poa alpina* L. (30) AL, CT, CU, FN, HF, LA, SH; 10,000-13,517'; CLR, SCR, WMT, amd, bcp, mcw, mtg.
- Poa arctica* R. Br. var. *arctica* (2) AL, CT; 10,500-13,400'; CLR, SCR; amd, mcw.
- Poa arctica* R. Br. var. *grayana* (Vasey) Dorn (4) CT, CU, SH; 11,000-14,064'; BMP, SCR; amd.
- Poa arida* Vasey (6) CT, CU, FN, HF, SH; 6300-13,517'; CLR, EFH, SLV, WMT; amd, mcw, pjw.
- Poa compressa* L. (6) CU, HF, LA, PE; 8400-9400'; CLR, EFH, HPD, SCR; dst, mtg.
- Poa cusickii* Vasey var. *cusickii* (1) SH; 11,200-12,700'; BMP, mcw.
- Poa fendleriana* (Steud.) Vasey (83) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4800-12,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, bcp, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- Poa glaucifolia* Scribn. & Williams ex Williams (1) CT; 13,400'; CLR; amd.
- Poa interior* Rydb. (6) AL, CF, CT, HF, SH; 10,400-12,300'; BMP, CLR, SCR; amd, bcp, lpp, mcw.
- Poa nervosa* (Hook.) Vasey var. *wheeleri* (Vasey) C. L. Hitchc. (4) CF, SH; 10,400-11,500'; BMP; amd, mcw.
- Poa palustris* L. (7) CF, CU, LA, SH; 8400-10,380'; CLR, SCR, WMT; dst, mcw, ppw.
- Poa pattersonii* Vasey (11) AL, CF, CU, HF, LA, SH; 7000-12,800'; CLR, EFH, SCR, WMT; amd, mtg, pjw.
- **Poa pratensis* L. (125) AL, CF, CT, CU, FN, HF, LA, PE, SH; 5200-11,600'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, bcp, dst, gwd, mcw, mtg, oks, pjw, ppw, rwl, sgb, sgp.
- Poa reflexa* Vasey & Scribn. (9) LA, SH; 8600-13,626'; BMP, CLR; amd, mcw, rwl.
- Poa rupicola* Nash ex Rydb. (8) CT, CU, HF, SH; 11,200-14,064'; BMP, CLR, SCR, WMT; amd, bcp, mcw.
- Poa secunda* J. Presl (12) CF, CU, HF, PE, SH; 7000-13,200'; BMP, HPD, SCR, SLV, WMT; amd, mcw, mtg, ppw, rwl, sgb.
- Poa trivialis* L. (1) SH; 11,100'; SCR; rwl.
- Polypogon monspeliensis* (L.) Desf. (1) LA; 6000'; EFH; rwl, sgp.
- Puccinellia cusickii* Weath. (1) SH; 8700'; SLV; rwl.
- **Puccinellia distans* (L.) Parl. (1) LA; 6400'; EFH; sgp, rwl.
- Schedonnardus paniculatus* (Nutt.) Trel. (19) CF, CT, FN, HF, LA, PE; 4900-8400'; EFH, HPD, SCR, SLV, WMT; dst, pjw, rwl, sgp.
- Schizachyrium scoparium* (Michx.) Nash var. *scoparium* (4) HF, LA; 6500-8700'; EFH, WMT; dst, ppw, rwl.
- Secale cereale* L. (1) PE; 5660'; EFH; sgp.
- Setaria italica* (L.) Beauv. (2) FN, LA; 5100-6000'; EFH; dst, rwl.
- Setaria viridis* (L.) Beauv. (9) FN, LA, PE, SH; 5100-8500'; EFH, SCR, SLV; pjw, sgp, rwl.
- Sporobolus airoides* (Torr.) Torr. var. *airoides* (4) HF, LA, PE; 5400-6400'; EFH; gwd, pjw, sgp.

- Sporobolus cryptandrus* (Torr.) Gray (22) AL, CF, CT, FN, HF, LA, PE, SH; 5300-9700'; EFH, HPD, SCR, SLV; dst, mcw, oks, pjw, rwl.
- Sporobolus nealleyi* Vasey (3) FN, SH; 7350-9000'; HPD, SLV; dst, pjw, sgp.
- Stipa comata* Trin. & Rupr. var. *comata* (78) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-9200'; BMP, EFH, HPD, SCR, SLV, WMT; dst, mtg, oks, pjw, ppw, rwl, sgb, sgp.
- Stipa comata* Trin. & Rupr. var. *intermedia* Scribn. & Tweedy (8) CF, CT, CU, FN, SH; 6800-8850'; HPD, SCR, SLV, WMT; mtg, oks, ppw, pjw, sgp.
- Stipa lettermanii* Vasey (2) LA, SH; 8600-9000'; EFH, SLV; oks.
- Stipa nelsonii* Scribn. var. *nelsonii* (5) CF, CU, HF, PE, SH; 8000-11,300'; BMP, CLR, SCR, WMT; asp, dst, lpp, mcw.
- Stipa neomexicana* (Thurb. ex Coul.) Scribn. (27) FN, HF, LA, PE, SH; 4800-9200'; CLR, EFH, HPD, SLV, WMT; asp, dst, oks, pjw, ppw, rwl, sgp.
- Stipa pinetorum* Jones (1) SH; 9000'; BMP; rwl.
- Stipa robusta* (Vasey) Scribn. (11) CU, FN, LA, PE, SH; 5200-9100'; CLR, EFH, HPD, SCR, SLV, WMT; dst, mtg, oks, pjw, sgp.
- Stipa scribneri* Vasey (18) CF, FN, HF, SH; 6200-9400'; BMP, SCR, SLV, WMT; mtg, pjw.
- Stipa spartea* Trin. var. *spartea* (1) LA; 7400'; EFH; oks, rwl.
- Stipa viridula* Trin. (26) CU, FN, HF, LA, PE, SH; 4900-9300'; EFH, SCR, SLV, WMT; dst, gwd, oks, pjw, ppw, rwl, sgb, sgp.
- Torreyochloa pallida* (Torr.) Church var. *pauciflora* (J. Presl) J. Davis (1) LA; 8600-8700'; EFH.
- Trisetum montanum* Vasey var. *montanum* (7) CU, FN, HF, LA, SH; 8700-13,971'; BMP, CLR, HPD, SCR; amd, mcw, mtg.
- Trisetum spicatum* (L.) Richt. (19) CT, CU, FN, HF, LA, SH; 8200-14,042'; BMP, CLR, SCR; amd, lpp, mcw, mtg.
- Triticum aestivum* L. (6) FN, HF, LA; 5660-7080'; EFH, HPD; oks, pjw, rwl, sgp.
- Vulpia octoflora* (Walt.) Rydb. (12) FN, HF, LA; 5000-7400'; EFH; pjw, sgp.

Polemoniaceae

- Collomia linearis* Nutt. (9) CF, CU, FN, HF, LA, PE; 6600-11,300'; CLR, EFH, SCR, WMT; asp, dst, oks, ppw, rwl.
- Gilia ophthalmoides* Brand (7) CU, FN, HF, PE; 4900-8400'; EFH, WMT; oks, pjw, ppw, rwl.
- Gilia pinnatifida* Nutt. ex Gray (25) AL, CF, CU, FN, HF, SH; 6800-11,200'; BMP, HPD, SCR, SLV; amd, asp, bcp, dst, mcw, oks, ppw.
- Giliastrum rigidum* (Benth.) Rydb. ssp. *acerosa* (Gray) Welser (9) AL, CF, FN, HF, PE; 4900-8030'; EFH, SLV, SCR; dst, pjw, sgp.
- Ipomopsis aggregata* (Pursh) V. Grant ssp. *candida* (Rydb.) V. & A. Grant (1) PE; 7800-8000'; WMT; dst.
- Ipomopsis aggregata* (Pursh) V. Grant ssp. *collina* (Greene) Wilken & Allred (89) AL, CF, CT, FN, HF, LA, PE, SH; 5800-10,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, bcp, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb, sgp.
- Ipomopsis laxiflora* (Coul.) V. Grant (9) CT, FN, HF, SH; 5600-8500'; EFH, SCR, SLV; dst.

- Ipomopsis longiflora* (Torr.) V. Grant ssp. *longiflora* (1) AL; 7500'; SLV; dst.
- Ipomopsis spicata* (Nutt.) V. Grant var. *spicata* (10) FN, HF, LA, PE; 4800-7270'; EFH; pjw.
- Leptodactylon pungens* (Torr.) Nutt. var. *pungens* (36) AL, CT, CU, FN, HF, PE, SH; 4900-9720'; EFH, HPD, SCR, SLV, WMT; asp, dst, mtg, pjw, ppw, sgb, sgp.
- Linanthus nuttallii* (Gray) Greene ex Milliken ssp. *nuttallii* (1) CU; 10,000'; SCR; asp.
- Microsteris gracilis* (Hook.) Greene var. *gracilis* (5) FN, HF, LA, PE; 6000-7380'; EFH, WMT; oks, pjw, sgp.
- Microsteris gracilis* (Hook.) Greene var. *humilior* (Hook.) Cronq. (10) FN, HF, LA, PE; 5850-8800'; EFH, HPD, WMT; dst, oks, pjw, ppw, rwl, sgp.
- Phlox condensata* (Gray) E. Nels. (23) CT, CU, HF, LA, PE, SH; 10,500-14,064'; BMP, CLR, SCR, WMT; amd, bcp, mcw, mtg.
- Phlox hoodii* Richards. (1) LA; 5710-5780'; EFH; sgp.
- Phlox longifolia* Nutt. var. *longifolia* (3) PE; 5300-6140'; EFH; pjw, sgp.
- Phlox multiflora* A. Nels. (1) CU; 10,100'; SCR; asp, lpp.
- Phlox pulvinata* (Wherry) Cronq. (5) AL, CF, LA, SH; 11,000-13,400'; BMP, CLR, SCR; amd, mcw.
- Polemonium brandegeei* (Gray) Greene (2) AL; 10,500-12,300'; SCR; amd, mcw.
- Polemonium foliosissimum* Gray var. *foliosissimum* (6) HF, LA, PE; 7080-9000'; CLR, EFH, WMT; mcw, ppw.
- Polemonium foliosissimum* Gray var. *molle* (Greene) Anway (3) LA; 7250-8600'; EFH, CLR; ppw, rwl.
- Polemonium occidentale* Greene var. *occidentale* (1) SH; 8720-8960'; SLV; mwl.
- Polemonium pulcherrimum* Hook. var. *delicatum* (Rydb.) Cronq. (21) AL, CF, CT, CU, HF, LA, PE, SH; 7200-13,200'; BMP, CLR, HPD, SCR, WMT; amd, bcp, mcw.
- Polemonium viscosum* Nutt. (40) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8200-14,064'; BMP, CLR, SCR, SLV, WMT; amd, bcp, mcw.

Polygonaceae

- Eriogonum alatum* Torr. var. *alatum* AL, CF, CU, FN, HF, LA, PE, SH; 5200-10,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dst, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- Eriogonum cernuum* Nutt. var. *cernuum* (9) AL, CF, CT, FN, PE, SH; 4700-8500'; BMP, EFH, SCR, SLV; dst, pjw, sgb, sgp.
- Eriogonum flavum* Nutt. var. *flavum* (10) CU, HF, SH; 10,600-13,000'; CLR, SCR, SLV; amd, mcw.
- Eriogonum jamesii* Benth. var. *flavescens* Wats. (1) SH; 8200-9000'; SCR; mtg.
- Eriogonum jamesii* Benth. var. *jamesii* (34) AL, CF, CT, CU, FN, HF, LA, PE, SH; 5020-9400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dst, mtg, oks, pjw, ppw, sgb, sgp.
- Eriogonum lachnogynum* Torr. ex Benth. (6) FN, HF, PE; 4800-6700'; EFH; pjw.
- Eriogonum lonchophyllum* T. & G. var. *fendlerianum* (Benth.) Reveal (4) FN, LA; 5100-6500'; EFH; oks, pjw, sgp.

- Eriogonum microthecum* Nutt. var. *effusum* (Nutt.) T. & G. (14) FN, HF, LA, SH; 5600-9000'; EFH; HPD, SCR, SLV; dst, oks, pjw, sgp.
- Eriogonum umbellatum* Torr. var. *aureum* (Gand.) Reveal (2) CT, SH; 8800-9000'; SCR, SLV; amd, sgp.
- Eriogonum umbellatum* Torr. var. *umbellatum* (8) CF, CU, SH; 8720-9200'; BMP, SCR, SLV; dst, oks, ppw, rwl, sgb, sgp.
- Oxyria digyna* (L.) Hill (23) AL, CT, CU, FN, HF, SH; 9400-14,064'; BMP, CLR, SCR; amd, bcp, mcw.
- **Polygonum arenastrum* Jord. ex Boreau (1) LA; 8600-8700'; EFH, SCR, SLV.
- **Polygonum aviculare* L. (29) CF, CT, CU, FN, HF, LA, PE, SH; 4900-11,400'; BMP, CLR, EFH, SCR, SLV, WMT; dst, oks, mcw, mtg, ppw, rwl, sgb.
- Polygonum bistortoides* Pursh (39) AL, CF, CT, CU, FN, LA, PE, SH; 9360-13,517'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg.
- **Polygonum convolvulus* L. (5) LA; 6600-8600; EFH; dst, pjw, ppw.
- Polygonum douglasii* Greene var. *douglasii* (3) CT, HF; 9400-11,900'; CLR, SCR; amd, mcw.
- Polygonum lapathifolium* L. (1) LA; 6600'; EFH; rwl.
- Polygonum ramosissimum* Michx. (9) FN, HF, LA, PE; 5450-8500'; CLR, EFH; dst, gwd, oks, rwl, sgp.
- Polygonum sawatchense* Small (17) CF, CT, CU, FN, HF, LA, SH; 6780-11,800'; BMP, CLR, EFH, SCR, SLV, WMT; dst, mcw, mtg, oks, ppw.
- Polygonum viviparum* L. (21) AL, CT, CU, HF, LA, SH; 8200-13,600'; CLR, SCR, WMT, amd, mcw.
- **Rumex acetosella* L. (17) CU, HF, LA, PE; 7800-10,380'; CLR, SCR, WMT; amd, dst, mcw, mtg, ppw, rwl.
- Rumex aquaticus* L. var. *fenestratus* (Greene) Dorn (7) CT, FN, HF, LA, PE, SH; 4700-9620'; CLR, EFH, SCR, SLV; mwl, rwl, sgp.
- **Rumex crispus* L. (21) CT, CU, FN, HF, LA, PE, SH; 4900-8800'; CLR, EFH, HPD, SCR, SLV, WMT; dst, bcp, gwd, mwl, oks, pjw, rwl.
- Rumex densiflorus* Osterh. (3) CU, HF; 8200-10,720'; CLR, HPD; mcw, rwl.
- Rumex patientia* L. (1) HF; 10,600'; SCR; mcw.
- Rumex salicifolius* Weinm. var. *triangulivalvis* (Danser) C. L. Hitch. (10) CT, CU, LA, SH; 7200-11,000'; CLR, EFH, SCR, SLV, WMT; dst, oks, ppw, rwl.
- Rumex venosus* Pursh (3) FN; HF; 5420-6400'; EFH; dst, sgp.

Portulacaceae

- Claytonia lanceolata* Pursh var. *lanceolata* (3) CU, FN, PE; 7360-9200'; WMT; mcw, oks, ppw.
- Claytonia megarhiza* (Gray) Parry ex Wats. var. *megarhiza* (23) AL, CF, CT, CU, HF, LA, SH; 11,400-14,064'; BMP, CLR, SCR; amd.
- Lewisia pygmaea* (Gray) Robins. var. *pygmaea* (7) CF, CU, HF, PE, SH; 11,400-13,971'; BMP, CLR, SCR, WMT; amd, bcp, lpp.
- Montia chamissoi* (Ledeb. ex Spreng.) Greene (1) LA; 8400; CLR; pjw.
- Portulaca oleracea* L. (11) AL, CF, CT, LA, PE, SH; 5800-9300'; EFH, SCR, SLV, WMT; dst, mtg, pjw, ppw.

Talinum parviflorum Nutt. (3) HF, SH; 7200-9000'; EFH, SLV; mtg, pjw.

Potamogetonaceae

Potamogeton nodosus Poir. (1) HF; 6000'; EFH; mwl.

Potamogeton pectinatus L. (1) PE; 6800'; WMT; mwl.

Potamogeton praelongus Wulf. (1) LA; 6000'; EFH; mwl.

Potamogeton richardsonii (Benn.) Rydb. (1) CU; 8400-8800'; WMT; mwl.

Primulaceae

Androsace chamaejasme Wulf. var. *carinata* (Torr.) Knuth (29) AL, CT, CU, FN, HF, LA, PE, SH; 10,600-14,064'; CLR, SCR, WMT; amd, mcw, mtg.

Androsace septentrionalis L. var. *glandulosa* (Woot. & Standl.) St. John (5) CU, HF, LA, SH; 7700-9500'; CLR, HPD, SLV, WMT; mcw, pjw, ppw.

Androsace septentrionalis L. var. *subulifera* Gray (75) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6300-14,064'; BMP, CLR, HPD, SCR, WMT; amd, dsc, dst, bcp, lpp, mcw, oks, pjw, ppw, rwl, sgb.

Androsace septentrionalis L. var. *subumbellata* Gray (1) SH; 12,579'; SCR; amd.

Dodecatheon pulchellum (Raf.) Merr. var. *pulchellum* (42) CT, CU, FN, HF, LA, PE, SH; 7500-12,600'; BMP, CLR, SCR, SLV, WMT; amd, asp, bcp, lpp, mcw, mtg, mwl.

Lysimachia ciliata L. (1) LA; 8600-8700'; EFH.

Primula angustifolia Torr. (24) AL, CT, CU, HF, LA, PE, SH; 9200-13,971'; BMP, CLR, SCR, WMT; amd, bcp, mcw, mtg.

Primula parryi Gray (12) AL, CU, HF, LA, PE, SH; 7200-13,971'; CLR, SCR, WMT; amd, bcp, mcw, rwl.

Ranunculaceae

Aconitum columbianum Nutt. var. *columbianum* (26) AL, CT, CU, HF, LA, PE, SH; 8000-12,200'; BMP, CLR, SCR, SLV, WMT; asp, dst, mcw, mtg, pjw, ppw, rwl.

Actaea rubra (Ait.) Willd. (37) AL, CF, CU, FN, HF, LA, PE, SH; 4900-11,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, lpp, mcw, mtg, pjw, ppw, rwl.

Anemone canadensis L. (2) CT, PE; 8000-8600'; SCR, WMT; mcw, rwl.

Anemone cylindrica Gray (4) LA, PE; 7400-8600'; CLR, EFH, WMT; oks, rwl.

Anemone multifida Poir. var. *globosa* (Nutt.) T. & G. (7) CF, FN, SH; 8800-12,200'; BMP, SCR, SLV; bcp, lpp, mcw, rwl, sgb.

Anemone multifida Poir. var. *multifida* (4) CF, CT, FN, SH; 8800-13,400'; CLR, SCR; amd.

Anemone patens L. var. *multifida* Pritz. (12) CU, FN, HF, LA, SH; 6500-10,000'; CLR, EFH, HPD, SCR, SLV, WMT; dst, mcw, mtg, pjw, ppw, rwl, sgb.

Aquilegia coerulea James var. *coerulea* (41) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7200-13,971'; BMP, CLR, HPD, SCR, WMT; amd, asp, lpp, mcw, pjw, ppw, rwl.

Aquilegia elegantula Greene (12) AL, CT, CU, FN, HF, LA, SH; 7500-11,100'; CLR, SCR, WMT; asp, mcw, rwl.

- Caltha leptosepala* DC. var. *leptosepala* (28) AL, CF, CT, CU, FN, HF, LA; 9360-13,600'; BMP, CLR, SCR, WMT; amd, lpp, mcw, mtg, mwl.
- Clematis columbiana* (Nutt.) T. & G. var. *columbiana* (10) CU, LA, PE; 6600-10,400'; CLR, EFH, WMT; mcw, ppw, rwl.
- Clematis columbiana* (Nutt.) T. & G. var. *tenuiloba* (Gray) J. Pringle (19) CF, CU, FN, HF, LA; 7400-10,100'; CLR, SCR, WMT; asp, mcw, oks, pjw, ppw, rwl, sgb.
- Clematis hirsutissima* Pursh var. *hirsutissima* (3) CT, LA; 8600-8800'; CLR, EFH, SCR; ppw, sgb.
- Clematis hirsutissima* Pursh var. *scottii* (Porter) Erickson (66) CT, CU, FN, HF, LA, PE, SH; 4900-11,750'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, bcp, dst, mtg, oks, pjw, ppw, rwl, sgb.
- Clematis ligusticifolia* Nutt. var. *ligusticifolia* (13) CT, CU, FN, HF, LA, SH; 5100-10,400'; EFH, HPD, SCR, SLV; dst, mcw, pjw, ppw, rwl, sgb, sgp.
- !*Delphinium alpestre* Rydb. (13) CT, FN, HF, LA, SH; 11,000-13,626'; BMP, CLR, SCR; amd.
- Delphinium barbeyi* (Huth) Huth (12) AL, CT, FN, HF, LA, PE, SH; 8600-12,200'; BMP, CLR, SCR, SLV, WMT; bcp, mcw, pjw, rwl.
- Delphinium carolinianum* Walt. ssp. *virescens* (Nutt.) Brooks (10) FN, HF, LA, PE; 5200-8400'; EFH, HPD, WMT; oks, pjw, sgp.
- Delphinium nuttallianum* Pritz. ex Walp. var. *nuttallianum* (2) CU; 7350-7800'; WMT; rwl.
- Delphinium ramosum* Rydb. (5) CT, CU, FN, LA; 7620-12,800'; CLR, HPD, SCR, WMT; amd, dst, mcw, rwl.
- Delphinium robustum* Rydb. (1) LA; 7600-8600'; EFH; mtg.
- Delphinium wootonii* Rydb. (3) HF, LA; 6000-7000'; EFH, WMT; dst, pjw, sgp.
- Ranunculus abortivus* L. var. *abortivus* (4) FN, PE, SH; 5200-8900'; EFH, SLV, WMT; pjw, ppw, rwl, sgp.
- Ranunculus aquatilis* L. var. *diffusa* With. (3) CU, HF, PE; 6000-8800'; EFH, WMT; mwl.
- Ranunculus cardiophyllus* Hook. (1) HF; 10,000'; CLR; mtg.
- Ranunculus cymbalaria* Pursh (13) FN, HF, LA, SH; 5870-9200'; BMP, CLR, EFH, HPD, SLV; 5870-9200'; mwl, oks, ppw, rpw, sgb.
- Ranunculus inamoenus* Greene var. *alpeophilus* (A. Nels.) Benson (1) HF; 11,000-11,200'; WMT; mtg.
- Ranunculus inamoenus* Greene var. *inamoenus* (17) CF, CT, CU, FN, HF, LA, SH; 8400-12,200'; BMP, CLR, SCR, WMT; amd, asp, bcp, lpp, mcw, rwl.
- Ranunculus macauleyi* Gray (15) AL, CT, CU, HF, LA, PE, SH; 11,000-13,792'; CLR, SCR, WMT; amd.
- Ranunculus macounii* Britt. (16) CF, CT, CU, FN, HF, LA, PE, SH; 5870-9200'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; mcw, mwl, oks, pjw, rwl, sgb.
- Ranunculus natans* C. A. Mey. var. *intertextus* (Greene) Benson (2) CU, SH; 8750-9800'; BMP, WMT; ppw, rwl.
- Ranunculus pedatifidus* J. E. Sm. var. *affinis* (R. Br.) Benson (6) CU, HF, PE, SH; 10,700-12,800'; BMP, SCR, WMT; amd, mcw, rwl.
- **Ranunculus repens* L. var. *repens* (1) PE; 5960-6000'; WMT; pjw, rwl.

Ranunculus sceleratus L. var. *multifidus* Nutt. (4) HF, PE, SH; 6800-8700'; WMT, SLV; gwd, mwl, pjw, rwl.

Thalictrum alpinum L. (6) CT, CU, HF, PE, SH; 11,200-13,400'; CLR, SCR, WMT; amd.

Thalictrum dasycarpum Fisch. & Ave-Lall. (1) CU; 8040'; HPD; rwl.

Thalictrum fendleri Engelm. ex Gray var. *fendleri* (40) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6600-12,620'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, bcp, mcw, oks, ppw, rwl, sgb.

Trollius laxus Salisb. var. *albiflorus* Gray (6) CF, CU, SH; 10,400-12,800'; BMP, SCR; amd, mcw, rwl.

Resedaceae

**Reseda lutea* L. (2) CT; 7800-8300'; SLV; pjw, rwl, sgb.

Rhamnaceae

Ceanothus fendleri Gray (30) CF, CU, FN, HF, LA, PE, SH; 7000-10,000'; BMP, CLR, EFH, HPD, SCR, WMT; asp, bcp, dst, mcw, mtg, oks, ppw, rwl.

Rosaceae

Amelanchier alnifolia (Nutt.) Nutt. ex Roem. var. *alnifolia* (6) CU, FN, PE, SH; 7800-9670'; BMP, SCR, SLV, WMT; asp, bcp, mcw, pjw, sgp.

Amelanchier alnifolia (Nutt.) Nutt. ex Roem. var. *pumila* (T. & G.) A. Nels. (1) HF; 8350-10,000'; CLR; bcp.

Amelanchier utahensis Koehne (4) FN, PE, SH; 7500-9200'; SCR, SLV, WMT; mcw, pjw, rwl.

Cercocarpus montanus Raf. var. *argenteus* (Rydb.) F. L. Martin (2) LA, SH; 6800-9200'; EFH, SCR; mcw, pjw.

Cercocarpus montanus Raf. var. *montanus* (114) AL, CF, CU, FN, HF, LA, PE, SH; 4900-10,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, oks, pjw, ppw, rwl, sgb, sgp.

Chamaerhodos erecta (L.) Bunge var. *parviflora* (Nutt.) C. L. Hitchc. (1) SH; 9400-9800'; BMP; mtg.

Crataegus columbiana Howell var. *occidentalis* (Britt.) Dorn (1) CU; 7800'; WMT; rwl.

Crataegus erythropoda Ashe (3) HF, PE; 5850-6560'; EFH; dst, oks, pjw.

Dryas octopetala L. var. *hookeriana* (Juz.) Breit. (4) CU, FN, HF; 11,000-13,000'; CLR, SCR; amd.

Fallugia paradoxa (D. Don) Endl. ex Torr. (3) AL, HF, SH; 7900-8400'; CLR, SLV; oks, pjw, sgp.

Fragaria vesca L. (43) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6600-11,700'; BMP, CLR, HPD, SCR, SLV, WMT; amd, asp, dst, mcw, mtg, ppw, rwl.

Fragaria virginiana Mill. (43) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8400-12,400'; BMP, CLR, HPD, SCR, SLV, WMT; amd, asp, bcp, lpp, mcw, mtg, ppw, rwl, sgb.

Geum aleppicum Jacq. (1) SH; 8800'; SLV; pjw, rwl.

- Geum macrophyllum* Willd. var. *perincisum* (Rydb.) Raup (28) CF, CT, CU, FN, HF, LA, PE; 7350-11,400'; BMP, CLR, HPD, SCR, WMT; asp, bcp, lpp, mcw, mtg, mwl, ppw, rwl.
- Geum rivale* L. (1) SH; 9600'; BMP; bcp, rwl.
- Geum rossii* (R. Br.) Ser. var. *turbinatum* (Rydb.) C. L. Hitchc. (54) AL, CF, CT, CU, FN, HF, LA, PE, SH; 10,300-14,064'; BMP, CLR, SCR, WMT; amd, mtg.
- Geum triflorum* Pursh var. *ciliatum* (Pursh) Fass. (1) HF; 11,600-11,900'; WMT; mtg.
- Holodiscus dumosus* (Nutt. ex Hook.) Heller var. *dumosus* (45) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4900-11,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, dsc, mcw, mtg, oks, pjw, ppw.
- Ivesia gordonii* (Hook.) T. & G. (1) SH; 11,600-12,574'; BMP; amd.
- **Malus pumila* Mill. (2) LA, PE; 6600-7600'; EFH; dst, rwl.
- Physocarpus monogynus* (Torr.) Coulter. (43) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6270-10,900'; CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, mtg, oks, pjw, ppw, rwl.
- Physocarpus opulifolius* (L.) Maxim. var. *intermedius* (Rydb.) Robins. (2) HF, PE; 6600-7800'; WMT; pjw, rwl.
- Potentilla anserina* L. (15) CF, CT, CU, FN, LA, SH; 6800-9800'; BMP, CLR, EFH, HPD, SCR, SLV; dst, gwd, pjw, ppw, rwl, sgb.
- **Potentilla argentea* L. (1) LA; 7600-8600'; EFH; mtg.
- Potentilla arguta* Pursh (2) CF, LA; 8600-10,800'; EFH, SCR; dst.
- Potentilla biennis* Greene (1) SH; 8700'; SLV; mtg, rwl.
- Potentilla concinna* Richards. var. *bicrenata* (Rydb.) Welsh & B. C. Johnst. (2) HF, SH; 8700-9600'; SCR, SLV; mcw, mtg.
- Potentilla concinna* Richards. var. *concinna* (8) CF, CU; 8400-11,750'; BMP, EFH, SCR, WMT; amd, dst, mtg, ppw, sgb.
- Potentilla diversifolia* Lehm. var. *diversifolia* (16) AL, CF, CT, CU, FN, HF, SH; 7200-13,000'; BMP, CLR, SCR, WMT; amd, bcp, mcw, rwl.
- Potentilla fissa* Nutt. (31) CF, CU, FN, HF, PE, SH; 4900-11,000'; CLR, EFH, HPD, SCR, WMT; asp, dst, mcw, mtg, oks, pjw, ppw, rwl.
- Potentilla fruticosa* L. (57) AL, CF, CT, CU, FN, HF, LA, SH; 7700-13,000'; BMP, CLR, HPD, SCR, SLV, WMT; asp, amd, bcp, dst, lpp, mcw, mtg, pjw, ppw, rwl.
- Potentilla glandulosa* Lindl. var. *glabrata* (Rydb.) Keck (2) CF, CU; 8600-11,600'; BMP, WMT; amd, bcp, lpp.
- Potentilla gracilis* Dougl. ex Hook. var. *nuttallii* (Lehm.) Sheld. (1) HF; 10,480-10,720'; WMT; mcw.
- Potentilla gracilis* Dougl. ex Hook. var. *pulcherrima* (Lehm.) Fern. (48) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8150-13,971'; BMP, CLR, HPD, SCR, SLV, WMT;
- Potentilla hippiana* Lehm. ssp. *effusa* (Dougl. ex Lehm.) Dorn (8) CF, FN, SH; 8100-10,000'; BMP, SCR, SLV; mtg, ppw.
- Potentilla hippiana* Lehm. ssp. *hippiana* (31) AL, CT, CU, FN, HF, LA, PE, SH; 7600-11,700'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, asp, dst, mcw, mtg, oks, ppw, rwl, sgb.

- Potentilla hookeriana* Lehm. (8) CF, CT, PE, SH; 11,200-13,517'; BMP, CLR, SCR, WMT; amd.
- Potentilla nivea* L. (1) CF; 11,500'; BMP; amd.
- Potentilla norvegica* L. ssp. *monspeliensis* (L.) Achers. & Graebn (5) CU, LA; 6200-10,400'; EFH, SCR; mcw, pjw, rwl.
- Potentilla pensylvanica* L. (25) CT, FN, HF, LA, SH; 6700-9800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dsc, dst, oks, pjw, ppw, rwl, sgp.
- Potentilla plattensis* Nutt. (4) CT, SH; 8200-12,000'; BMP, SLV; amd, mcw, rwl.
- Potentilla rubricaulis* Lehm. (14) AL, CT, CU, SH; 11,200-14,064'; BMP, CLR, SCR, SLV; amd.
- Potentilla subjugata* Rydb. (9) CT, CU, HF, PE; 13,200'; CLR, SLV, SCR, WMT; amd, mcw.
- Potentilla uniflora* Ledeb. (1) CT; 12,800'; CLR; amd.
- Prunus americana* Marsh. (14) CU, FN, HF, LA, PE; 5650-9600'; EFH, SCR, WMT; dst, mcw, oks, ppw, rwl, sgp.
- Prunus pensylvanica* L. f. (2) HF, PE; 7600-9300'; WMT; oks, ppw.
- Prunus virginiana* L. var. *melanocarpa* (A. Nels.) Sarg. (76) AL, CF, CT, FN, HF, LA, PE, SH; 5960-10,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dst, mcw, oks, pjw, ppw, rwl, sgb.
- Pyrus pumila* (P. Mill.) K. Koch (3) LA, PE; 5500-8500'; CLR, EFH; dst, oks, pjw, rwl.
- Rosa arkansana* Porter (1) HF; 6520-6560'; EFH; oks.
- Rosa x harisonii* Rivers (2) HF, LA; 6200-6800'; EFH; pjw.
- Rosa nutkana* Presl var. *hispida* Fern. (7) CF, CU, LA, SH; 8400-10,800'; CLR, SCR, SLV, WMT; asp, dst, mcw, rwl.
- Rosa sayi* Schwein. (29) CF, CT, CU; FN, HF, LA, PE, SH; 6300-10,380'; BMP, CLR, HPD, SCR, SLV, WMT; dst, mcw, mwl, oks, pjw, ppw, rwl, sgb, sgp.
- Rosa woodsii* Lindl. var. *ultramontana* (Wats.) Jeps. (41) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6040-10,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, bcp, dst, lpp, mcw, oks, pjw, ppw, rwl.
- Rubus deliciosus* Torr. (40) AL, CF, CU, FN, HF, PE, SH; 5960-10,400'; HPD, SCR, SLV, WMT; mcw, oks, pjw, ppw, rwl.
- Rubus idaeus* L. var. *aculeatissimus* Regel & Tiling (38) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7350-11,800'; BMP, CLR, HPD, SCR, SLV, WMT; asp, bcp, dst, mcw, oks, pjw, ppw, rwl.
- Rubus parviflorus* Nutt. var. *parviflorus* (3) PE; 8000-9000'; WMT; mcw.
- **Sanguisorba minor* Scop. ssp. *muricata* Briq. (1) LA; 6500'; EFH; dst.
- Sibbaldia procumbens* L. (26) AL, CF, CT, CU, FN, LA, PE, SH; 11,000-13,971'; BMP, CLR, SCR, WMT; amd, bcp, mcw, mtg.
- Sorbus scopulina* Greene var. *scopulina* (1) PE; 8000'; WMT; mcw.

Rubiaceae

- **Galium aparine* L. var. *aparine* (5) CT, LA, PE, SH; 5960-10,000'; BMP, CLR, EFH, WMT; mcw, pjw, rwl.
- Galium boreale* L. (59) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7600-11,600'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, bcp, dst, mcw, mtg, oks, ppw.

Galium triflorum Michx. (15) CF, CU, FN, HF, LA, PE; 6600-10,400'; BMP, CLR, EFH, SCR, WMT; asp, lpp, mcw, mtg, ppw, rwl.

Rutaceae

Ptelea trifoliata L. (15) CU, FN, PE; 5200-7400'; EFH, HPD, WMT; oks, pjw, ppw, rwl.

Salicaceae

Populus acuminata Rydb. (3) FN, PE; 5800-7000'; EFH, HPD; dst, pjw, rwl.

Populus angustifolia James (32) AL, CF, CT, CU, FN, HF, LA, PE, SH; 5960-9500'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dst, mcw, oks, pjw, ppw, rwl.

Populus balsamifera L. var. *balsamifera* (2) CU, LA; 6000-7800'; EFH, WMT; pjw, rwl.

Populus deltoides Bartram ex Marsh. var. *occidentalis* Rydb. (19) FN, HF, LA, PE; 4800-7380'; EFH, HPD, WMT; dst, gwd, pjw, rwl, sgb, sgp.

Populus tremuloides Michx. (61) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7200-11,600'; BMP, CLR, HPD, SCR, SLV, WMT; asp, bcp, lpp, mcw, oks, ppw, rwl.

Salix amygdaloides Anderss. (14) CU, FN, LA, PE; 5200-8600'; EFH, WMT; dst, mcw, pjw, ppw.

Salix arctica Pall. var. *petraea* Anderss. (6) AL, CT, FN, HF, LA; 11,000-13,517'; CLR, SCR; amd.

Salix bebbiana Sarg. var. *bebbiana* (31) AL, CT, CU, HF, LA, PE, SH; 7350-10,600'; BMP, CLR, SCR, SLV, WMT; asp, bcp, mcw, mtg, oks, rwl.

Salix brachycarpa Nutt. var. *brachycarpa* (19) CT, CU, FN, HF, PE, SH; 10,800-13,000'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg.

Salix drummondiana Barr. ex Hook. (23) AL, CF, CT, CU, HF, LA, PE, SH; 7800-10,380'; BMP, CLR, SCR, WMT; asp, mcw, pjw, rwl.

Salix eriocephala Michx. var. *ligulifolia* (Ball) Dorn (14) CF, CT, CU, FN, LA; 6600-8500'; BMP, EFH, HPD, SLV, WMT; mwl, pjw, sgb, rwl.

Salix exigua Nutt. var. *exigua* (48) CF, CT, CU, FN, HF, LA, PE, SH; 5200-10,400'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dst, mwl, oks, pjw, ppw, sgb, rwl.

**Salix fragilis* L. (1) LA; 7600'; EFH; ppw.

Salix geyeriana Anderss. var. *geyeriana* (4) CF, SH; 8200-8960'; BMP, SLV; mcw, mwl, ppw, rwl.

Salix glauca L. var. *villosa* (Hook.) Anderss. (7) AL, CU, HF, SH; 10,000-12,579'; SCR, WMT; amd, asp, mcw.

Salix irrorata Anderss. (6) FN, PE; 5960-8500'; EFH, WMT; mcw, pjw, rwl.

Salix lasiandra Benth. var. *caudata* (Nutt.) Sudw. (13) CF, CT, CU, FN, PE, SH; 6000-9200'; BMP, EFH, HPD, SLV, WMT; pjw, ppw, rwl, sgb.

Salix lasiandra Benth. var. *lasiandra* (5) CT, HF, LA; 8050-8800'; CLR, EFH, HPD, SLV; oks, pjw, rwl.

Salix monticola Bebb (34) CF, CT, CU, HF, LA, PE, SH; 7800-12,700'; BMP, CLR, HPD, SCR, SLV, WMT; asp, bcp, lpp, mcw, mtg, mwl, pjw, ppw, rwl.

Salix planifolia Pursh var. *planifolia* (14) CF, CU, HF, LA, PE, SH; 9200-12,579'; BMP, CLR, SCR, WMT; amd, asp, bcp, dst, lpp, mcw, mtg, rwl.

Salix reticulata L. var. *nana* Anderss. (6) AL, CT, HF, SH; 11,000-12,800'; CLR, SCR; amd.

Salix reticulata L. var. *nivalis* (Hook.) Love et al. (11) AL, CF, CT, CU, FN, HF, PE, SH; 11,000-13,000'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg.

Salix reticulata L. var. *reticulata* (1) CT; 13,400'; CLR; amd.

Salix scouleriana Barr. ex Hook. (16) CT, CU, FN, HF, LA, PE, SH; 7600-11,600'; BMP, CLR, HPD, SCR, WMT; bcp, mcw, oks, rwl.

Santalaceae

Comandra umbellata (L.) Nutt. var. *pallida* (A. DC.) Jones (43) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4800-9725'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; mcw, oks, pjw, ppw, sgb, sgp, rwl.

Saxifragaceae

!*Heuchera hallii* Gray (3) CU; 8760-9050'; WMT; mcw.

Heuchera parvifolia Nutt. ex T. & G. (66) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6300-14,064'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; amd, bcp, lpp, mcw, mtg, oks, pjw.

Lithophragma tenellum Nutt. (1) HF; 9400-9600'; SCR; mcw, mtg.

Mitella pentandra Hook. (1) CF; 10,400'; BMP; lpp, mcw.

Parnassia fimbriata Konig var. *fimbriata* (2) AL, FN; 11,000-12,200'; SCR; amd, mcw.

Saxifraga adscendens L. var. *oregonensis* (Raf.) Breit. (2) CF, SH; 10,400-11,200'; BMP; lpp, mcw.

Saxifraga bronchialis L. var. *austromontana* (Wieg.) Piper ex G. N. Jones (49) AL, CF, CT, CU, FN, HF, LA, PE, SH; 8400-13,971'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg, ppw.

Saxifraga cernua L. (7) AL, CT, LA, SH; 11,900-14,042'; CLR, SCR; amd.

Saxifraga cespitosa L. ssp. *delicatula* (Small) Porsild (7) CT, HF, LA, SH; 11,000-14,042'; CLR, SCR; amd.

!*Saxifraga cespitosa* L. ssp. *monticola* (Small) Porsild (9) CT, CU, SH; 11,400-14,064'; CLR, SCR; amd, mcw.

Saxifraga chrysantha Gray (5) AL, CT, CU, SH; 12,600-13,517'; CLR, SCR; amd.

Saxifraga flagellaris Willd. ex Sternb. var. *crandallii* (Gand.) Dorn (18) AL, CT, CU, HF, LA, SH; 11,000-14,064'; CLR, SCR; amd.

Saxifraga odontoloma Piper (26) AL, CF, CT, CU, FN, HF, LA, PE, SH; 7200-12,200'; BMP, CLR, HPD, SCR, WMT; bcp, lpp, mcw, ppw, rwl.

Saxifraga oregana T. J. Howell (3) HF; 10,600-12,000'; CLR, SCR; amd, mcw.

Saxifraga rhomboidea Greene (32) AL, CT, CU, HF, LA, PE, SH; 9800-14,064'; BMP, CLR, SCR, WMT; amd, bcp, mcw, mtg, rwl.

Saxifraga rivularis L. var. *debilis* (Engelm. ex Gray) Dorn (9) CT, FN, SH; 11,000-13,517'; BMP, CLR, SCR; amd.

Scrophulariaceae

- Besseyea alpina* (Gray) Rydb. (22) CT, CU, HF, LA, PE, SH; 10,600-14,064'; BMP, CLR, SCR, WMT; amd.
- Besseyea plantaginea* (James) Rydb. (19) CF, CT, CU, HF, LA, PE, SH; 7250-12,347'; CLR, EFH, SCR, SLV, WMT; amd, mcw, pjw, ppw, rwl, sgb.
- Castilleja haydenii* (Gray) Cockerell (21) AL, CT, CU, HF, LA, SH; 10,600-14,064'; CLR, SCR, WMT; amd.
- Castilleja integra* Gray var. *integra* (106) AL, CF, CT, CU, FN, HF, LA, PE, SH; 4800-9800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; dsc, dst, mtg, oks, pjw, ppw, rwl, sgb, sgp.
- Castilleja linariifolia* Benth. (35) AL, CF, CT, CU, FN, HF, SH; 6700-10,600'; BMP, CLR, SCR, SLV; asp, bcp, dsc, dst, mcw, mtg, oks, pjw, ppw, rwl, sgb.
- !*Castilleja lineata* Greene (4) LA; 7600-8700'; CLR, EFH; dst, mtg, pjw, ppw.
- Castilleja miniata* Dougl. ex Hook. var. *miniata* (41) CF, CT, CU, FN, HF, LA, PE, SH; 7250-12,800'; BMP, CLR, EFH, SCR, WMT; amd, asp, bcp, lpp, mcw, mtg, oks, ppw, rwl.
- Castilleja occidentalis* Torr. (37) AL, CF, CT, CU, HF, LA, PE, SH; 8200-14,064'; BMP, CLR, HPD, SCR, WMT; amd, bcp, lpp, mcw.
- Castilleja rhexifolia* Rydb. (5) CF, CU, SH; 10,100-12,620'; BMP, SCR; amd, asp, lpp, mcw, rwl.
- Castilleja sessiliflora* Pursh (2) PE; 4800-5850'; EFH; sgp.
- Castilleja sulphurea* Rydb. (14) CF, CT, CU, FN, HF, LA, SH; 8000-13,971'; BMP, CLR, EFH, SCR; amd, bcp, mcw, mtg, rwl.
- !*Chionophila jamesii* Benth. (9) AL, CT, CU, SH; 11,800-14,064'; CLR, SCR; amd.
- Collinsia parviflora* Lindl. (4) CU, FN, PE; 7500-8700'; WMT; mcw, ppw, rwl.
- Gratiola neglecta* Torr. var. *neglecta* (1) LA; 8600-8700'; EFH; mwl.
- Limosella aquatica* L. (1) HF; 8300-8800'; HPD.
- **Linaria dalmatica* (L.) Mill. ssp. *dalmatica* (2) LA; 6100-6300'; EFH; dst, pjw.
- **Linaria vulgaris* Mill. (2) CT, LA; 8600-8776'; CLR; asp, dst.
- Mimulus floribundus* Lindl. var. *floribundus* (1) LA; 8600-8700'; EFH.
- Mimulus glabratus* H.B.K. var. *glabratus* (1) FN; 7100'; HPD; rwl.
- Mimulus glabratus* H.B.K. var. *jamesii* (T. & G. ex Benth.) Gray (2) CU, SH; 8050-8200'; SLV, WMT; gwd, rwl.
- Mimulus guttatus* DC. var. *guttatus* (33) AL, CF, CT, CU, HF, LA, PE, SH; 8000-12,800'; BMP, CLR, SCR, SLV, WMT; asp, amd, bcp, mcw, mtg, mwl, pjw, ppw, rwl.
- Mimulus tilingii* Regel var. *tilingii* (4) CU, HF, SH; 9600-11,000'; BMP, SCR; mcw, rwl.
- Orthocarpus luteus* Nutt. (7) FN, HF, LA, SH; 7250-10,158'; BMP, CLR, EFH, SCR, SLV; mtg, oks, ppw, rwl.
- Pedicularis bracteosa* Benth. var. *paysoniana* (Penn.) Cronq. (2) CT, HF; 10,900-11,400'; CLR; mcw.
- **Pedicularis canadensis* L. var. *fluviatilis* (Heller) Macbr. (11) CU, HF, LA; 7600-11,600'; CLR, EFH, WMT; asp, mcw, ppw.

- Pedicularis groenlandica* Retz. (30) AL, CF, CT, CU, FN, LA, SH; 8200-13,600'; BMP, CLR, HPD, SCR, WMT; amd, lpp, mcw, mwl, rwl.
- Pedicularis parryi* Gray var. *mogollonica* (Greene) Dorn (3) CT, CU, LA; 11,750-13,400'; CLR, WMT; amd.
- Pedicularis parryi* Gray var. *parryi* (23) AL, CF, CT, HF, LA, PE, SH; 10,600-14,064'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg.
- Pedicularis procera* Gray (14) CU, FN, HF, LA, SH; 8,000-11,000'; CLR, SCR, SLV; asp, mcw, mtg, ppw, rwl.
- Pedicularis racemosa* Dougl. ex Benth. var. *alba* (Penn.) Cronq. (9) CF, HF, LA, SH; 10,400-13,517'; BMP, CLR; bcp, lpp, mcw, rwl.
- Pedicularis sudtica* Willd. ssp. *scopulorum* (Gray) Hulten (1) CT; 13,000-13,517'; CLR; amd.
- Penstemon angustifolius* Nutt. ex Pursh var. *angustifolius* (21) CU, FN, HF, LA, PE; 5960-9100'; EFH, HPD, SCR, WMT; dst, oks, pjw, sgp.
- Penstemon angustifolius* Nutt. ex Pursh var. *caudatus* (Heller) Rydb. (32) CU, FN, HF, LA, PE; 4800-8800'; EFH, HPD, SCR, WMT; dst, gwd, oks, pjw, ppw, rwl, sgp.
- Penstemon auriberbis* Pennell (54) CT, CU, FN, HF, LA, PE, SH; 4800-9000'; EFH, HPD, SCR, SLV, WMT; dst, oks, pjw, ppw, sgb, sgp.
- Penstemon barbatus* (Cav.) Roth var. *torreyi* (Benth.) Gray (49) AL, CF, CT, CU, FN, HF, LA, SH; 6400-11,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, oks, pjw, ppw, rwl.
- Penstemon crandallii* A. Nels. ssp. *crandallii* (9) AL, CU, FN, HF, SH; 8100-11,200'; BMP, SCR, SLV, WMT; asp, bcp, mcw, ppw.
- Penstemon crandallii* A. Nels. ssp. *glabrescens* (Penn.) D.D. Keck (8) CT, CU, HF, SH; 8200-11,000'; BMP, SCR, SLV; mcw, mtg, pjw, ppw.
- !*Penstemon degeneri* Crosswhite (4) CF, FN; 6300-9300'; SCR, WMT; pjw, ppw.
- Penstemon glaber* Pursh var. *alpinus* (Torr.) Gray (7) CU, FN, HF, PE; 7300-9300'; HPD, WMT; mcw, oks, pjw, ppw, rwl.
- Penstemon glaber* Pursh var. *brandegeei* (Porter) C. C. Freeman (23) CU, FN, HF, LA, PE; 5870-9670'; EFH, WMT; asp, dst, mcw, oks, pjw, ppw, rwl, sgp.
- Penstemon gracilis* Nutt. (1) CU; 7400'; WMT; ppw.
- Penstemon griffinii* A. Nels. (9) FN, SH; 8150-10,000'; BMP, SCR, SLV; mcw, mtg.
- Penstemon hallii* Gray (3) CU, SH; 10,600-13,200'; SCR; amd.
- Penstemon harbourii* Gray (1) SH; 11,600-12,574'; BMP, amd.
- Penstemon rydbergii* A. Nels. var. *rydbergii* (1) SH; 11,400-13,971'; BMP; amd, bcp, mcw.
- Penstemon secundiflorus* Benth. (37) CF, CU, FN, HF, LA, PE, SH; 5300-9200'; BMP, EFH, HPD, SCR, SLV; dsc, oks, pjw, ppw, rwl, sgb, sgp.
- Penstemon strictus* Benth. (8) CT, FN, HF, SH; 7650-10,000'; BMP, CLR, SCR, SLV; bcp, mcw, rwl, sgb.
- Penstemon versicolor* Penn. (1) FN; 5100'; EFH; pjw.
- Penstemon virens* Penn. ex Rydb. (41) CU, FN, HF, LA, PE; 4900-10,000'; EFH, HPD, SCR, WMT; asp, dst, mcw, mtg, oks, pjw, ppw, rwl.

- Penstemon virgatus* Gray var. *asa-grayi* (Crosswh.) Dorn (31) AL, CF, CT, CU, FN, HF, LA SH; 7250-10,800'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dsc, dst, mcw, oks, pjw, ppw, rwl, sgb.
- Penstemon whippleanus* Gray (32) AL, CF, CT, CU, FN, HF, LA, PE, SH; 10,300-13,971'; BMP, CLR, SCR, WMT; amd, lpp, mcw, mtg.
- Scrophularia lanceolata* Pursh (14) CT, CU, FN, HF, LA, PE; 6600-9670'; EFH, HPD, SCR, WMT; asp, dst, mcw, oks, pjw, ppw, rwl.
- **Verbascum thapsus* L. (22) AL, CU, FN, HF, LA, PE, SH; 5450-9600'; CLR, EFH, HPD, SCR, SLV, WMT; dst, mcw, mtg, pjw, ppw, rwl.
- Veronica americana* Schwein. ex Benth. (11) CF, CU, HF, PE, SH; 7000-11,000'; BMP, CLR, SCR, SLV, WMT; gwd, mcw, oks, ppw, rwl.
- Veronica anagallis-aquatica* L. (13) CT, CU, FN, LA, SH; 6100-8200'; EFH, HPD, SLV, WMT; dst, mwl, oks, pjw, rwl, sgb.
- Veronica catenata* Penn. (5) CT, HF, LA, SH; 6000-9400'; CLR, SCR, SLV; mwl, rwl, sgb.
- Veronica peregrina* L. var. *xalapensis* (H.B.K.) St. John & Warren (6) HF, LA, PE, SH; 5960-9800'; BMP, CLR, EFH, HPD, WMT; mcw, mtg, mwl, ppw, rwl.
- Veronica serpyllifolia* L. var. *humifusa* (Dickson) Vahl (15) CT, CU, HF, LA, PE, SH; 7350-11,400'; BMP, CLR, SCR, SLV, WMT; asp, bcp, mcw, mwl, ppw, rwl.
- Veronica wormskjoldii* R. & S. (19) AL, CT, CU, FN, HF, LA, SH; 8200-13,517'; BMP, CLR, HPD, SCR, WMT; amd, bcp, lpp, mcw.

Simaroubaceae

- **Ailanthus altissima* (Mill.) Swingle (2) FN, PE; 5100-5450'; EFH; dst, rwl.

Solanaceae

- Chamaesaracha coniodes* (Moric. ex Dunal) Britt. (1) SH; 7650-8500'; SLV.
- Chamaesaracha coronopus* (Dunal) Gray (3) HF; 6300-7400'; EFH; pjw, sgp.
- **Hyoscyamus niger* L. (6) CT, SH; 7900-8900'; SLV; dsc, dst, gwd, pjw, rwl.
- Lycium pallidum* Miers (3) HF, LA; 6000-6300'; EFH; gwd, pjw, sgp.
- Physalis hederifolia* Gray var. *comata* (Rydb.) Waterf. (3) HF, LA; 6000-7000'; EFH; dst, pjw, rwl.
- Physalis hederifolia* Gray var. *fendleri* (Gray) Cronq. (20) FN, HF, LA, PE; 4900-7700'; EFH, HPD, SCR; dst, pjw, rwl, sgp.
- Physalis heterophylla* Nees var. *heterophylla* (1) LA; 6800'; EFH; pjw.
- Physalis hispida* (Waterf.) Cronq. (1) PE; 5450'; EFH; dst, rwl.
- Physalis longifolia* Nutt. (5) LA, PE; 4900-6900'; EFH; dst, pjw, rwl.
- Physalis virginiana* Mill. (2) HF; 6270-7700'; EFH; dst.
- Quincula lobata* (Torr.) Raf. (16) FN, HF, LA, PE; 4800-7400'; EFH, WMT; dst, gwd, pjw, sgp.
- Solanum elaeagnifolium* Cav. (5) LA, HF; 6030-6300'; EFH; dst, gwd, pjw, rwl, sgp.
- Solanum physalifolium* Rusby var. *nitidibaccatum* (Bitter) Edmonds (1) LA; 7250'; EFH; ppw, rwl.
- Solanum rostratum* Dunal (5) FN, LA, PE; 5650-6050'; EFH; dst, pjw, rwl, sgp.

Solanum triflorum Nutt. (13) CT, FN, HF, LA, SH; 6100-9300'; CLR, EFH, SCR, SLV; dst, gwd, pjw, rwl, sgp.

Tamaricaceae

**Tamarix chinensis* Lour. (10) FN, HF, LA, PE; 5200-7220'; EFH; WMT; gwd, mwl, pjw, rwl, sgp.

Typhaceae

Typha angustifolia L. (1) LA; 6000'; EFH; mwl.

Typha domingensis Pers. (3) HF, LA, PE; 6000-6450'; EFH; dst, mwl, rwl.

Typha latifolia L. (8) CU, FN, HF, LA, PE; 5100-8040'; EFH, HPD; dst, mwl, oks, rwl, sgp.

Ulmaceae

Celtis reticulata Torr. (1) FN; 6300'; EFH; pjw.

Ulmus americana L. (8) FN, LA, PE; 5000-7700'; EFH; dst, pjw, rwl, sgp.

Ulmus pumila L. (20) CT, CU, FN, HF, LA, PE; 4700-9100'; EFH, HPD, SCR, SLV; dst, mtg, pjw, rwl, sgb, sgp.

Urticaceae

Parietaria pensylvanica Muhl. ex Willd. (1) LA; 8600'; EFH.

Urtica dioica L. var. *occidentalis* Wats. (13) CT, CU, FN, LA, SH; 7500-12,600'; BMP, EFH, SCR, SLV, WMT; amd, asp, mcw, mwl, ppw, rwl, sgb.

Urtica dioica L. var. *procera* (Muhl. ex Willd.) Wedd. (16) CU, HF, LA, SH; 5900-10,400'; BMP, CLR, EFH, SLV, WMT; amd, asp, bcp, dst, gwd, mcw, oks, ppw, rwl.

Valerianaceae

Valeriana acutiloba Rydb. var. *acutiloba* (11) AL, CF, CT, CU, HF, SH; 8600-12,620'; BMP, CLR, SCR, WMT; amd, mcw, rwl.

Valeriana edulis Nutt. ex T. & G. var. *edulis* (21) CT, CU, HF, LA, SH; 7700-13,200'; BMP, CLR, HPD, SCR, SLV, WMT; amd, dst, mtg, pjw, ppw, rwl, sgb.

Valeriana occidentalis Heller (17) AL, CT, CU, FN, HF, LA, SH; 8200-12,700'; BMP, CLR, HPD, SCR, WMT; amd, asp, lpp, mcw, rwl.

Verbenaceae

Glandularia bipinnatifida (Nutt.) Nutt. var. *bipinnatifida* (51) FN, HF, LA, PE, SH; 4800-7300'; EFH, SLV, WMT; dst, gwd, oks, pjw, sgp.

Verbena bracteata Lag. & Rodr. (62) CF, CT, CU, FN, HF, LA, PE, SH; 4900-10,000'; BMP, CLR, EFH, HPD, SCR, SLV, WMT; asp, dst, mcw, oks, pjw, ppw, rwl, sgb, sgp.

Verbena macdougalii Heller (16) HF, LA; 6000-9200'; CLR, EFH, WMT; dst, mcw, mwl, oks, pjw, ppw, rwl.

Violaceae

- Hybanthus verticillatus* (Ortega) Baill. (6) FN, PE; 5000-8400'; EFH; pjw, sgp.
- Viola adunca* Sm. (15) CT, CU, HF, PE, SH; 7200-11,400'; SCR, SLV, WMT; asp, lpp, mcw, ppw, rwl.
- Viola biflora* L. (1) SH; 12,579'; SCR; amd.
- Viola canadensis* L. (34) AL, CF, CT, CU, FN, HF, LA, PE, SH; 6140-10,400'; BMP, CLR, EFH, HPD, SCR, WMT; asp, lpp, mcw, mtg, pjw, ppw, rwl.
- Viola labradorica* Schrank (10) CF, HF, SH; 10,400-12,800'; BMP, CLR, SCR, WMT; amd, bcp, lpp, mcw, mtg.
- Viola macloskeyi* Lloyd var. *pallens* (Banks ex DC.) C. L. Hitchc. (1) CU; 9200'; WMT; mcw.
- Viola nephrophylla* Greene (6) FN, HF, SH; 7500-9600'; BMP, CLR, SCR, SLV, WMT; asp, mcw, mwl, rwl.
- Viola nuttallii* Pursh (16) FN, HF, LA, PE; 4800-7700'; EFH, HPD; dst, pjw, sgp.
- Viola palustris* L. (2) SH; 10,700-11,200'; BMP; lpp, mcw, rwl.
- Viola pedatifida* G. Don (1) CU; 8600'; WMT; mcw.
- Viola praemorsa* Dougl. ex Lindl. (1) LA; 5900-5950'; EFH; pjw, sgp.

Viscaceae

- Arceuthobium vaginatum* (Willd.) C. Presl. ssp. *cryptopodium* (Engelm.) Hawksw. & Weins (10) CU, FN, HF, PE; 7000-10,000'; CLR, SCR, WMT; mcw, ppw.

Vitaceae

- Parthenocissus quinquefolia* (L.) Planch. (1) PE; 5960-6000'; EFH; rwl.
- Parthenocissus vitacea* (Knerr) Hitchc. (13) FN, LA, PE; 4900-7600'; EFH, WMT; dst, mwl, pjw, rwl.
- Vitis acerifolia* Raf. (4) FN, LA, PE; 5200-6000'; EFH; dst, pjw, rwl.
- Vitis riparia* Michx. (3) FN, PE; 5100-6000'; EFH; dst, pjw, rwl.

Zygophyllaceae

- **Tribulus terrestris* L. (4) FN, LA, PE; 5100-6600; dst.